

Data Originators Custodians

Effective Date: 15 June 2023

Aeronautical Information Publication (AIP) Book - Part 1 - GENERAL (GEN)

Aeronautical Information Publication (AIP) Book - Part 2 - EN ROUTE (ENR)

Aeronautical Information Publication (AIP) Book - Part 3 - AERODROMES (AD)

En Route Supplement Australia (ERSA)

Departure and Approach Procedures (DAP) - INTRO

Departure and Approach Procedures (DAP) - CHARTS

Designated Airspace Handbook (DAH)

MAP

Legend

Permanent NOTAM (PERM NOTAM)

Data Quality Requirements (DQR) - Aeronautical Data Originator

Data Quality Requirements (DQR) - Part 173

Data Quality Requirements (DQR) - Airservices/CASA

Data Quality Requirements (DQR) - Part 171

Aeronautical Information Publication (AIP)

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
		Cover Page	AA	AIS Manager	CRC	
		AMENDMENT INSTRUCTIONS	AA	AIS Manager	CRC	
PART 1	PART 1 - GENERAL (GEN)					
GEN 0.						
GEN 0.1		PREFACE				
GEN 0.1	1.0	NAME OF PUBLISHING AUTHORITY	AA	AIS Manager	CRC	
	2.0	APPLICABLE ICAO DOCUMENTS	AA	AIS Manager	CRC	
	3.0	PUBLICATION MEDIA	AA	AIS Manager	CRC	
	4.0	THE AIP STRUCTURE AND ESTABLISHED REGULAR AMENDMENT INTERVAL	AA	AIS Manager	CRC	
	5.0	COPYRIGHT	AA	AIS Manager	CRC	
	6.0	SERVICE TO CONTACT IN CASE OF DETECTED AIP ERRORS OR OMISSIONS	AA	AIS Manager	CRC	
		THE INTEGRATED AERONAUTICAL INFORMATION PACKAGE	AA	AIS Manager	CRC	
GEN 0.2		RECORD OF AMENDMENTS	AA	AIS Manager	CRC	
GEN 0.3		RECORD OF AIP SUPPLEMENTS	AA	AIS Manager	CRC	
GEN 0.4		CHECKLIST OF AIP PAGES	AA	AIS Manager	CRC	
GEN 0.5		LIST OF HAND AMENDMENTS	AA	AIS Manager	CRC	
GEN 0.6		TABLE OF CONTENTS	AA	AIS Manager	CRC	
GEN 1.		NATIONAL REGULATIONS AND REQUIREMENTS				
GEN 1.1		DESIGNATED AUTHORITIES				
GEN 1.1	1.0	DESIGNATED AUTHORITIES	DoITRDCA, DoHA, ABF, CASA, AA, DAWE, DoH, ATSB, BoM, AMSA, DoD		Docs Amend	AA
GEN 1.2		ENTRY, TRANSIT AND DEPARTURE OF AIRCRAFT				
GEN 1.2	1.0	ENTRY, TRANSIT AND DEPARTURE OF INTERNATIONAL FLIGHTS				
	1.1	Preamble	DoHA	ABF	Docs Amend	
	1.2	Scheduled International Commercial Services by Foreign Aircraft of Contracting States to the Chicago Convention	AA	AIS Manager	CRC	
	1.2.1	International Airline Licence	AA	AIS Manager	CRC	
	1.2.6	Lodging of timetables	AA	AIS Manager	CRC	
	1.2.10	Australian Foreign Air Transport Air Operator's Certificate (FATAOC)	CASA	International Operations	CASA RFC	DoITRDCA
	1.2.11	Application forms for FATAOC	CASA	International Operations	CASA RFC	
	1.3	Summary of Documents to be presented by Pilot in Command or Authorised Agent	DoHA		Docs Amend	
	1.3.1	At First Airport of Call in Australia	DoHA		Docs Amend	
	1.3.2	At Airports other than First Airport of Call in Australia	DoHA		Docs Amend	
	1.3.3	At First Airport of Departure from Australia	DoHA		Docs Amend	

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
GEN 1.2	1.4	Non-Scheduled International Commercial Services by Foreign Aircraft of Contracting States to the Chicago Convention	DoITRDCA	Repatriation and International Review	Docs Amend	CASA
	1.5	Non-Scheduled International Commercial Services by Australian Aircraft	DoITRDCA	Repatriation and International Review	Docs Amend	CASA
	1.6	Non-Scheduled International Commercial Services by Australian Aircraft and Foreign Aircraft of Non-Contracting States and Contracting States which do not Require Prior Approval from the Department of Infrastructure	DoITRDCA	Repatriation and International Review	Docs Amend	CASA
	1.7	International Flights by Foreign Aircraft not Possessing Nationality of Contracting State to the Chicago Convention	AA	AIS Manager	CRC	
	1.8	Flights by Foreign State Aircraft				
	1.8.1	Aircraft Diplomatic Clearance Application	DoD	RAAF AIS	Docs Amend	CASA
	1.8.2	Diplomatic clearance application information	DoD	RAAF AIS	Docs Amend	CASA
	1.8.3	Changes to flight details	DoD	RAAF AIS	Docs Amend	CASA
	1.8.4	Diplomatic clearance queries	DoD	RAAF AIS	Docs Amend	CASA
	1.8.5	Compliance	DoD	RAAF AIS	Docs Amend	CASA
	1.8.6	Foreign Military Aircraft Participating in Exercises within Australia	DoD	RAAF AIS	Docs Amend	CASA
	1.8.7	Alternate Routes and In-flight Emergencies	DoD	RAAF AIS	Docs Amend	CASA
	1.9	International Private Flights	DoITRDCA	Repatriation and International Review	Docs Amend	CASA
	1.10	Aviation Security	DoHA		Docs Amend	AMSA
	1.11	Aviation Security: Transport Security Program requirements	DoHA		Docs Amend	
	1.12	Carriage of Munitions of War and Implements of War				
	1.12.1	Section 19(2) of the Air Navigation Act 1920	DoITRDCA	Repatriation and International Review	Docs Amend	DFAT
	1.12.2	Applications for transportation of munitions of war by State aircraft	DoD	RAAF AIS	Docs Amend	
	1.12.3	Applications for carriage of munitions of war in all other circumstances	DoITRDCA	Repatriation and International Review	Docs Amend	
	1.12.4	Firearms and weapons permission	DoHA		Docs Amend	DoD
	1.13	Foreign Clearances - Australian Aircraft	DoD	RAAF AIS	Docs Amend	
	1.14	Aircraft on International Flights to Comply with Laws	DoITRDCA	Repatriation and International Review	Docs Amend	CASA
	1.15	Section 22 of the Civil Aviation Act 1988	CASA		CASA RFC	
	1.16	Aircraft Noise Operating Restrictions	DoITRDCA	Airspace Protection	Docs Amend	CASA
	1.17	Air Carriers' Liability and Insurance	AA	AIS Manager	CRC	
	1.18	Australian Operational Documents Available to Pilots Licensed by another State Proposing to Visit Australia	AA	AIS Manager	CRC	
	2.0	DESIGNATED INTERNATIONAL AIRPORTS - AUSTRALIA				
	2.1	Major International Airports	DoHA		Docs Amend	DoH
	2.2	Restricted Use International Airports	DoHA		Docs Amend	DoH
	2.3	Alternate Airports to International Airports	DoHA		Docs Amend	DoH
	2.4	International Non-Scheduled Flight Airports	DoHA		Docs Amend	DoH
	2.5	External Territory International Airport	DoHA		Docs Amend	DoH

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
GEN 1.3		ENTRY, TRANSIT AND DEPARTURE OF PASSENGERS AND CREW				
GEN 1.3	1.0	INTRODUCTION	DoH		Docs Amend	DoHA
	2.0	BIOSECURITY REQUIREMENTS				
	2.1	General	DoH		Docs Amend	DAWE
	2.2	Disinsection	DoH		Docs Amend	DAWE
	2.3	Pre-arrival Reporting (PAR) Requirements	DoH		Docs Amend	DAWE
	2.4	Ill Passengers or Death On Board	DoH		Docs Amend	DAWE
	2.5	Pratique	DoH		Docs Amend	DAWE
	2.6	Biosecurity Waste	DoH		Docs Amend	DAWE
	2.7	Biosecurity In-Flight Announcement	DoH		Docs Amend	DAWE
	2.8	Required Vaccination and Health Documents	DoH		Docs Amend	DAWE
	2.9	Biosecurity screening of baggage	DoH		Docs Amend	DAWE
	2.10	Conditionally Non-prohibited Goods	DoH		Docs Amend	DAWE
	3.0	IMMIGRATION/EMIGRATION REQUIREMENTS				
	3.1	General	DoHA		Docs Amend	
	3.2	Advance Passenger Processing and Reporting of Passengers and Crew	DoHA		Docs Amend	
	3.3	Inwards Clearance - Passports or Other Travel Document	DoHA		Docs Amend	
	3.4	Visa Requirements	DoHA		Docs Amend	
	3.5	Returning Non-citizen Permanent Residents of Australia	DoHA		Docs Amend	
	3.6	Incoming Passenger Cards	DoHA		Docs Amend	
	3.7	Inward Clearance - Documentation	DoHA		Docs Amend	
	3.8	Outwards Clearance - Documentation	DoHA		Docs Amend	
	4.0	CUSTOMS REQUIREMENTS				
	4.1	Inward Clearance - Documentation	DoHA		Docs Amend	
	4.2	Examination of Crew and Passengers - Arrivals	DoHA		Docs Amend	
	4.3	Outwards Clearance - Documentation	DoHA		Docs Amend	
	4.4	Examination of Crew and Passengers - Departures	DoHA		Docs Amend	
	5.0	TRANSIT PASSENGERS - CLEARANCE REQUIREMENTS AND PROCEDURES WITHIN AUSTRALIA				
	5.1	Immigration Requirements	DoHA		Docs Amend	
	5.2	Customs and Biosecurity Requirements	DoHA		Docs Amend	
	5.3	Requirements for the airline representative	DoHA		Docs Amend	
	6.0	LANDINGS AT DESIGNATED ALTERNATE AIRPORTS OR ELSEWHERE THAN AT DESIGNATED INTERNATIONAL AIRPORTS WITHIN AUSTRALIA				
	6.1	General	DoHA		Docs Amend	DoH, DAWE
	6.2	Designated Alternate Airports to International Airports	DoHA		Docs Amend	DoH, DAWE
	6.3	Landing made other than at a Designated Alternate Airport	DoHA		Docs Amend	DoH, DAWE
	7.0	CHARTER FLIGHTS - GUIDELINES FOR CLEARANCE				
	7.1	General	DoHA		Docs Amend	
	7.2	Arrival/Departure at International Airports	DoHA		Docs Amend	
	7.3	Arrival/Departure at Non-International Airports, and Restricted Use International Airports	DoHA		Docs Amend	
	7.4	Processing of the Application	DoHA		Docs Amend	

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
GEN 1.3	8.0	DESIGNATED INTERNATIONAL AIRPORTS - AUSTRALIAN EXTERNAL TERRITORIES - ENTRY AND DEPARTURE REQUIREMENTS AND PROCEDURES				
	8.1	Biosecurity Requirements for External Territories	DoHA		Docs Amend	DoITRDCA, DAWE, DoH
	8.2	External Territory International Airports	DoHA		Docs Amend	DoITRDCA, DAWE, DoH
	8.3	Territory of Christmas Island	DoHA		Docs Amend	DoITRDCA, DAWE, DoH
	8.4	Territory of Cocos (Keeling) Islands	DoHA		Docs Amend	DoITRDCA, DAWE, DoH
	8.5	Territory of Norfolk Island	DoHA		Docs Amend	DoITRDCA, DAWE, DoH
GEN 1.4		ENTRY, TRANSIT AND DEPARTURE OF CARGO				
GEN 1.4	1.0	CUSTOMS REQUIREMENTS CONCERNING CARGO AND OTHER ARTICLES				
	1.1	Cargo Report	DoHA		Docs Amend	
	1.2	List of Stores (e.g. narcotic drugs, beer, wine, spirits and tobacco products)	DoHA		Docs Amend	
	1.3	Import Declarations and Carnets	DoHA		Docs Amend	
	1.4	Treatment of Diplomatic and Consular Goods	DoHA		Docs Amend	
	1.5	Departure Report	DoHA		Docs Amend	
	1.6	Outwards Manifest	DoHA		Docs Amend	
	1.7	Export Reporting	DoHA		Docs Amend	
	1.8	Certificate of Clearance	DoHA		Docs Amend	
	2.0	BIOSECURITY REQUIREMENTS	DAWE		Docs Amend	
	3.0	AIR CARGO SECURITY REQUIREMENTS	DoHA		Docs Amend	
GEN 1.5		AIRCRAFT INSTRUMENTS, EQUIPMENT AND FLIGHT DOCUMENTS				
GEN 1.5	1.0	RADIO COMMUNICATIONS SYSTEM REQUIREMENTS	CASA		CASA RFC	AA
	2.0	RADIO NAVIGATION SYSTEM REQUIREMENTS	CASA		CASA RFC	AA
	3.0	EMERGENCY LOCATOR TRANSMITTER (ELT)	CASA		CASA RFC	AA
	4.0	AIRBORNE WEATHER RADAR	CASA		CASA RFC	AA
	5.0	GROUND PROXIMITY WARNING SYSTEM (GPWS)	CASA		CASA RFC	ACMA
	6.0	SURVEILLANCE EQUIPMENT				
	6.1	General requirements and capabilities	CASA		CASA RFC	AA
	6.2	Flight without serviceable required surveillance equipment	CASA		CASA RFC	AA
	6.3	ADS-B equipment in State Aircraft	CASA		CASA RFC	AA
	7.0	AIRBORNE COLLISION AVOIDANCE SYSTEM (ACAS) / TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS)				
	7.1	Overview	CASA		CASA RFC	AA, ATSB
	7.2	Use of ACAS/TCAS Indicators	CASA		CASA RFC	AA, ATSB
	7.3	Responsibility for Separation	CASA		CASA RFC	AA, ATSB
	7.4	Australian Transport Safety Bureau (ATSB) requirements	CASA		CASA RFC	AA, ATSB
	7.5	ATSB reporting requirements	CASA		CASA RFC	AA, ATSB
	7.6	ATSB reporting requirements for proactive system analysis	CASA		CASA RFC	AA, ATSB
	7.7	High Vertical Rate (HVR) Encounters	CASA		CASA RFC	AA, ATSB
	8.0	AREA NAVIGATION SYSTEMS APPROVAL AND OPERATIONS	CASA		CASA RFC	AA
	9.0	RVSM APPROVAL AND OPERATIONS	CASA		CASA RFC	
	10.0	AOC TO BE CARRIED ON BOARD	CASA		CASA RFC	

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
GEN 1.6		SUMMARY OF NATIONAL REGULATIONS AND INTERNATIONAL AGREEMENTS/CONVENTIONS				
GEN 1.6	1.0	KEY CIVIL AVIATION LEGISLATION AND AIR NAVIGATION REGULATIONS IN FORCE IN AUSTRALIA AND ITS TERRITORIES				
	1.1	Legislation by the Parliament of the Commonwealth of Australia				
	1.1.1	Air Navigation Act 1920 and Air Navigation Regulations 2016	DoITRDCA	Aviation Governance	Docs Amend	CASA
	1.1.2	Air Services Act 1995 and Air Services Regulations 2019	DoITRDCA	Aviation Governance	Docs Amend	CASA
	1.1.3	Aviation Transport Security Act 2004 and Aviation Transport Security Regulations 2005	DoHA		Docs Amend	
	1.1.4	Biosecurity Act 2015	DAWE		Docs Amend	
	1.1.5	Civil Aviation Act 1988	DoITRDCA	Aviation Governance	Docs Amend	CASA
	1.1.6	Civil Aviation Regulations	DoITRDCA	Aviation Governance	Docs Amend	CASA
	1.1.7	Damage by Aircraft Act 1999	DoITRDCA	Aviation Governance	Docs Amend	CASA
	1.1.8	Civil Aviation (Carriers' Liability) Act 1959	DoITRDCA	Aviation Governance	Docs Amend	CASA
	1.1.9	Transport Safety Investigation Act 2003 (TSI Act)	DoHA		Docs Amend	
	1.2	Other Relevant Legislation	DoITRDCA	Aviation Governance	Docs Amend	DoHA
	2.0	SECURITY OF GENERAL AVIATION OPERATIONS				
	2.1	Introduction	DoHA		Docs Amend	CASA
	2.2	Activities Which May Arouse Suspicion	DoHA		Docs Amend	CASA
	2.3	Actions and Contacts	DoHA		Docs Amend	CASA
	3.0	AUSTRALIAN SANCTIONS				
	3.1	Introduction	DFAT		Docs Amend	CASA
	3.2	Sanctions Regimes under Australian sanction laws	DFAT		Docs Amend	CASA
	3.3	Further information	DFAT		Docs Amend	CASA
	4.0	AUSTRALIAN AIR CARGO PROHIBITIONS				
	4.1	Introduction	DoHA		Docs Amend	
	4.2	Air Cargo Prohibitions under Australian Law	DoHA		Docs Amend	
	4.3	Further Information	DoHA		Docs Amend	
GEN 1.7		DIFFERENCES FROM ICAO STANDARDS, RECOMMENDED PRACTICES AND PROCEDURES	AA	AIS Manager	CRC	DoITRDCA, BoM
			CASA		CASA RFC	
GEN 2.		TABLES AND CODES				
GEN 2.1		MEASURING SYSTEM, AIRCRAFT MARKINGS, HOLIDAYS				
GEN 2.1	1.0	UNITS OF MEASUREMENT	CASA		CASA RFC	AA
	2.0	TIME SYSTEM	AA	AIS Manager	CRC	
	3.0	GEODETIC REFERENCE DATUM	AA	AIS Manager	CRC	
	4.0	PUBLIC HOLIDAYS	AA	AIS Manager	CRC	
GEN 2.2		DEFINITIONS AND ABBREVIATIONS				
GEN 2.2	1.0	DEFINITIONS	CASA		CASA RFC	AA
	2.0	GENERAL AND METEOROLOGICAL ABBREVIATIONS	CASA		CASA RFC	AA
GEN 2.3		CHART SYMBOLS	AA	AIS Manager		
GEN 2.4		LOCATION INDICATORS				
GEN 2.4	1.0	CODE ALLOCATION	AA	AIS Manager	CRC	
	2.0	LIST OF CODES	AA	AIS Manager	CRC	
GEN 2.5		RADIO NAVIGATION AIDS	AA	AIS Manager	CRC	
GEN 2.6		CONVERSION OF UNITS OF MEASUREMENT	AA	AIS Manager	CRC	
GEN 2.7		FIRST LIGHT AND LAST LIGHT COMPUTATIONS	CASA		CASA RFC	BoM, AA
GEN 3.		SERVICES				

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
GEN 3.1		AERONAUTICAL INFORMATION SERVICES				
GEN 3.1	1.0	RESPONSIBLE SERVICE	AA	AIS Manager	CRC	
	2.0	AREA OF RESPONSIBILITY	AA	AIS Manager	CRC	
	3.0	AERONAUTICAL PUBLICATIONS				
	3.1	Integrated Aeronautical Information Package (IAIP)	AA	AIS Manager	CRC	
	3.2	Aeronautical Information Publication (AIP)	AA	AIS Manager	CRC	
	3.3	Amendment Service to the AIP (AIP AMDT)	AA	AIS Manager	CRC	
	3.4	Supplement to the AIP (AIP SUP)	AA	AIS Manager	CRC	
	3.5	NOTAM	AA	AIS Manager	CRC	
	3.6	Aeronautical Information Circular (AIC)	AA	AIS Manager	CRC	
	3.7	Checklist and List of valid NOTAM	AA	AIS Manager	CRC	
	3.8	Sale of Publications	AA	AIS Manager	CRC	
	4.0	AIRAC SYSTEM	AA	AIS Manager	CRC	
	5.0	PREFLIGHT INFORMATION SERVICE	AA	AIS Manager	CRC	
	6.0	ELECTRONIC TERRAIN AND OBSTACLE DATA	CASA		CASA RFC	
GEN 3.2		AERONAUTICAL CHARTS				
GEN 3.2	1.0	RESPONSIBLE SERVICES	AA	AIS Manager	CRC	
	2.0	MAINTENANCE OF CHARTS	AA	AIS Manager	CRC	
	3.0	PURCHASE ARRANGEMENTS	AA	AIS Manager	CRC	
	4.0	AERONAUTICAL CHART SERIES AVAILABLE	AA	AIS Manager	CRC	
	5.0	LIST OF AERONAUTICAL CHARTS AVAILABLE	AA	AIS Manager	CRC	
	6.0	INDEX TO THE WORLD AERONAUTICAL CHART (WAC) - 1:1 000 000	AA	AIS Manager	CRC	
	7.0	TOPOGRAPHIC CHARTS	AA	AIS Manager	CRC	
	8.0	CORRECTIONS TO CHARTS NOT CONTAINED IN THE AIP	AA	AIS Manager	CRC	
GEN 3.3		AIR TRAFFIC SERVICES				
GEN 3.3	1.0	RESPONSIBLE SERVICE	AA	ATSI	CRC	CASA
	2.0	AREA OF RESPONSIBILITY	AA	ATSI	CRC	DoD
	3.0	TYPES OF SERVICE				
	3.1	General	AA	ATSI	CRC	
	3.2	Air Traffic Control Service	AA	ATSI	CRC	
	3.3	Flight Information Service (FIS)	AA	ATSI	CRC	
	3.3.1	Pilot Responsibility	CASA	FSB	CASA RFC	AA
	3.3.2	Preflight Information	AA	AIS Manager	CRC	
	3.3.3	In-flight Information	AA	ATSI	CRC	CASA
	3.3.4	ATC Initiated FIS	AA	ATSI	CRC	
	3.3.5	Automatic Terminal Information Services (ATIS)	AA	ATSI	CRC	BoM
	3.3.6	Aerodrome Flight Information Service (AFIS)	AA	ATSI	CRC	CASA
	3.3.7	Traffic Information	AA	ATSI	CRC	CASA
	3.3.8	On-Request Service - ATC and FLIGHTWATCH	AA	ATSI	CRC	
	3.4	Alerting Service	AA	ATSI	CRC	CASA
	3.5	Safety Alerts and Avoiding Action	AA	ATSI	CRC	CASA

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
GEN 3.3	4.0	CALCULATION OF LOWEST SAFE ALTITUDE				
	4.1	Grid LSALT for obstacle clearance	CASA		CASA RFC	AA
	4.2	Routes and route segments not shown on AIP aeronautical chart	CASA		CASA RFC	AA
	4.3	Unreported obstacles up to 360FT	CASA		CASA RFC	AA
	4.4	Aircraft not flown under the IFR exception	CASA		CASA RFC	AA
	4.5	Inaccurate aircraft navigation	CASA		CASA RFC	AA
	4.6	For Routes Defined by Radio Navigation Aids or to be Navigated by DR	CASA		CASA RFC	AA
	4.7	For Routes Operated Under the RNP 2 Navigation Specification	CASA		CASA RFC	AA
	4.8	For Other Area Navigation Operations	CASA		CASA RFC	AA
	4.9	VFR Flights at Night	CASA		CASA RFC	AA
	4.10	Aircraft not flown at night under the VFR exception	CASA		CASA RFC	AA
	5.0	CONTINGENCY PROCEDURES - AIR TRAFFIC SERVICES TEMPORARILY NOT AVAILABLE				
	5.1	Introduction	CASA	FSB	CASA RFC	AA
	6.0	CONTROL OF VEHICULAR AND PEDESTRIAN MOVEMENT OF AERODROMES	CASA	FSB	CASA RFC	
GEN 3.4		COMMUNICATION AND NAVIGATION SERVICES				
GEN 3.4	1.0	RESPONSIBLE SERVICE	AA	AIS Manager	CRC	
	2.0	AREA OF RESPONSIBILITY	AA	AIS Manager	CRC	
	3.0	RADIO NAVIGATION SERVICE				
	3.1	General	AA	AIS Manager	CRC	
	3.2	Identification	AA	AIS Manager	CRC	
	3.3	Non-Directional Beacons	AA	AIS Manager	CRC	
	3.4	VHF Omni-Directional Radio Range (VOR)	AA	AIS Manager	CRC	
	3.5	Distance Measuring Equipment (DME)	AA	AIS Manager	CRC	
	3.6	Tactical Air Navigation (TACAN)	AA	AIS Manager	CRC	
	3.7	Public Broadcasting Stations	AA	AIS Manager	CRC	
	3.8	Abnormal Operation of Radio Navigation Aids	CASA	FSB	CASA RFC	AA
	3.8.1	Abnormal condition of radio navigation facility notification	CASA	FSB	CASA RFC	AA
	3.8.2	Aids Not Available for Navigation	AA	AIS Manager	CRC	CASA
	3.9	Remote Facilities	AA	AIS Manager	CRC	CASA
	3.10	Monitoring of Identifier	CASA	FSB	CASA RFC	AA
	3.11	Global Navigation Satellite System (GNSS)	CASA	FSB	CASA RFC	AA
	3.12	Global Positioning System (GPS)	CASA	FSB	CASA RFC	AA
	4.0	COMMUNICATIONS SERVICES				
	4.1	Radio Frequencies				
	4.1.1	General	CASA	FSB	CASA RFC	AA
	4.1.2	UHF	DoD	RAAF AIS	Docs Amend	AA
	4.1.3	HF - Domestic Operations	CASA	FSB	CASA RFC	AA
	4.1.4	HF - International Operations	AA	ATSI	CRC	
	4.1.5	Interpilot Air-to-Air Communication	CASA	FSB	CASA RFC	
	4.1.6	SELCAL	AA	ATSI	CRC	
	4.2	Certified Air/Ground Radio Service (CA/GRS)	CASA	FSB	CASA RFC	
	4.3	UNICOM	CASA	FSB	CASA RFC	
	4.4	Aerodrome Frequency Response Unit	CASA	FSB	CASA RFC	
	4.5	Aeronautical Fixed Telecommunications Network (AFTN)	AA	ATSI	CRC	

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
GEN 3.4	4.6	Special Broadcast Services				
	4.6.1	ATIS	AA	ATSI	CRC	BoM
	4.6.2	AERIS	AA	ATSI	CRC	BoM
	4.6.3	VOLMET	AA	ATSI	CRC	BoM
	4.6.4	AWIS	AA	ATSI	CRC	BoM
	4.7	Aeronautical Codes	AA	AIS Manager	CRC	
	5.0	RADIOTELEPHONY PROCEDURES				
	5.1	Introduction	CASA	FSB	CASA RFC	AA
	5.2	General	CASA	FSB	CASA RFC	AA
	5.3	Transmission Format	CASA	FSB	CASA RFC	AA
	5.4	Readback Requirements	CASA	FSB	CASA RFC	AA
	5.5	Conditional Clearances	CASA	FSB	CASA RFC	AA
	5.6	Route Terminology	CASA	FSB	CASA RFC	AA
	5.7	Amended Route or Level	CASA	FSB	CASA RFC	AA
	5.8	Language	CASA	FSB	CASA RFC	AA
	5.9	Phonetic Alphabet	CASA	FSB	CASA RFC	AA
	5.10	Pronunciation of numbers	CASA	FSB	CASA RFC	AA
	5.11	Transmission of numbers	CASA	FSB	CASA RFC	AA
	5.12	Ground Station Callsigns	AA	ATSI	CRC	CASA
	5.13	Aircraft Callsigns	CASA	FSB	CASA RFC	AA
	5.14	Flight Number Callsigns - Using Group Form	CASA	FSB	CASA RFC	AA
	5.15	Selection of Aircraft Identification Numbers and Suffixes	CASA	FSB	CASA RFC	AA
	5.16	Ground Vehicles	CASA	FSB	CASA RFC	AA
	5.17	Interchange and Leased Aircraft	CASA	FSB	CASA RFC	AA
	5.18	Unmanned Aerial Vehicles	CASA	FSB	CASA RFC	AA
	5.19	Callsigns - Full and Abbreviated Formats	CASA	FSB	CASA RFC	AA
	5.20	Registration of Radiotelephony Designators	AA	ATSI	CRC	CASA
	5.21	Callsigns - Special Task Operations	AA	ATSI	CRC	CASA
	6.0	PHRASEOLOGIES				
	6.1	Standard Words and Phrases	AA	ATSI	CRC	CASA
	6.2	Emergency	AA	ATSI	CRC	CASA
	6.3	Traffic Alert and Collision Avoidance System (TCAS), Safety Alerts and Avoiding Action and Wind Shear Escape	AA	ATSI	CRC	CASA
	6.4	Status of Restricted Areas and Military Operating Areas	AA	ATSI	CRC	CASA
	6.5	SARWATCH	AA	ATSI	CRC	CASA
	6.6	General Phrases	AA	ATSI	CRC	CASA
	6.7	Frequency Management	AA	ATSI	CRC	CASA
	6.8	Traffic Information	AA	ATSI	CRC	CASA
	6.9	Meteorological Information	AA	ATSI	CRC	CASA
	6.10	Reports and Information	AA	ATSI	CRC	CASA
	6.11	Clearances	AA	ATSI	CRC	CASA
	6.12	SID	AA	ATSI	CRC	CASA
	6.13	STAR	AA	ATSI	CRC	CASA
	6.14	Approach and Area Control Services	AA	ATSI	CRC	CASA
	6.15	Phraseologies to be used related to CPDLC	AA	ATSI	CRC	CASA
	6.16	Vicinity of the Aerodrome	AA	ATSI	CRC	CASA, DoD
	6.17	ATS Surveillance Service Phraseologies	AA	ATSI	CRC	CASA

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
GEN 3.4	7.0	ATS DATA LINK SERVICES				
	7.1	General	AA	ATSI	CRC	CASA
	7.2	Pilot Responsibilities	AA	ATSI	CRC	CASA
	7.3	Controller Pilot Data Link Communication (CPDLC)	AA	ATSI	CRC	CASA
	7.4	Logon Procedures	AA	ATSI	CRC	CASA
	7.5	Position Reporting Requirements	AA	ATSI	CRC	CASA
	7.6	CPDLC Level Reporting Following Change of Level	AA	ATSI	CRC	CASA
	7.7	Reporting Back on Route by CPDLC	AA	ATSI	CRC	CASA
	7.8	Block Level Clearances	AA	ATSI	CRC	CASA
	7.9	Revision of Estimates Using CPDLC	AA	ATSI	CRC	CASA
	7.10	CPDLC Message Restrictions	AA	ATSI	CRC	CASA
	7.11	CPDLC CONTACT and MONITOR messages	AA	ATSI	CRC	CASA
	7.12	CPDLC route clearances	AA	ATSI	CRC	CASA
	7.13	CPDLC Failure	AA	ATSI	CRC	CASA
	7.14	Notification of Emergency	AA	ATSI	CRC	CASA
	7.15	CPDLC Message Set	AA	ATSI	CRC	CASA
	APPENDIX 1	AUSTRALIAN AFTN CIRCUITRY NATIONAL COMMUNICATIONS CENTRE CANBERRA - YSCBYFYX	AA	AIS Manager	CRC	CASA
GEN 3.5		METEOROLOGICAL SERVICES				
GEN 3.5	1.0	RESPONSIBLE SERVICE	BoM	MA	Docs Amend	
	2.0	AREA OF RESPONSIBILITY	BoM	MA	Docs Amend	
	3.0	METEOROLOGICAL OBSERVATIONS AND REPORTS				
	3.1	METAR/SPECI	BoM	AMS	Docs Amend	
	3.2	Other Meteorological reports	BoM	AMS	Docs Amend	
	4.0	TYPES OF SERVICES				
	4.1	ATS meteorological information service	BoM	AMS	Docs Amend	AA
	4.2	Interpretation and use of forecasts	BoM	AMS	Docs Amend	AA
	4.3	Forecasts for operations above 10,000FT	BoM	AMS	Docs Amend	AA
	4.4	Significant Weather (SIGWX) charts	BoM	AMS	Docs Amend	
	4.5	Route Sector Winds and Temperature (RSWT)	BoM	AMS	Docs Amend	
	4.6	Grid Point Wind and Temperature (GPWT) forecasts	BoM	AMS	Docs Amend	
	4.7	Graphical Area Forecasts (GAF) for operations surface to 10,000FT	BoM	AMS	Docs Amend	AA
	4.8	Aerodrome Forecasts (TAF)	BoM	AMS	Docs Amend	AA
	4.9	Airport Weather Briefings (AWB)	BoM	AMS	Docs Amend	AA
	4.10	Wind shear warning	BoM	AMS	Docs Amend	AA
	4.11	Volcanic Ash Advisory (VAA)	BoM		Docs Amend	CASA
	4.12	Space Weather (SWX)	BoM	AMS	Docs Amend	
	4.13	Tropical Cyclones (TC)	BoM	AMS	Docs Amend	
	5.0	NOTIFICATION REQUIRED FROM OPERATORS				
	5.1	For international operations	BoM	AMS	Docs Amend	
	5.2	For domestic operations	BoM	AMS	Docs Amend	
	5.3	Forecasts for flights - valid GAF not available	BoM	AMS	Docs Amend	
	6.0	AIRCRAFT REPORTS				
	6.1	Routine aircraft observations	CASA	FSB	CASA RFC	
	6.2	AIREP Special	CASA	FSB	CASA RFC	
	6.3	Wind shear - reporting	CASA	FSB	CASA RFC	
	6.4	Volcanic activity reports	CASA	FSB	CASA RFC	

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
GEN 3.5	7.0	VOLMET SERVICE	AA	ATSI	CRC	BoM
	8.0	SIGMET AND AIRMET SERVICE				
	8.1	SIGMET	BoM	AMS	Docs Amend	AA
	8.2	AIRMET	BoM	AMS	Docs Amend	AA
	9.0	OTHER AUTOMATED METEOROLOGICAL SERVICES				
	9.1	Aerodrome Weather Information Service (AWIS) and Weather and Terminal Information Reciter (WATIR)	AA	ATSI	CRC	BoM
	9.2	Automatic En Route Information Service (AERIS)	AA	ATSI	CRC	BoM
GEN 3.6		SEARCH AND RESCUE				
GEN 3.6	1.0	PURPOSE	AMSA		Docs Amend	AA
	2.0	RESPONSIBLE AUTHORITY	AMSA		Docs Amend	AA
	3.0	ORGANISATION	AMSA		Docs Amend	AA
	4.0	RESCUE COORDINATION CENTRES	AMSA		Docs Amend	
	5.0	PROCEDURES				
	5.1	Pilot Notification	CASA	FSB	CASA RFC	
	5.2	Advice to Aircraft Operators	CASA	FSB	CASA RFC	
	5.3	In-Flight Emergency Response Action	CASA	FSB	CASA RFC	
	5.4	Medical Emergency	CASA	FSB	CASA RFC	
	5.5	Participation In Searches	CASA	FSB	CASA RFC	
	6.0	EMERGENCY LOCATOR TRANSMITTER (ELT)				
	6.1	Use of ELT in an emergency procedures	CASA	FSB	CASA RFC	AMSA
	6.2	Monitoring 121.5MHz	CASA	FSB	CASA RFC	AMSA
	6.3	Inadvertent Activations	CASA	FSB	CASA RFC	AMSA
	6.4	Testing ELT	CASA	FSB	CASA RFC	AMSA
	6.5	ELT Registration	CASA	FSB	CASA RFC	AMSA
	7.0	COSPAS-SARSAT	AMSA		Docs Amend	
	8.0	SEARCH AND RESCUE TRANSPONDER (SART)	AMSA		Docs Amend	AA, CASA
	9.0	SAR ACTION	AMSA		Docs Amend	AA
	10.0	SRR BOUNDARY	AMSA		Docs Amend	AA
GEN 4.0		CHARGES FOR AERODROMES/HELIPORTS AND AIR NAVIGATION SERVICES				
GEN 4.1		AERODROME/HELIPORT CHARGES				
GEN 4.1	1.0	LANDING CHARGES	AA	AIS Manager	CRC	DoITRDCA, DoD, CASA, INTL Airports (SYD, MEL, BNE, PER, ADL, DRW, CNS)
	2.0	PASSENGER MOVEMENT CHARGE	DoHA		Docs Amend	
GEN 4.2		AIR NAVIGATION SERVICES CHARGES				
GEN 4.2	1.0	AIRCRAFT CHARGES	AA	AIS Manager	CRC	DoITRDCA, BoM

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
PART 2	PART 2 - EN ROUTE (ENR)					
ENR 0.						
ENR 0.1		PREFACE - Not Applicable	.	.		
ENR 0.2		RECORD OF AIP AMENDMENTS - Not Applicable	.	.		
ENR 0.3		RECORD OF AIP SUPPLEMENTS - Not Applicable	.	.		
ENR 0.4		CHECKLIST OF AIP PAGES - Not Applicable	.	.		
ENR 0.5		LIST OF HAND AMENDMENTS -Not Applicable	.	.		
ENR 0.6		TABLE OF CONTENTS	AA	AIS Manager	CRC	
ENR 1.		GENERAL RULES AND PROCEDURES				
ENR 1.1		GENERAL RULES				
ENR 1.1	1.0	INTRODUCTION	CASA		CASA RFC	
	2.0	OPERATIONS IN CONTROLLED AIRSPACE				
	2.1	Separation	CASA	FSB	CASA RFC	AA
	2.2	Air Traffic Control Clearances and Instructions	AA	ATSI	CRC	CASA
	2.3	Ground Movement	AA	ATSI	CRC	CASA
	2.4	Take-off	AA	ATSI	CRC	CASA
	2.5	Visual Departure - IFR Flights	CASA	FSB	CASA RFC	AA
	2.6	VFR Departure by an Aircraft Planned IFR	CASA	FSB	CASA RFC	AA
	2.7	After Take -off	CASA	FSB	CASA RFC	AA
	2.8	VFR Climb and Descent - IFR Flights	CASA	FSB	CASA RFC	AA
	2.9	VFR-On-Top - IFR Flights	CASA		CASA RFC	
	2.10	En Route	CASA	FSB	CASA RFC	AA
	2.11	Descent and Approach	CASA	FSB	CASA RFC	AA
	2.12	Landing	CASA		CASA RFC	
	2.13	Circuit Operations	CASA		CASA RFC	
	2.14	Go Around and Missed Approach Procedure in VMC	CASA	FSB	CASA RFC	AA
	2.15	Taxiing After Landing	CASA	FSB	CASA RFC	AA
	3.0	OPERATIONS IN CLASS E AIRSPACE				
	3.1	ATC Traffic Services	CASA	FSB	CASA RFC	AA
	3.2	VFR Flights in Class E Airspace	CASA	FSB	CASA RFC	AA
	4.0	NAVIGATION REQUIREMENTS				
	4.1	Flight under the IFR	CASA		CASA RFC	
	4.2	Flight under the VFR	CASA		CASA RFC	
	4.3	Time	CASA		CASA RFC	
	4.4	Track Keeping	CASA		CASA RFC	
	4.5	Position Fixing	CASA		CASA RFC	
	4.6	Aircraft Deviations in Controlled Airspace - Advice to ATC	CASA		CASA RFC	
	4.7	Long Over-Water Flights	CASA		CASA RFC	
	4.8	GNSS - Operations Without RAIM	CASA		CASA RFC	
	5.0	AIR ROUTE SPECIFICATIONS	CASA	FSB	CASA RFC	AA
	6.0	RADIO COMMUNICATION AND NAVIGATION REQUIREMENTS				
	6.1	Summary of Report and Broadcast Requirements	CASA		CASA RFC	
	6.2	Inoperative Radio and No Radio Procedures	CASA		CASA RFC	
	6.3	GNSS Reporting Requirements and Procedures	CASA		CASA RFC	

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
ENR 1.1	7.0	LAND AND HOLD SHORT OPERATIONS (LAHSO)				
	7.1	Introduction	AA	ATSI	CRC	
	7.2	Locations Where LAHSO are Used	AA	ATSI	CRC	
	7.3	A Dependent Procedures	AA	ATSI	CRC	
	7.4	Participation	AA	ATSI	CRC	
	7.5	Conditions of LAHSO	AA	ATSI	CRC	
	7.6	Pilot Advise of LAHSO Approval	AA	ATSI	CRC	
	7.7	ATIS Broadcast	AA	ATSI	CRC	
	7.8	Directed Traffic Information	AA	ATSI	CRC	
	7.9	Readback Requirements	AA	ATSI	CRC	
	7.10	Landing Distance Assessments	AA	ATSI	CRC	
	7.11	Go Around During LAHSO	AA	ATSI	CRC	
	8.0	VERTICAL SEPARATION IN THE AUSTRALIAN FIR				
	8.1	Reduced Vertical Separation Minimum (RVSM)	CASA		CASA RFC	
	8.2	RVSM Operations	CASA		CASA RFC	
	8.3	Operational Procedures Before Entering the RVSM Flight Level Band - <u>RVSM Approved Aircraft</u>	CASA		CASA RFC	
	8.4	Operational Procedures After Entering the RVSM Flight Level Band - <u>RVSM Approved Aircraft</u>	CASA		CASA RFC	
	8.5	ATC Responsibilities	AA	ATSI	CRC	CASA
	8.6	Weather and Wake Turbulence and System Alerts	CASA		CASA RFC	
	8.7	Flight Level Deviation Reporting	AA	ATSI	CRC	CASA
	9.0	OPERATIONS IN CLASS G AIRSPACE				
	9.1	Communications	CASA		CASA RFC	
	9.2	Circuit Information	CASA		CASA RFC	
	9.3	Separation Minima for Take-off	CASA		CASA RFC	
	9.4	Circuit Height	CASA		CASA RFC	
	9.5	Taxiing	CASA		CASA RFC	
	9.6	Departure Information	CASA		CASA RFC	
	9.7	Climb and Cruise Procedures	CASA		CASA RFC	
	9.8	Position Reports	CASA		CASA RFC	
	9.9	Descent from Controlled Airspace	CASA		CASA RFC	
	9.10	Arrival Information	CASA		CASA RFC	
	9.11	Landing Manoeuvres	CASA		CASA RFC	
	9.12	Circuit Entry	CASA		CASA RFC	
	9.13	Straight-in Approach	CASA		CASA RFC	
	9.14	Joining on Base	CASA		CASA RFC	
	9.15	Military Initial and Pitch Circuit Procedures	CASA		CASA RFC	
	9.16	Separation Minima for Landing	CASA		CASA RFC	
	9.17	The Traffic Mix and Other Hazards at Non-Controlled Aerodromes	CASA		CASA RFC	

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
ENR 1.1	10.0	OPERATIONAL REQUIREMENTS - GENERAL				
	10.1	Taxiing After Landing	CASA		CASA RFC	
	10.2	SARWATCH	AA	ATSI	CRC	CASA
	10.3	Radio Telephony Requirements Outside Controlled Airspace	CASA		CASA RFC	
	10.4	Diversion to an Alternate Aerodrome	CASA		CASA RFC	
	10.5	Operating Requirements for Transponders	CASA		CASA RFC	
	10.6	Operating Requirements for ADS-B Transmitters	CASA		CASA RFC	
	10.7	Alternate Aerodromes	CASA		CASA RFC	
	10.8	Suitability of Aerodromes	CASA		CASA RFC	
	10.9	Fuel Requirements	CASA		CASA RFC	
	10.10	Information by Pilots	CASA		CASA RFC	
	10.11	Flights Over Water	CASA		CASA RFC	
	10.12	Procedures for Ground Operations of Turbo-Jet Aircraft	CASA		CASA RFC	
	10.13	Clearances - Pilot Responsibility	CASA		CASA RFC	
	10.14	Special Requirements	CASA		CASA RFC	
	10.15	Helicopter Operations - At Aerodromes and Helicopter Access Corridors and Lanes	CASA		CASA RFC	
	11.0	PROCEDURES WHEN ATS TEMPORARILY NOT AVAILABLE				
	11.1	Traffic Information Broadcast by Aircraft (TIBA)	CASA	FSB	CASA RFC	AA
	11.2	Listening Watch	CASA	FSB	CASA RFC	AA
	11.3	Time of Broadcasts	CASA	FSB	CASA RFC	AA
	11.4	Acknowledgement of Broadcasts	CASA	FSB	CASA RFC	AA
	11.5	Changes of Cruising Level	CASA	FSB	CASA RFC	AA
	11.6	Collision Avoidance	CASA	FSB	CASA RFC	AA
	11.7	Position Reporting	CASA	FSB	CASA RFC	AA
	12.0	MANDATORY BROADCAST PROCEDURES (ATS TEMPORARILY NOT AVAILABLE)	CASA	FSB	CASA RFC	AA
	APPENDIX 1	POSITION REPORTS, AIREP SPECIAL, AND VOLCANIC ASH REPORTS	BoM		Docs Amend	AA, CASA
ENR 1.2		VISUAL FLIGHT RULES				
ENR 1.2	1.0	FLIGHT RULES				
	1.1	The Visual Flight Rules (VFR)	CASA		CASA RFC	
	1.2	Special VFR	CASA		CASA RFC	
	2.0	VISUAL METEOROLOGICAL CONDITIONS (VMC) - TAKE-OFF, EN ROUTE AND LANDING	CASA		CASA RFC	
ENR 1.3		INSTRUMENT FLIGHT RULES				
ENR 1.3	1.0	THE INSTRUMENT FLIGHT RULES (IFR)	CASA		CASA RFC	
	2.0	FLIGHT RULES NOMINATION	CASA		CASA RFC	
ENR 1.4		ATS AIRSPACE CLASSIFICATION				
ENR 1.4	1.0	CONTROLLED AIRSPACE				
	1.1	General	CASA		CASA RFC	
	1.2	Control Areas	CASA		CASA RFC	
	1.3	Control Zone	CASA		CASA RFC	
	1.4	Airspace Reservation	CASA		CASA RFC	
	1.5	Authorisation of Civil Flights in Military Airspace	CASA		CASA RFC	
	1.6	Release of Control Areas, Control Zones, Restricted or Military Operating Areas	CASA		CASA RFC	
	1.7	Deactivation of Control Zones or Special Use Airspace	CASA		CASA RFC	

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
ENR 1.4	2.0	PROVISION OF SEPARATION IN CONTROLLED AIRSPACE				
	2.1	General	CASA		CASA RFC	
	2.2	Special Provisions	CASA		CASA RFC	
	3.0	CLASS G AIRSPACE				
	3.1	Flight Information Areas	CASA		CASA RFC	
	3.2	Broadcast Areas	CASA		CASA RFC	
	4.0	CLASSESS OF AIRSPACE-SERVICES AND REQUIREMENTS	CASA		CASA RFC	
	5.0	LANES OF ENTRY (LOE)	CASA		CASA RFC	
	6.0	WAKE TURBULENCE SEPARATION STANDARDS				
	6.1	Categories	CASA		CASA RFC	
	6.2	Application of Standards	AA	ATSI	CRC	CASA
	6.3	Pilot Waivers	AA	ATSI	CRC	CASA
	7.0	REGULATION OF FLIGHT - ASSESSMENT OF PRIORITIES	DoITRDCA		Docs Amend	AA, CASA
ENR 1.5		HOLDING, APPROACH AND DEPARTURE PROCEDURES				
ENR 1.5	1.0	HOLDING AND INSTRUMENT APPROACH TO LAND (IAL) PROCEDURES				
	1.1	General	CASA	FSB	CASA RFC	AA
	1.2	Aircraft Performance Category	CASA	FSB	CASA RFC	AA
	1.3	Helicopters	CASA	FSB	CASA RFC	AA
	1.4	Minimum Route Altitudes	CASA	FSB	CASA RFC	AA
	1.5	Procedure Entry	CASA	FSB	CASA RFC	AA
	1.6	Circling Approaches and Visual Circling	CASA	FSB	CASA RFC	AA
	1.7	Visual Manoeuvring (non-Circling) Subsequent to Non-Precision Approaches (NPA) and Approaches with Vertical Guidance (APV)	CASA	FSB	CASA RFC	AA
	1.8	Visual Approach Area - Helicopter	CASA	FSB	CASA RFC	AA
	1.9	Missed Approach - Standard Procedures	CASA	FSB	CASA RFC	AA
	1.10	Missed Approach Tracking	CASA	FSB	CASA RFC	AA
	1.11	Missed Approach Requirements - GNSS	CASA	FSB	CASA RFC	AA
	1.12	Missed Approach - Helicopter Procedures	CASA	FSB	CASA RFC	AA
	1.13	Visual Segments	CASA	FSB	CASA RFC	AA
	1.14	Visual approach requirements for IFR flights	CASA	FSB	CASA RFC	AA
	1.15	Handling Speeds	CASA	FSB	CASA RFC	AA
	1.16	Speed Restrictions	CASA	FSB	CASA RFC	AA
	1.17	Obstacle Clearance Altitude (OCA)	CASA	FSB	CASA RFC	AA
	1.18	Aerodrome Operating Minima (AOM)	CASA	FSB	CASA RFC	AA
	1.19	Descent Gradients	CASA	FSB	CASA RFC	AA
	1.20	Descent	CASA	FSB	CASA RFC	AA
	1.21	Wind Effect	CASA	FSB	CASA RFC	AA
	1.22	Bank Angle	CASA	FSB	CASA RFC	AA
	2.0	APPROACH PROCEDURES				
	2.1	Operations on Parallel Runways at Class C Aerodromes	CASA	FSB	CASA RFC	AA
	2.2	Use of Navigation Aids	CASA	FSB	CASA RFC	AA
	2.3	Minimum Sector Altitude	CASA	FSB	CASA RFC	AA
	2.4	Approach Design Concept	CASA	FSB	CASA RFC	AA
	2.5	Procedure Entry	CASA	FSB	CASA RFC	AA
	2.6	Approach Segments and Fixes	CASA	FSB	CASA RFC	AA
	2.7	Missed Approach Procedure	CASA	FSB	CASA RFC	AA
	2.8	Reversal Procedures	CASA	FSB	CASA RFC	AA
	2.9	DME Arcs	CASA	FSB	CASA RFC	AA

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
ENR 1.5	3.0	HOLDING PROCEDURES				
	3.1	General	CASA	FSB	CASA RFC	AA
	3.2	Holding in controlled airspace	CASA	FSB	CASA RFC	AA
	3.3	Limitations	CASA	FSB	CASA RFC	AA
	3.4	Entry Into the Holding Pattern	CASA	FSB	CASA RFC	AA
	3.5	Standard Holding Pattern	CASA	FSB	CASA RFC	AA
	3.6	DME Limit	CASA	FSB	CASA RFC	AA
	3.7	Shortening	CASA	FSB	CASA RFC	AA
	3.8	Descent in Holding Pattern	CASA	FSB	CASA RFC	AA
	4.0	AERODROME METEOROLOGICAL MINIMA				
	4.1	Ceiling and Visibility Minima	CASA	FSB	CASA RFC	AA
	4.2	Runway Visual Range and Runway Visibility	CASA	FSB	CASA RFC	AA
	4.3	IFR Take-off and Landing Minima	CASA	FSB	CASA RFC	AA
	4.4	Correction of Instrument Procedure Minima for non-standard temperatures	CASA	FSB	CASA RFC	AA
	5.0	APPLICATION OF AERODROME METEOROLOGICAL MINIMA				
	5.1	Pilot Responsibilities	CASA	FSB	CASA RFC	AA
	5.2	ATC Assessment	CASA	FSB	CASA RFC	AA
	5.3	QNH Sources	CASA	FSB	CASA RFC	AA
	6.0	ALTERNATE WEATHER MINIMA				
	6.1	IFR Flights	CASA	FSB	CASA RFC	AA
	6.2	Special Alternate Weather Minima	CASA	FSB	CASA RFC	AA
	7.0	PRECISION APPROACH OPERATIONS				
	7.1	General	CASA	FSB	CASA RFC	AA
	7.2	Failures	CASA	FSB	CASA RFC	AA
	7.3	Altimeter Checks and Flight Tolerances	CASA	FSB	CASA RFC	AA
	7.4	Protection of GLS Critical and Sensitive Areas	CASA	FSB	CASA RFC	AA
	8.0	STANDARD INSTRUMENT DEPARTURES				
	8.1	General	CASA	FSB	CASA RFC	AA
	8.2	SID Procedures	CASA	FSB	CASA RFC	AA
	9.0	NOISE ABATEMENT PROCEDURES				
	9.1	Application	CASA	FSB	CASA RFC	AA
	9.2	Curfews	CASA	FSB	CASA RFC	AA
	10.0	STANDARD INSTRUMENT ARRIVALS (STARs)				
	10.1	General	CASA	FSB	CASA RFC	AA
	10.2	STAR Procedures	CASA	FSB	CASA RFC	AA
	11.0	DME OR GNSS ARRIVAL PROCEDURES				
	11.1	General	CASA	FSB	CASA RFC	AA
	11.2	Operations in Controlled Airspace	AA	ATSI	CRC	CASA
	12.0	SIGNALS FOR THE CONTROL OF AERODROME TRAFFIC				
	12.1	Light Signals to Aircraft	CASA	FSB	CASA RFC	AA
	12.2	Light Signals to Vehicles and Pedestrians	CASA	FSB	CASA RFC	AA
	12.3	Ground Signals to Aircraft	CASA	FSB	CASA RFC	AA

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
ENR 1.6		ATS SURVEILLANCE SERVICES AND PROCEDURES				
ENR 1.6	1.0	RADIO COMMUNICATIONS PROCEDURES	AA	ATSI	CRC	
	2.0	IDENTIFICATION PROCEDURES	AA	ATSI	CRC	
	3.0	VECTORIZING PROCEDURES	AA	ATSI	CRC	
	4.0	ATC RESPONSIBILITIES IN RESPECT OF UNIDENTIFIED AIRCRAFT	AA	ATSI	CRC	
	5.0	SPEED CONTROL (ARRIVING AIRCRAFT)	AA	ATSI	CRC	
	6.0	EMERGENCY PROCEDURES	AA	ATSI	CRC	
	7.0	AIRCRAFT TRANSPONDER	AA	ATSI	CRC	
ENR 1.7		ALTIMETER SETTING PROCEDURES				
ENR 1.7	1.0	PRE-FLIGHT ALTIMETER CHECK				
	1.1	General	CASA		CASA RFC	
	1.2	IFR Altimeters	CASA		CASA RFC	
	1.3	VFR Altimeters	CASA		CASA RFC	
	1.4	Accurate QNH and Site Elevation	CASA		CASA RFC	
	2.0	BASIC ALTIMETER SETTING PROCEDURES				
	2.1	Transition, Altitude, Transition Layer and Transition Level	CASA		CASA RFC	
	2.2	Area QNH	CASA		CASA RFC	
	3.0	CRUISING LEVELS				
	3.1	Selection of Levels	CASA		CASA RFC	
	3.2	IFR Flights	CASA		CASA RFC	
	3.3	Block levels	CASA		CASA RFC	
	4.0	CHANGE OF LEVELS				
	4.1	ATC Approval Required	AA	ATSI	CRC	CASA
	4.2	ATC Approval Not Required	AA	ATSI	CRC	CASA
	5.0	TABLES OF CRUISING LEVELS (NORTH OF 80° S)	CASA		CASA RFC	
	6.0	TABLES OF CRUISING LEVELS (SOUTH OF 80° S)	CASA		CASA RFC	
ENR 1.8		REGIONAL SUPPLEMENTARY PROCEDURES	AA	ATSI		CASA, DoITRDCA
ENR 1.9		AIR TRAFFIC FLOW MANAGEMENT				
ENR 1.9	1.0	FLOW MANAGEMENT STAGES	AA	ATSI	CRC	CASA
	2.0	STRATEGIC - SCHEDULE COORDINATION	AA	ATSI	CRC	CASA
	3.0	PRE-TACTICAL - GROUND DELAY PROGRAM				
	3.1	General	AA	ATSI	CRC	CASA
	3.2	Calculated Off Blocks Time (COBT)	AA	ATSI	CRC	CASA
	3.3	Non-scheduled flights	AA	ATSI	CRC	CASA
	3.4	GDP run times	AA	ATSI	CRC	CASA
	3.5	GDP revision	AA	ATSI	CRC	CASA
	4.0	TACTICAL				
	4.1	Aircraft sequencing near ATFM Airports	AA	ATSI	CRC	CASA

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
ENR 1.10		FLIGHT PLANNING				
ENR 1.10	1.0	FLIGHT PLAN PREPARATION				
	1.1	Flight plan preparation information	AA	ATSI	CRC	CASA
	1.2	Forecasts	AA	ATSI	CRC	CASA
	1.3	GNSS Prediction Analysis - Flight in Oceanic and Remote Areas	AA	ATSI	CRC	CASA
	2.0	FLIGHT NOTIFICATION	AA	ATSI	CRC	CASA
	3.0	FLIGHT NOTIFICATION/NOTE CONTENTS				
	3.1	Forms	AA	ATSI	CRC	CASA
	3.2	Flight Rules	AA	ATSI	CRC	CASA
	3.3	PBN Notification	AA	ATSI	CRC	CASA
	3.4	Military Flights	AA	ATSI	CRC	CASA
	3.5	General	AA	ATSI	CRC	CASA
	3.6	Location data	AA	ATSI	CRC	CASA
	4.0	FLIGHT NOTIFICATION AMENDMENT	AA	ATSI	CRC	CASA
	5.0	CARRIAGE OF FLIGHT DOCUMENTATION	AA	ATSI	CRC	CASA
	APPENDIX 1	AUSTRALIAN - DOMESTIC FLIGHT NOTIFICATION FORM	AA	ATSI	CRC	CASA
	APPENDIX 2	ATS FLIGHT NOTIFICATION - USER GUIDE	AA	ATSI	CRC	CASA
	APPENDIX 3	FLIGHT NOTE	AA	ATSI	CRC	CASA
ENR 1.11		ADDRESSING OF FLIGHT PLAN MESSAGES	AA	ATSI		
ENR 1.12		INTERCEPTION OF CIVIL AIRCRAFT				
ENR 1.12	1.0	INTERCEPTION PROCEDURES				
	1.1	Action by intercepted aircraft	DoD	RAAF AIS	Docs Amend	
	1.2	Radio communications during interception	DoD	RAAF AIS	Docs Amend	
	1.3	Signals initiated by intercepting aircraft and responses by intercepted aircraft	DoD	RAAF AIS	Docs Amend	
	1.4	Signals initiated by intercepted aircraft and responses by intercepting aircraft	DoD	RAAF AIS	Docs Amend	
	2.0	PROCEDURES FOR AIRCRAFT OPERATING IN AN AIR DEFENCE IDENTIFICATION ZONE				
	2.1	General	DoD	RAAF AIS	Docs Amend	
	2.2	Special Requirements	DoD	RAAF AIS	Docs Amend	
	2.3	Non-Compliance	DoD	RAAF AIS	Docs Amend	
	2.4	Diversion of Aircraft for Defence Operations	DoD	RAAF AIS	Docs Amend	
ENR 1.13		UNLAWFUL INTERFERENCE	CASA			
ENR 1.14		AIR TRAFFIC INCIDENTS				
ENR 1.14	1.0	AUSTRALIAN TRANSPORT SAFETY BUREAU (ATSB)				
	1.1	About the ATSB	ATSB		Docs Amend	
	1.2	Contact information	ATSB		Docs Amend	
	2.0	REPORTING OF ACCIDENTS AND INCIDENTS				
	2.1	Introduction	ATSB		Docs Amend	
	2.2	Aircraft that must report reportable matters	ATSB		Docs Amend	
	2.3	Responsible persons for reporting safety matters to the ATSB	ATSB		Docs Amend	
	2.4	Reporting of accidents and incidents	ATSB		Docs Amend	

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
ENR 1.14	3.0	REPORTABLE MATTERS				
	3.1	Introduction	ATSB		Docs Amend	
	3.2	Reportable matters for each type of operation category	ATSB		Docs Amend	
	3.3	Category A (passenger transport) aircraft operations	ATSB		Docs Amend	
	3.4	Category B (commercial non-passenger) aircraft operations	ATSB		Docs Amend	
	3.5	Category C (non-commercial) aircraft operations	ATSB		Docs Amend	
	3.6	Category D (Type 2 RPA and certain uncrewed balloons) aircraft operations	ATSB		Docs Amend	
	4.0	DEFINITIONS AND EXAMPLES OF TYPES OF REPORTABLE MATTERS				
	4.1	Introduction	ATSB		Docs Amend	
	4.2	Emergency declaration	ATSB		Docs Amend	
	4.3	Loss of separation standard between aircraft	ATSB		Docs Amend	
	4.4	Serious property damage incident (external)	ATSB		Docs Amend	
	4.5	Aircraft accident	ATSB		Docs Amend	
	4.6	Reportable serious aircraft incident	ATSB		Docs Amend	
	4.7	Aircraft incidents	ATSB		Docs Amend	
	4.8	Aircraft incident (external)	ATSB		Docs Amend	
	5.0	GUIDANCE FOR DETERMINING INJURY AND DAMAGE				
	5.1	Fatal aircraft-related injury	ATSB		Docs Amend	
	5.2	Serious aircraft-related injury	ATSB		Docs Amend	
	5.3	Guidance for the determination of aircraft damage	ATSB		Docs Amend	
	6.0	DETAILS TO BE REPORTED				
	6.1	Introduction	ATSB		Docs Amend	
	6.2	Telephone notification of Immediately reportable matters	ATSB		Docs Amend	
	6.3	Written reports (Immediately and Routine reportable matters) excluding bird/animal strikes	ATSB		Docs Amend	
	6.4	Written reports - aircraft incidents (external) bird/animal strikes	ATSB		Docs Amend	
	7.0	PROTECTING OF EVIDENCE FOR INVESTIGATIONS	ATSB		Docs Amend	
ENR 2.		AIR TRAFFIC SERVICES AIRSPACE				
ENR 2.1		FIR, UIR, TMA	CASA	OAR	CASA RFC	AA
ENR 2.2		OTHER REGULATED AIRSPACE				
ENR 2.2	1.0	OPERATIONS IN OCEANIC CONTROLLED AIRSPACE				
	1.1	Clearance Requirements	AA	ATSI	CRC	CASA
	1.2	Mach Number Technique	AA	ATSI	CRC	CASA
	2.0	SPECIAL PROCEDURES FOR IN-FLIGHT CONTINGENCIES IN OCEANIC AIRSPACE				
	2.1	Introduction	AA	ATSI	CRC	CASA
	2.2	General procedures	AA	ATSI	CRC	CASA
	2.3	Actions to be taken once offset from track	AA	ATSI	CRC	CASA
	2.4	Weather deviation procedures	AA	ATSI	CRC	CASA
	3.0	STRATEGIC LATERAL OFFSET PROCEDURES (SLOP) IN OCA	AA	ATSI	CRC	CASA
	4.0	USE OF GNSS IN OCEANIC AND REMOTE AREAS	AA	ATSI	CRC	CASA
	5.0	OPERATIONS IN OCEANIC AIRSPACE REQUIRING PERFORMANCE-BASED COMMUNICATION AND SURVEILLANCE (PBCS) AUTHORISATION	AA	ATSI	CRC	CASA

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
ENR 3.		ATS ROUTES				
ENR 3.1		LOWER ATS ROUTES	CASA	OAR	CASA RFC	AA
ENR 3.2		UPPER ATS ROUTES	CASA	OAR	CASA RFC	AA
ENR 3.3		AREA NAVIGATION ROUTES	CASA	OAR	CASA RFC	AA
ENR 3.4		HELICOPTER ROUTES	CASA	OAR	CASA RFC	AA
ENR 3.5		OTHER ROUTES	CASA	OAR	CASA RFC	AA
ENR 3.6		EN ROUTE HOLDING	AA	ATSI	CRC	
ENR 4.		RADIO NAVIGATION AIDS/SYSTEMS				
ENR 4.1		RADIO NAVIGATION AIDS - EN ROUTE	AA	ATSI	CRC	
ENR 4.2		SPECIAL NAVIGATION SYSTEMS	AA	ATSI	CRC	
ENR 4.3		GLOBAL NAVIGATION SATELLITE SYSTEM (GNSS)	AA	ATSI	CRC	
ENR 4.4		NAME-CODE DESIGNATORS FOR SIGNIFICANT POINTS	AA	ATSI	CRC	
ENR 4.5		AERONAUTICAL GROUND LIGHTS - EN ROUTE	CASA	OAR	CASA RFC	AD OPR
ENR 5.		NAVIGATION WARNINGS				
ENR 5.1		PROHIBITED, RESTRICTED AND DANGER AND MILITARY OPERATING AREAS				
ENR 5.1	1.0	GENERAL	CASA	OAR	CASA RFC	AA
	2.0	FLIGHT WITHIN PRD AND MOA	CASA	OAR	CASA RFC	AA
ENR 5.2		MILITARY EXERCISE AND TRAINING AREAS				
ENR 5.2	1.0	MILITARY SENSITIVE AREAS	CASA	OAR	CASA RFC	AA
	2.0	MILITARY AAR AND AEW&C AIRSPACE	DoD	RAAF AIS	Docs Amend	CASA, AA
	3.0	MILITARY AAR AND AEW&C AIRSPACE ANCHOR WAYPOINTS	DoD	RAAF AIS	Docs Amend	CASA, AA
	4.0	MILITARY AAR TRACK WAYPOINTS	DoD	RAAF AIS	Docs Amend	CASA, AA
	5.0	MILITARY AAR AND AEW&C PATTERNS	DoD	RAAF AIS	Docs Amend	CASA, AA
	6.0	REFUELLING TRACKS	DoD	RAAF AIS	Docs Amend	CASA, AA
ENR 5.3		OTHER ACTIVITIES OF A DANGEROUS NATURE AND OTHER POTENTIAL HAZARDS	CASA	OAR, Operations	CASA RFC	AA
ENR 5.4		AIR NAVIGATION OBSTACLES - EN ROUTE				
ENR 5.4	1.0	MAN-MADE OBSTACLES GREATER THAN 360 FEET	CASA	FSB	CASA RFC	AA
	2.0	MARKING OF POWER LINES AND OTHER OVERHEAD CABLES	CASA	FSB	CASA RFC	AA
	3.0	NVIS AND OBSTACLE LIGHTING	CASA	AEB	CASA RFC	
ENR 5.5		AERIAL SPORTING AND RECREATIONAL ACTIVITIES				
ENR 5.5	1.0	GLIDING OPERATIONS				
	1.1	General	CASA		CASA RFC	
	1.2	Operations at Certified Aerodromes	CASA		CASA RFC	
	2.0	PARACHUTING OPERATIONS				
	2.1	General	CASA		CASA RFC	
	2.2	Conflicting Traffic	CASA		CASA RFC	
	2.3	Additional Requirements in Controlled Airspace	AA	ATSI	CRC	CASA
	2.4	Additional Requirements for Operations Above 10,000FT AMSL	CASA		CASA RFC	
	3.0	BALLOON OPERATIONS	CASA		CASA RFC	
ENR 5.6		BIRD MIGRATION AND AREAS WITH SENSITIVE FAUNA	CASA	Operations	CASA RFC	AA
ENR 6.		EN ROUTE CHARTS				
ENR 6.1		AUSTRALIAN AIP AERONAUTICAL CHARTS	AA	ATSI	CRC	

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
PART 3	PART 3 - AERODROMES (AD)					
AD 0.						
AD 0.1		PREFACE - Not Applicable	.	.		
AD 0.2		RECORD OF AIP AMENDMENTS - Not Applicable	.	.		
AD 0.3		RECORD OF AIP SUPPLEMENTS - Not Applicable	.	.		
AD 0.4		CHECKLIST OF AIP PAGES - Not Applicable	.	.		
AD 0.5		LIST OF HAND AMENDMENTS -Not Applicable	.	.		
AD 0.6		TABLE OF CONTENTS	AA	AIS Manager	CRC	
AD 1.		AERODROMES/HELIPORTS - INTRODUCTION				
AD 1.1		AERODROMES/HELIPORTS AVAILABILITY AND CONDITIONS OF USE				
AD 1.1	1.0	GENERAL CONDITIONS	CASA		CASA RFC	
	2.0	CIVIL USE OF MILITARY AIR BASES	CASA		CASA RFC	
	3.0	LOW VISIBILITY OPERATIONS	CASA		CASA RFC	
	4.0	AERODROME MARKERS AND MARKINGS	CASA		CASA RFC	
	5.0	LIGHTING	CASA		CASA RFC	
	6.0	VISUAL DOCKING GUIDANCE SYSTEMS	CASA		CASA RFC	
	7.0	PAVEMENT STRENGTH LIMITATIONS	CASA		CASA RFC	
AD 1.2		RESCUE AND FIRE FIGHTING SERVICES AND SNOW PLAN				
AD 1.2	1.0	RESCUE AND FIRE FIGHTING SERVICES				
	1.1	General	AA	ATSI	CRC	
	1.2	Levels of Emergency Response at Aerodromes	AA	ATSI	CRC	
	1.3	RFFS Emergency Frequency	AA	ATSI	CRC	
	2.0	SNOW PLAN	AA	ATSI	CRC	
	3.0	RUNWAY SURFACE CONDITION ASSESSMENT AND REPORTING	CASA		CASA RFC	
AD 1.3		INDEX TO AERODROMES AND HELIPORTS	AA	ATSI	CRC	
AD 1.4		GROUPING OF AERODROMES/HELIPORTS	AA	ATSI	CRC	
AD 1.5		STATUS OF CERTIFICATION OF AERODROMES	CASA		CASA RFC	
AD 2.		AERODROMES	AA	ATSI	CRC	
AD 3.		HELIPORTS	AA	ATSI	CRC	

En Route Supplement Australia (ERSA)

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
		Covers	AA	AIS Manager	CRC	
		RECORDED CALLS	AA	AIS Manager	CRC	
CHG		CHANGE	AA	AIS Manager	CRC	
Contents		TABLE OF CONTENTS	AA	AIS Manager	CRC	
AD Index		FAC INDEX OF AERODROMES	AA	AIS Manager	CRC	
AVFAX		AVFAX MADE SIMPLE	AA	AIS Manager	CRC	BoM
		INTRODUCTION				
INTRO		Preflight and Post Flight Pilot Services Ready Reference Guide	AA	AIS Manager	CRC	DoD, AMSA, ATSB
INTRO	1.0	EN ROUTE SUPPLEMENT AUSTRALIA	AA	AIS Manager	CRC	
	2.0	AERODROME AND FACILITY DIRECTORY	AA	AIS Manager	CRC	
	3.0	AIR TRAFFIC SERVICES FREQUENCIES	AA	AIS Manager	CRC	
	4.0	AERODROME INFORMATION	CASA	FSB	CASA RFC	AA
	5.0	NOTICES	AA	AIS Manager	CRC	
	6.0	CIVIL USERS - CHANGE OF ADDRESS AND PROCUREMENT	AA	AIS Manager	CRC	
	7.0	CIVIL USERS - LICENSING/MEDICAL/EXAMINATION ENQUIRIES	CASA	Industry Permissions	CASA RFC	
	8.0	CIVIL USERS - ADVICE OF ERRORS	AA	AIS Manager	CRC	
	9.0	CIVIL AVIATION SAFETY AUTHORITY ADDRESS	CASA	Corporate Relations	CASA RFC	
	10.0	ADF USERS - ADVICE OF ERRORS	DoD	RAAF AIS	Docs Amend	
		AERODROMES AND FACILITIES AND LEGENDS	AA	AIS Manager		
	1.0	NAMES	AA	AIS Manager	CRC	
	2.0	GEOGRAPHIC LOCATIONS	AA	AIS Manager	CRC	
	3.0	MAGNETIC VARIATION	AA	AIS Manager	CRC	
	4.0	TIME CONVERSION	AA	AIS Manager	CRC	
	5.0	AERODROME USAGE CLASSIFICATION AND GENERAL CODES	AA	AIS Manager	CRC	CASA
	6.0	LOCATION IDENTIFIER	AA	AIS Manager	CRC	
	7.0	ELEVATION	AA	AIS Manager	CRC	
	8.0	OPERATING HOURS	AA	AIS Manager	CRC	
	9.0	SECURITY	DoITRDCA		Docs Amend	
	10.0	AD OPERATOR	AA	AIS Manager	CRC	
	11.0	AERODROME OBSTACLE CHART TYPE A CHARTS	AA	AIS Manager	CRC	
	12.0	RUNWAY DESIGNATION	AA	AIS Manager	CRC	
	13.0	RUNWAY BEARING	AA	AIS Manager	CRC	
	14.0	RUNWAY DIMENSIONS	AA	AIS Manager	CRC	
	15.0	PAVEMENT STRENGTHS	AA	AIS Manager	CRC	
	16.0	PAVEMENT TYPE FOR ACN-PCN DETERMINATION	AA	AIS Manager	CRC	
	17.0	PAVEMENT CONCESSIONS FOR ADF AERODROMES	DoD	RAAF AIS	Docs Amend	
	18.0	SUBGRADE STRENGTH CATEGORY	AA	AIS Manager	CRC	
	19.0	MAXIMUM ALLOWABLE TYRE PRESSURE	AA	AIS Manager	CRC	
	20.0	EVALUATION METHOD	AA	AIS Manager	CRC	
	21.0	RUNWAY SLOP, RUNWAY STRIP WIDTH (RWS)	AA	AIS Manager	CRC	
	22.0	ARRESTING SYSTEMS	DoD	RAAF AIS	Docs Amend	
	23.0	AERODROME AND APPROACH LIGHTING	AA	AIS Manager	CRC	
	24.0	RADIO NAVIGATION AND LANDING AIDS	AA	AIS Manager	CRC	

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
INTRO	25.0	COMMON TRAFFIC ADVISORY FREQUENCY (CTAF)	AA	AIS Manager	CRC	
	26.0	AERODROME FREQUENCY RESPONSE UNIT (AFRU)	AA	AIS Manager	CRC	
	27.0	ATS COMMUNICATIONS FACILITIES	AA	AIS Manager	CRC	
	27.1	Certified Air/Ground Radio Service (CA/GRS)	AD OPR		Docs Amend	
	27.2	UNICOM	AD OPR		Docs Amend	
	28.0	HANDLING SERVICES AND FACILITIES	AA	AIS Manager	CRC	
	29.0	METEOROLOGICAL INFORMATION PROVIDED	AA	AIS Manager	CRC	
	30.0	RESCUE AND FIREFIGHTING SERVICES	AA	AIS Manager	CRC	
	31.0	PASSENGER FACILITIES	AA	AIS Manager	CRC	
	32.0	WAC CHART REFERENCE	AA	AIS Manager	CRC	
	33.0	CHANGES IN AERODROME INFORMATION	CASA	FSB	CASA RFC	
	34.0	PRD ACRONYM LIST	CASA	FSB	CASA RFC	
		RUNWAY DISTANCES LEGEND	AA	AIS Manager		
	1.0	DECLARED DISTANCES	AA	AIS Manager	CRC	
		FAC				
FAC		ACC/FICs [All]	AA	ATM Ops	CRC	
FAC		Aerodromes				
		Name	AD OPR		Docs Amend	
		YCODE	AD OPR		Docs Amend	
		Elevation	AD OPR		Docs Amend	
		AVFAX CODE	AD OPR		Docs Amend	AA
		State	AD OPR		Docs Amend	
		UTC Time Conversion	AD OPR		Docs Amend	AA
		ICAO Identifier	AD OPR		Docs Amend	AA
		Lat/Long <i>Note: ARP coordinates provided must be converted to WGS84 format</i>	AD OPR		Docs Amend	
		Magnetic Variation	AD OPR		Docs Amend	AA
		AD Type	AD OPR		Docs Amend	
		AD Operator Details	AD OPR		Docs Amend	
		AD DGM	AD OPR		Docs Amend	
		REMARKS	AD OPR		Docs Amend	
		HANDLING SERVICES AND FACILITIES	AD OPR		Docs Amend	
		PASSENGER FACILITIES	AD OPR		Docs Amend	
		APRONS AND TAXIWAYS	AD OPR		Docs Amend	
		Pavement concessions (ADF ADs)	DoD	RAAF AIS	Docs Amend	
		SURFACE MOVEMENT GUIDANCE	AD OPR		Docs Amend	
		RESCUE AND FIREFIGHTING SERVICES	AA	ARFFS	NOTAM	AD OPR
		AERODROME OBSTACLES	AD OPR		Docs Amend	
		METEOROLOGICAL INFORMATION PROVIDED	BoM		Docs Amend	AA
			AD OPR for AWIS FREQ		Docs Amend	AA
		PHYSICAL CHARACTERISTICS	AD OPR		Docs Amend	
		Arrestor systems	DoD	RAAF AIS	Docs Amend	
		AERODROME AND APPROACH LIGHTING	AD OPR		Docs Amend	AA
		LIGHTING COLOUR CODING	AD OPR		Docs Amend	AA
		OTHER LIGHTING				
		ABN (CTA)	AA	ATM Ops	CRC	AD OPR
		ABN (OCTA)	AD OPR		Docs Amend/NOTAM	AA

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
FAC		ATS COMMUNICATIONS FACILITIES (Civil ADs)	AA	ATM Ops	CRC	
		UNICOM / CA/GRS	AD OPR		Docs Amend/NOTAM	
		ATS COMMUNICATIONS FACILITIES (ADF ADs)	DoD	RAAF AIS	Docs Amend	
		RADIO NAVIGATION AND LANDING AIDS	AA	CSDO - SS & MS	CRC	AD OPR
			AD OPR		Docs Amend	
		LOCAL TRAFFIC REGULATIONS (CTA)	AA	ATM Ops	CRC	CASA
			AD OPR		Docs Amend	
		LOCAL TRAFFIC REGULATIONS (OCTA)	CASA	Operations	CASA RFC	AA
			AD OPR		Docs Amend	
		FLIGHT PROCEDURES (CTA)	AA	ATM Ops	CRC	CASA, AD OPR
		FLIGHT PROCEDURES (OCTA)	CASA	Operations	CASA RFC	AA, AD OPR
		FLIGHT PROCEDURES (ADF ADs)	DoD	RAAF AIS	Docs Amend	
		CTAF - AFRU	CASA	Operations	CASA RFC	AD OPR, AA
		CTAF (126.7)	AD OPR		Docs Amend	AA
		CTAF (Discrete FREQ other than 126.7) (OCTA)	CASA	Operations	CASA RFC (not required if AD falls within BA)	AD OPR
		CTAF (Discrete FREQ other than 126.7 or TWR FREQ) (CTA)	AA	ATM Ops	CRC	CASA, AD OPR
		NOISE ABATEMENT PROCEDURES	AA (CTA)	ATM Ops	CRC	AD OPR, DoITRDCA
			CASA (OCTA)	Operations	CASA RFC	
		ADDITIONAL INFORMATION	AA (CTA)	ATM Ops	CRC	
			AD OPR (on GND)		Docs Amend	
			CASA (OCTA)		CASA RFC	
		CHARTS RELATED TO THE AERODROME	AD OPR		Docs Amend	AA
		PRD				
PRD		PROHIBITED / RESTRICTED / DANGER AREAS	CASA	OAR	CASA RFC	DoD
		Military Airspace Groups	DoD	RAAF AIS	Docs Amend	
		GEN				
IND - GEN		AERODROMES AND ALA CODES - ENCODED	AA	AIS Manager	CRC	
		AERODROMES AND ALA CODES - DECODED	AA	AIS Manager	CRC	
IFR - GEN		IFR WAYPOINTS	AA	AIS Manager	CRC	
VFR - GEN		VFR WAYPOINTS - ENCODED	AA	AIS Manager	CRC	
		VFR WAYPOINTS - DECODED	AA	AIS Manager	CRC	
		GEN - FPR				
GEN - FPR		AIRCRAFT TYPE DESIGNATORS	AA	ATSI	CRC	
GEN - FPR		ROUTE FLIGHT PLANNING REQUIREMENTS				
	1.0	NEW SOUTH WALES/ACT	AA	ATM Ops	CRC	
	2.0	NORTHERN TERRITORY	AA	ATM Ops	CRC	
	3.0	QUEENSLAND	AA	ATM Ops	CRC	
	4.0	SOUTH AUSTRALIA	AA	ATM Ops	CRC	
	5.0	TASMANIA	AA	ATM Ops	CRC	
	6.0	VICTORIA	AA	ATM Ops	CRC	
	7.0	WESTERN AUSTRALIA	AA	ATM Ops	CRC	
	8.0	FLIGHT PLANNING - SYDNEY - NEW ZEALAND	AA	ATM Ops	CRC	
	9.0	FLIGHT PLANNING OPTIONS	AA	ATM Ops	CRC	
	10.0	FLIGHT PLANNING - PREFERRED ROUTES - MILITARY	DoD	RAAF AIS	Docs Amend	AA

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
		GEN - SP				
GEN - SP		SPECIAL PROCEDURES (NOT ASSOCIATED WITH AN AERODROME)				
GEN - SP	1.0	SP 1 - BASS STRAIT CROSSINGS	CASA	Operations	CASA RFC	AA
	2.0	SP 2 - FLIGHTS BETWEEN AUSTRALIA AND PAPUA NEW GUINEA	CASA		CASA RFC	DoHA, AA
	3.0	SP 3 - TORRES STRAIT BIOSECURITY REQUIREMENTS	CASA		CASA RFC	DAWE, DoITRDCA
	4.0	SP 4 - PURNULULU NATIONAL PARK (BUNGLE BUNGLE) SCENIC FLIGHTS	CASA	Operations	CASA RFC	WA Dept of Parks & Wildlife
	5.0	SP 5 - GREAT SANDY BAY MARINE PARK AND FRASER ISLAND	CASA	Operations	CASA RFC	Marine Park (Great Sandy) Zoning Plan 2006, QLD Parks & Wildlife Service
	6.0	SP 6 - FRUIT FLY EXCLUSION AREA	CASA		CASA RFC	NSW Dept of Primary Industries
	7.0	SP 7 - AYERS ROCK	CASA	Operations	CASA RFC	AA, DoEE
	8.0	SP 8 - HELICOPTER OPS IN SA QUARANTINE AREA	CASA	Operations	CASA RFC	SA Dept of Environment & Water
	9.0	SP 9 - TASMANIAN QUARANTINE REQUIREMENTS	CASA	Operations	CASA RFC	Biosecurity Tasmania
	10.0	SP 10 - KATI THANDA - LAKE EYRE NATIONAL PARK	CASA	Operations	CASA RFC	SA Dept of Environment & Water
	11.0	SP 11 - GREAT BARRIER REEF - CAIRNS SCENIC FLIGHTS	CASA	Operations	CASA RFC	
	12.0	SP 12 - HORIZONTAL FALLS SCENIC FLIGHTS	CASA	Operations	CASA RFC	
	13.0	SP 13 - WILPENA POUND	CASA	Operations	CASA RFC	
		FLY NEIGHBOURLY ADVICE				
	14.0	FN 1 - KAKADU NATIONAL PARK	CASA	Operations	CASA RFC	DoEE
	15.0	FN 2 - BLUE MOUNTAINS NATIONAL PARK	CASA	Operations	CASA RFC	NSW National Parks & Wildlife Service
	16.0	FN 3 - GRAMPIANS NATIONAL PARK	CASA	Operations	CASA RFC	Parks Victoria
	17.0	FN 4 - HEAD OF BIGHT	CASA	Operations	CASA RFC	SA National Parks & Wildlife Service
	18.0	FN 5 - MOORABBIN TRAINING AREA	CASA	Operations	CASA RFC	AA, AD OPR
	19.0	FN 6 - GREAT BARRIER REEF MARINE PARK (GBRMP)	CASA	Operations	CASA RFC	Great Barrier Reef Marine Park Authority
	20.0	FN 7 - TASMANIAN WORLD HERITAGE AREA AND MT FIELD NATIONAL PARK	CASA	Operations	CASA RFC	Tasmania Parks & Wildlife Services
	21.0	FN 8 - PORT CAMPBELL NATIONAL PARK	CASA	Operations	CASA RFC	Parks Victoria
	22.0	FN 9 - NITMILUK (KATHERINE GORGE) NATIONAL PARK	CASA	Operations	CASA RFC	Parks & Wildlife Commission of NT
	23.0	FN 10 - NITMILUK (EDITH RIVER FALLS) NATIONAL PARK	CASA	Operations	CASA RFC	Parks & Wildlife Commission of NT
	24.0	FN 11 - KALBARRI NATIONAL PARK	CASA	Operations	CASA RFC	WA Dept of Parks & Wildlife
	25.0	FN 12 - PHILLIP ISLAND NATURE PARKS	CASA	Operations	CASA RFC	Phillip Island Nature Park Board of Management
	26.0	FN 13 - WAITPINGA CLIFFS, SOUTH AUSTRALIA	CASA	Operations	CASA RFC	SA Dept of Environment & Water

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
GEN - SP	27.0	FN 14 - CARNARVON NATIONAL PARK, QUEENSLAND	CASA	Operations	CASA RFC	QLD Parks & Wildlife Service
	28.0	FN 15 - CURRAWINYA NATIONAL PARK, QUEENSLAND	CASA	Operations	CASA RFC	QLD Parks & Wildlife Service
	29.0	FN 16 - HINCHINBROOK ISLAND NATIONAL PARK, QUEENSLAND	CASA	Operations	CASA RFC	Queensland Parks & Wildlife Service
	30.0	FN 17 - CAPRICORNIA CAYS NATIONAL PARK AND CAPRICORNIA CAYS NATIONAL PARK (SCIENTIFIC), QUEENSLAND	CASA	Operations	CASA RFC	QLD Parks & Wildlife Service
	31.0	FN 18 - FREYCINET PENINSULA, TASMANIA	CASA	Operations	CASA RFC	Tasmania Parks & Wildlife Service
	32.0	FN 19 - INNES NATIONAL PARK AND ALTHROPE ISLANDS CONSERVATION PARK, SOUTH AUSTRALIA	CASA	Operations	CASA RFC	SA Dept of Environment & Water
	33.0	FN 20 - KANGAROO ISLAND	CASA	Operations	CASA RFC	SA Dept of Environment & Water
	34.0	FN 21 - SYMBIO WILDLIFE PARK, HELENSBURGH, SYDNEY, NSW	CASA	Operations	CASA RFC	Symbio Wildlife Park
	35.0	FN 22 - NAVY WARSHIPS	DoD	RAAF AIS	Docs Amend	
	36.0	FN 23 - TASMAN NATIONAL PARK, TASMANIA	CASA	Operations	CASA RFC	Tasmania Parks & Wildlife Services
	37.0	FN 24 - AERIAL FIREFIGHTING ASSOCIATED WITH BUSHFIRES	CASA	Operations	CASA RFC	
		GEN - FIS				
GEN - FIS		FIS: IN FLIGHT INFORMATION SERVICES				
GEN - FIS	1.0	AUTOMATIC BROADCAST SERVICES	AA	ATSI	CRC	BoM
	2.0	THE ATS IN-FLIGHT INFORMATION SERVICE	AA	ATSI	CRC	BoM
	3.0	ON-REQUEST IN FLIGHT INFORMATION SERVICE	AA	ATSI	CRC	CASA
	4.0	HAZARD ALERTS	AA	ATSI	CRC	CASA
	5.0	CANCELLATION OF SARWATCH (FULL REPORTING)	AA	ATSI	CRC	CASA
	6.0	CANCELLATION OF SARTIME	AA	ATSI	CRC	CASA
	7.0	SAFETY RELATED MATTERS	AA	ATSI	CRC	CASA
	8.0	UPDATE OF SPFIB/AVFAX PRODUCTS	AA	ATSI	CRC	CASA
	9.0	FAILURE OF GROUND STATION EQUIPMENT	AA	ATSI	CRC	CASA
	10.0	FLIGHTWATCH HF ORGANISATION	AA	ATSI	CRC	CASA
	11.0	ATS AREA FREQUENCIES AT UNCONTROLLED AERODROMES	AA	ATSI	CRC	CASA
	12.0	LOW JET ROUTES	DoD	RAAF AIS	Docs Amend	AA
	13.0	NIGHT VISION DEVICES AND EQUIPMENT	CASA	AEB	CASA RFC	AA
	14.0	LOW LEVEL FLIGHTS - NOTIFICATION	CASA	FSB	CASA RFC	AA
	15.0	PRECAUTIONS	CASA	Operations	CASA RFC	AA
	16.0	HIGH ALTITUDE BALLOON FLIGHTS	CASA	Operations	CASA RFC	BoM
	17.0	DESIGNATED REMOTE AREAS	CASA	Operations	CASA RFC	AA
	18.0	UNMANNED AERIAL VEHICLE (UAV) TESTING	CASA	OAR	CASA RFC	

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
		NAV/COMM				
NAV/COMM		NAVIGATION AND COMMUNICATION				
NAV/COMM	1.0	ADF MODERNISED HIGH FREQUENCY COMMUNICATIONS SYSTEM (MHFCS)	DoD	RAAF AIS	Docs Amend	AA
	2.0	RNZAF AIR OPERATIONS COMMUNICATIONS CENTRE AUCKLAND (AOCCAK)	DoD	RAAF AIS	Docs Amend	AA
	3.0	MILITARY HF COMMUNICATIONS	DoD	RAAF AIS	Docs Amend	AA
	4.0	AIR-TO-AIR COMMUNICATIONS - CIVIL	CASA	FSB	CASA RFC	AA
	5.0	AIR TRAFFIC SERVICES DATALINK SERVICES	AA	ATSI	CRC	
		EMERG				
EMERG		AIRCRAFT EMERGENCY PROCEDURES				
EMERG	1.0	RECOMMENDED PROCEDURES FOR ANY EMERGENCY PHASE				
	1.1	Emergency SSR Codes - EMERGENCY 7700 - RADIO FAILURE 7600	CASA		CASA RFC	AA
	1.2	Notification of Emergency Uding Datalink	CASA		CASA RFC	AA
	1.3	Imposition of Silence	CASA		CASA RFC	AA
	1.4	Alerting Surveillance Unit (MIL OPS only)	DoD	RAAF AIS	Docs Amend	AA
	1.5	Communication Failure	CASA		CASA RFC	AA
	1.6	Speechless Radar Approach Procedures	CASA		CASA RFC	AA
	1.7	Emergency Cahnge of Level in Controlled Airspace	CASA		CASA RFC	AA
	1.8	Pre/Post Impact Actions	CASA		CASA RFC	AA
	1.9	Inadvertent Activation of Emergency Locator Transmitter (ELT)	CASA		CASA RFC	AA
	1.10	Activation of ELT	CASA		CASA RFC	AA
	1.11	ELT Characteristics	CASA		CASA RFC	AA
	1.12	Reports	CASA		CASA RFC	AA
	2.0	AIR SEARCH PATTERNS				
	2.1	General	AMSA		Docs Amend	CASA, AA
	2.2	Visual Search	AMSA		Docs Amend	CASA, AA
	2.3	Electronic Search	AMSA		Docs Amend	CASA, AA
	2.4	Carry out final homing	AMSA		Docs Amend	CASA, AA
	2.5	Overwater Searches	AMSA		Docs Amend	CASA, AA
	2.6	Mountainous Terrain	AMSA		Docs Amend	CASA, AA
	3.0	SEARCH AND RESCUE SIGNALS				
	3.1	Third Party Emergency Reporting	CASA		CASA RFC	
	3.2	Assistance of Surface Craft	CASA		CASA RFC	
	3.3	Emergency Management Australia (EMA)	CASA		CASA RFC	
	3.4	Ground/Air Emergency Signals in Use for Australian Civil Emergencies	CASA		CASA RFC	
	3.5	Visual Distress Signals - Small Vessels	CASA		CASA RFC	
	4.0	SURVIVAL				
	4.1	Introduction	DoD	RAAF AIS	Docs Amend	AMSA
	4.2	Location	DoD	RAAF AIS	Docs Amend	AMSA, CASA
	4.3	First Aid	DoD	RAAF AIS	Docs Amend	AMSA
	4.4	Acute Care	DoD	RAAF AIS	Docs Amend	AMSA, CASA
	4.5	Desert Survival	DoD	RAAF AIS	Docs Amend	AMSA, CASA
	4.6	Sea Survival	DoD	RAAF AIS	Docs Amend	AMSA, CASA
	4.7	Jungle Survival	DoD	RAAF AIS	Docs Amend	AMSA, CASA
	4.8	Cold Weather Survival	DoD	RAAF AIS	Docs Amend	AMSA, CASA

Reference		Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
EMERG	5.0	INTERCEPTION AND AIR DoD IDENTIFICATION ZONE (ADIZ) PROCEDURES	DoD	RAAF AIS	Docs Amend	AA, CASA
	6.0	ROYAL FLYING DOCTOR SERVICE (RFDS) HF RADIO AND SATCOM NETWORK	CASA	Operations	CASA RFC	RFDS
		INDEX				
INDEX		INDEX	AA	AIS Manager	CRC	
		RDS				
RDS		RUNWAY DISTANCE SUPPLEMENT	AD OPR		Docs Amend	CASA

Departure and Approach Procedures (DAP) - INTRO

Reference	DAP IDENT	Chart Name	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
INTRO	GINTA02	ALTITUDE CORRECTION VERSUS TEMPERATURE	AA (AIS)	AIS Manager	CRC	CASA
INTRO	GINTA03	ALTITUDE CORRECTION VERSUS TEMPERATURE	AA (AIS)	AIS Manager	CRC	CASA
	GINLG01	DAP 0-1	AA (AIS)	AIS Manager	CRC	CASA
	GINLG02	DAP 0-2	AA (AIS)	AIS Manager	CRC	CASA
	GINLG03	DAP 0-3	AA (AIS)	AIS Manager	CRC	CASA
	GINLG04	DAP 0-4	AA (AIS)	AIS Manager	CRC	CASA
	GINLG05	DAP 0-5	AA (AIS)	AIS Manager	CRC	CASA
	GINLG06	DAP 0-6	AA (AIS)	AIS Manager	CRC	CASA
	GINNO01	DAP 1-1	AA (AIS)	AIS Manager	CRC	CASA
	GINNO02	DAP 1-2	AA (AIS)	AIS Manager	CRC	CASA
	GINNO04	DAP 1-3	AA (AIS)	AIS Manager	CRC	CASA
	GINNO05	DAP 1-4	AA (AIS)	AIS Manager	CRC	CASA
	GINTA01	DAP 2-1	AA (AIS)	AIS Manager	CRC	CASA
	EINCO01	DAP EAST 0-1	AA (AIS)	AIS Manager	CRC	CASA
	EINCO02	DAP EAST 0-2	AA (AIS)	AIS Manager	CRC	CASA
	EINCO03	DAP EAST 0-3	AA (AIS)	AIS Manager	CRC	CASA
	EINCO04	DAP EAST 0-4	AA (AIS)	AIS Manager	CRC	CASA
	EINCL01	DAP EAST 1-1	AA (AIS)	AIS Manager	CRC	CASA
	EINCL10	DAP EAST 1-10	AA (AIS)	AIS Manager	CRC	CASA
	EINCL11	DAP EAST 1-11	AA (AIS)	AIS Manager	CRC	CASA
	EINCL12	DAP EAST 1-12	AA (AIS)	AIS Manager	CRC	CASA
	EINCL13	DAP EAST 1-13	AA (AIS)	AIS Manager	CRC	CASA
	EINCL14	DAP EAST 1-14	AA (AIS)	AIS Manager	CRC	CASA
	EINCL15	DAP EAST 1-15	AA (AIS)	AIS Manager	CRC	CASA
	EINCL16	DAP EAST 1-16	AA (AIS)	AIS Manager	CRC	CASA
	EINCL17	DAP EAST 1-17	AA (AIS)	AIS Manager	CRC	CASA
	EINCL18	DAP EAST 1-18	AA (AIS)	AIS Manager	CRC	CASA
	EINCL19	DAP 1-19	AA (AIS)	AIS Manager	CRC	CASA
	EINCL02	DAP EAST 1-2	AA (AIS)	AIS Manager	CRC	CASA
	EINCL03	DAP EAST 1-3	AA (AIS)	AIS Manager	CRC	CASA
	EINCL04	DAP EAST 1-4	AA (AIS)	AIS Manager	CRC	CASA
	EINCL05	DAP EAST 1-5	AA (AIS)	AIS Manager	CRC	CASA
	EINCL06	DAP EAST 1-6	AA (AIS)	AIS Manager	CRC	CASA
	EINCL07	DAP EAST 1-7	AA (AIS)	AIS Manager	CRC	CASA
	EINCL08	DAP EAST 1-8	AA (AIS)	AIS Manager	CRC	CASA
	EINCL09	DAP EAST 1-9	AA (AIS)	AIS Manager	CRC	CASA
	WINCO01	DAP WEST 0-1	AA (AIS)	AIS Manager	CRC	CASA
	WINCO02	DAP WEST 0-2	AA (AIS)	AIS Manager	CRC	CASA
	WINCO03	DAP WEST 0-3	AA (AIS)	AIS Manager	CRC	CASA
	WINCO04	DAP WEST 0-4	AA (AIS)	AIS Manager	CRC	CASA
	WINCL01	DAP WEST 1-1	AA (AIS)	AIS Manager	CRC	CASA
	WINCL10	DAP WEST 1-10	AA (AIS)	AIS Manager	CRC	CASA
	WINCL11	DAP WEST 1-11	AA (AIS)	AIS Manager	CRC	CASA
	WINCL02	DAP WEST 1-2	AA (AIS)	AIS Manager	CRC	CASA
	WINCL03	DAP WEST 1-3	AA (AIS)	AIS Manager	CRC	CASA

Reference	DAP IDENT	Chart Name	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
INTRO	WINCL04	DAP WEST 1-4	AA (AIS)	AIS Manager	CRC	CASA
	WINCL05	DAP WEST 1-5	AA (AIS)	AIS Manager	CRC	CASA
	WINCL06	DAP WEST 1-6	AA (AIS)	AIS Manager	CRC	CASA
	WINCL07	DAP WEST 1-7	AA (AIS)	AIS Manager	CRC	CASA
	WINCL08	DAP WEST 1-8	AA (AIS)	AIS Manager	CRC	CASA
	WINCL09	DAP WEST 1-9	AA (AIS)	AIS Manager	CRC	CASA
	WINCL10	DAP WEST 1-10	AA (AIS)	AIS Manager	CRC	CASA
	WINCL11	DAP WEST 1-11	AA (AIS)	AIS Manager	CRC	CASA
	WINCL12	DAP WEST 1-12	AA (AIS)	AIS Manager	CRC	CASA

Departure and Approach Procedures (DAP) - CHARTS

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	ABRAD01	ABRA MINE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
CHARTS	ABRGN01	ABRA MINE	RNAV (GNSS) RWY 11	IDS	Chief Designer	Docs Amend	CASA
	ABRGN02	ABRA MINE	RNAV (GNSS) RWY 29	IDS	Chief Designer	Docs Amend	CASA
	PADAD01	ADELAIDE	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	PADAD02	ADELAIDE	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	PADAP02	ADELAIDE	APRON CHART - TERMINAL ONE - PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	PADAP03	ADELAIDE	APRON CHART - TERMINAL ONE - PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	PADAP01	ADELAIDE	APRON CHART - TERMINAL TWO	AD OPR	AD OPR	Docs Amend	CASA
	PADDG01	ADELAIDE	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	PADII01	ADELAIDE	ILS-Y OR LOC-Y RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	PADII02	ADELAIDE	ILS-Z OR LOC-Z RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	PADNA01	ADELAIDE	NOISE ABATEMENT PROCEDURE PAGE 1	AA (ATM Ops)	ATM Ops	CRC	CASA
	PADNA02	ADELAIDE	NOISE ABATEMENT PROCEDURE PAGE 2	AA (ATM Ops)	ATM Ops	CRC	CASA
	PADNA03	ADELAIDE	NOISE ABATEMENT PROCEDURE PAGE 3	AA (ATM Ops)	ATM Ops	CRC	CASA
	PADNA04	ADELAIDE	NOISE ABATEMENT PROCEDURE PAGE 4	AA (ATM Ops)	ATM Ops	CRC	CASA
	PADNA05	ADELAIDE	NOISE ABATEMENT PROCEDURE PAGE 5	AA (ATM Ops)	ATM Ops	CRC	CASA
	PADNA06	ADELAIDE	NOISE ABATEMENT PROCEDURE PAGE 6	AA (ATM Ops)	ATM Ops	CRC	CASA
	PADGN11	ADELAIDE	RNP X RWY 05 (AR)	AA (FPD)	Chief Designer	CRC	CASA
	PADGN12	ADELAIDE	RNP Y RWY 05 (AR)	AA (FPD)	Chief Designer	CRC	CASA
	PADGN17	ADELAIDE	RNP W RWY 05 (AR)	AA (FPD)	Chief Designer	CRC	CASA
	PADGN01	ADELAIDE	RNP Z RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	PADGN02	ADELAIDE	RNP RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	PADGN03	ADELAIDE	RNP RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	PADGN04	ADELAIDE	RNP RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	PADDP01	ADELAIDE	SID ADELAIDE FOUR DEPARTURE (RADAR)	AA (FPD)	Chief Designer	CRC	CASA
	PADDP05	ADELAIDE	SID ORBUN FIVE (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADDP02	ADELAIDE	SID RWYS EAST (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADDP04	ADELAIDE	SID RWYS WEST (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADDP03	ADELAIDE	SID SEDAN TWO (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR26	ADELAIDE	STAR ALEXI THREE VICTOR ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR33	ADELAIDE	STAR ALEXI THREE X-RAY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR13	ADELAIDE	STAR ALEXI THREE ZULU ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR16	ADELAIDE	STAR ATPIP THREE ARRIVAL (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR02	ADELAIDE	STAR BLACK THREE ALPHA ZULU ARRIVALS (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR27	ADELAIDE	STAR BLACK THREE VICTOR ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR24	ADELAIDE	STAR BLACK THREE X-RAY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR03	ADELAIDE	STAR DRINA NINE ALPHA ZULU ARRIVALS (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR28	ADELAIDE	STAR DRINA NINE VICTOR ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR14	ADELAIDE	STAR ELROX FOUR VICTOR ARRIVAL(NON-JET)(RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR07	ADELAIDE	STAR GULFS SEVEN VICTOR ARRIVAL (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR08	ADELAIDE	STAR PAMMY SIX VICTOR ARRIVAL (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR11	ADELAIDE	STAR RAYNA TWO ALPHA ZULU ARRIVALS (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR31	ADELAIDE	STAR RAYNA TWO VICTOR ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR12	ADELAIDE	STAR RIKAB EIGHT ALPHA ZULU ARRIVALS (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR29	ADELAIDE	STAR RIKAB EIGHT VICTOR ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	PADSR18	ADELAIDE	STAR RIKAB EIGHT WHISKEY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR15	ADELAIDE	STAR RUSSL THREE ARRIVAL (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR05	ADELAIDE	STAR SALTY THREE ALPHA ZULU ARRIVALS (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR30	ADELAIDE	STAR SALTY THREE VICTOR ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR20	ADELAIDE	STAR SALTY THREE WHISKEY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADSR17	ADELAIDE	STAR SURGN THREE ARRIVAL (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PADVO01	ADELAIDE	VOR RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	PADVO03	ADELAIDE	VOR RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	PADVO04	ADELAIDE	VOR RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	PADVO05	ADELAIDE	VOR RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	PPFAD01	ADELAIDE/PARAFIELD	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	PPFAD02	ADELAIDE/PARAFIELD	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	PPFNB01	ADELAIDE/PARAFIELD	NDB-Y RWY 21R	AA (FPD)	Chief Designer	CRC	CASA
	PPFNB02	ADELAIDE/PARAFIELD	NDB-Z RWY 21R	AA (FPD)	Chief Designer	CRC	CASA
	PPFGN01	ADELAIDE/PARAFIELD	RNP RWY 21R	AA (FPD)	Chief Designer	CRC	CASA
	PPFDP01	ADELAIDE/PARAFIELD	SID PARAFIELD ONE DEP (RADAR) - RWY 03L, 21R	AA (FPD)	Chief Designer	CRC	CASA
	PPFVO01	ADELAIDE/PARAFIELD	VOR-A	AA (FPD)	Chief Designer	CRC	CASA
	ABAAD01	ALBANY	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	ABADG01	ALBANY	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	ABANB03	ALBANY	NDB RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	ABANB01	ALBANY	NDB-Y RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	ABANB02	ALBANY	NDB-Z RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	ABAGN01	ALBANY	RNAV-Z (GNSS) RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	ABAGN02	ALBANY	RNAV-Z (GNSS) RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	MAYAD01	ALBURY	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	MAYAD02	ALBURY	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	MAYDG01	ALBURY	DME OR GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	MAYDG02	ALBURY	DME OR GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	MAYGN02	ALBURY	RNP Z RWY 07	AA (FPD)	Chief Designer	CRC	CASA
	MAYGN03	ALBURY	RNP Y RWY 07 (LNAV/VNAV ONLY)	AA (FPD)	Chief Designer	CRC	CASA
	MAYGN04	ALBURY	RNP RWY 25	AA (FPD)	Chief Designer	CRC	CASA
	MAYDP01	ALBURY	SID DUGGI ONE DEP (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MAYDP02	ALBURY	SID UGVER ONE DEP (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MAYSR02	ALBURY	STAR ARRAN ONE ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MAYSR01	ALBURY	STAR VEGRU ONE ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MAYVO01	ALBURY	VOR RWY 07	AA (FPD)	Chief Designer	CRC	CASA
	MAYVO02	ALBURY	VOR RWY 25	AA (FPD)	Chief Designer	CRC	CASA
	MAYVO03	ALBURY	VOR-A	AA (FPD)	Chief Designer	CRC	CASA
	BASAD01	ALICE SPRINGS	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	BASAD02	ALICE SPRINGS	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	BASAP01	ALICE SPRINGS	APRON CHART	AD OPR	AD OPR	Docs Amend	CASA
	BASDG01	ALICE SPRINGS	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	BASII01	ALICE SPRINGS	ILS-Y OR LOC-Y RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	BASII02	ALICE SPRINGS	ILS-Z OR LOC-Z RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	BASNB02	ALICE SPRINGS	NDB-B	AA (FPD)	Chief Designer	CRC	CASA
	BASGN01	ALICE SPRINGS	RNP Z RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	BASGN02	ALICE SPRINGS	RNP Z RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	BASGN03	ALICE SPRINGS	RNP M RWY 12 (AR)	GE AVIATION	Chief Designer	Docs Amend	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	BASGN04	ALICE SPRINGS	RNP P RWY 12 (AR)	GE AVIATION	Chief Designer	Docs Amend	CASA
	BASGN05	ALICE SPRINGS	RNP U RWY 12 (AR)	GE AVIATION	Chief Designer	Docs Amend	CASA
	BASGN06	ALICE SPRINGS	RNP M RWY 30 (AR)	GE AVIATION	Chief Designer	Docs Amend	CASA
	BASGN07	ALICE SPRINGS	RNP P RWY 30 (AR)	GE AVIATION	Chief Designer	Docs Amend	CASA
	BASGN08	ALICE SPRINGS	RNP U RWY 30 (AR)	GE AVIATION	Chief Designer	Docs Amend	CASA
	BASDP04	ALICE SPRINGS	SID MINIM TWO DEPARTURE	GE AVIATION	Chief Designer	Docs Amend	CASA
	BASDP05	ALICE SPRINGS	SID OCTAV FIVE DEPARTURE	GE AVIATION	Chief Designer	Docs Amend	CASA
	BASDP01	ALICE SPRINGS	SID RWY 12/30 NORTH	AA (FPD)	Chief Designer	CRC	CASA
	BASDP02	ALICE SPRINGS	SID RWY 12/30 SOUTH EAST	AA (FPD)	Chief Designer	CRC	CASA
	BASDP03	ALICE SPRINGS	SID RWY 12/30 WEST (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BASVO01	ALICE SPRINGS	VOR RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	BASVO02	ALICE SPRINGS	VOR RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	AMBAD01	AMBERLEY	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	AMBAD02	AMBERLEY	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	AMBII01	AMBERLEY	ILS-Z RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	AMBLZ01	AMBERLEY	LOC-Z RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	AMBDP01	AMBERLEY	SID AMBERLEY THREE DEPARTURE (RADAR) - RWY 15, 33	AA (FPD)	Chief Designer	CRC	CASA
	ARGAD01	ARGYLE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	ARGDG01	ARGYLE	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	ARGGN01	ARGYLE	RNP RWY 01	AA (FPD)	Chief Designer	CRC	CASA
	ARGGN02	ARGYLE	RNP RWY 19	AA (FPD)	Chief Designer	CRC	CASA
	ARGVO01	ARGYLE	VOR RWY 19	AA (FPD)	Chief Designer	CRC	CASA
	ARGVO02	ARGYLE	VOR-A	AA (FPD)	Chief Designer	CRC	CASA
	ARMAD01	ARMIDALE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	ARMDG01	ARMIDALE	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	ARMNB01	ARMIDALE	NDB RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	ARMNB02	ARMIDALE	NDB RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	ARMGN02	ARMIDALE	RNP RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	ARMGN01	ARMIDALE	RNP RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	ATNGN02	ATHERTON	RNP N	AA (FPD)	Chief Designer	CRC	CASA
	AURAD01	AURUKUN	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	AURGN01	AURUKUN	RNP RWY 34	AA (FPD)	Chief Designer	CRC	CASA
	MAVAD01	AVALON	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	MAVAD02	AVALON	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	MAVAP01	AVALON	APRON CHART	AD OPR	AD OPR	Docs Amend	CASA
	MAVDG01	AVALON	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	MAVII01	AVALON	ILS-Y OR LOC-Y RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	MAVII02	AVALON	ILS-Z OR LOC-Z RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	MAVNA01	AVALON	NOISE ABATEMENT PROCEDURE	AA (ATM Ops)	ATM Ops	CRC	CASA
	MAVGN01	AVALON	RNP RWY 18*	AA (FPD)	Chief Designer	CRC	CASA
	MAVGN02	AVALON	RNP Z RWY 36*	AA (FPD)	Chief Designer	CRC	CASA
	MAVGN03	AVALON	RNP U RWY 36 (AR)	GE AVIATION	Chief Designer	Docs Amend	CASA
	MAVDP01	AVALON	SID AVALON FIVE DEPARTURE (RADAR)	AA (FPD)	Chief Designer	CRC	CASA
	MAVDP02	AVALON	SID JUSTY TWO DEPARTURE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MAVSR01	AVALON	STAR JAYBI FIVE ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MAVVO01	AVALON	VOR RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	MAVVO03	AVALON	VOR RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	AYEAD01	AYERS ROCK/CONNELLAN	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	AYEAD02	AYERS ROCK/CONNELLAN	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	AYEDG01	AYERS ROCK/CONNELLAN	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	AYENB01	AYERS ROCK/CONNELLAN	NDB-Y RWY 31	AA (FPD)	Chief Designer	CRC	CASA
	AYENB02	AYERS ROCK/CONNELLAN	NDB-Z RWY 31	AA (FPD)	Chief Designer	CRC	CASA
	AYEGN01	AYERS ROCK/CONNELLAN	RNP RWY 13	AA (FPD)	Chief Designer	CRC	CASA
	AYEGN02	AYERS ROCK/CONNELLAN	RNP RWY 31	AA (FPD)	Chief Designer	CRC	CASA
	BNSAD01	BAIRNSDALE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BNSGN01	BAIRNSDALE	RNP RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	BGOAD01	BALGO HILL	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BGOGN01	BALGO HILL	RNP RWY 33	AA (FPD)	Chief Designer	CRC	CASA
	BGOGN02	BALGO HILL	RNP RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	BLTAD01	BALLARAT	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BLTGN01	BALLARAT	RNP RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	BLTGN02	BALLARAT	RNP RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	LLEAD01	BALLERA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	LLEGN01	BALLERA	RNP RWY 03	AA (FPD)	Chief Designer	CRC	CASA
	LLEGN02	BALLERA	RNP RWY 21	AA (FPD)	Chief Designer	CRC	CASA
	BNAAD01	BALLINA/BYRON GATEWAY	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BNANB01	BALLINA/BYRON GATEWAY	NDB RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	BNAGN03	BALLINA/BYRON GATEWAY	RNP X RWY 06 (AR)	AA (FPD)	Chief Designer	CRC	CASA
	BNAGN04	BALLINA/BYRON GATEWAY	RNP X RWY 24 (AR)	AA (FPD)	Chief Designer	CRC	CASA
	BNAGN01	BALLINA/BYRON GATEWAY	RNP Z RWY 06	AA (FPD)	Chief Designer	CRC	CASA
	BNAGN02	BALLINA/BYRON GATEWAY	RNP Z RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	BARAD01	BARCALDINE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BARGN01	BARCALDINE	RNP RWY 01	AA (FPD)	Chief Designer	CRC	CASA
	BARGN02	BARCALDINE	RNP RWY 19	AA (FPD)	Chief Designer	CRC	CASA
	BRYAD02	BARIMUNYA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BRYGN03	BARIMUNYA	RNAV (GNSS) RWY 10	AA (FPD)	Chief Designer	CRC	CASA
	BRYGN02	BARIMUNYA	RNAV (GNSS) RWY 28	AA (FPD)	Chief Designer	CRC	CASA
	UTAGN01	BARRACOUTA PLATFORM	RNP 080	GAS	Chief Designer	Docs Amend	CASA
	UTAGN02	BARRACOUTA PLATFORM	RNP 250	GAS	Chief Designer	Docs Amend	CASA
	BWXAD01	BARROW ISLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BWXGN03	BARROW ISLAND	RNAV-Y (GNSS) RWY 03	IDS	Chief Designer	Docs Amend	CASA
	BWXGN05	BARROW ISLAND	RNAV-Y (GNSS) RWY 21	IDS	Chief Designer	Docs Amend	CASA
	BWXGN02	BARROW ISLAND	RNAV-Z (GNSS) RWY 03	IDS	Chief Designer	Docs Amend	CASA
	BWXGN04	BARROW ISLAND	RNAV-Z (GNSS) RWY 21	IDS	Chief Designer	Docs Amend	CASA
	BTHAD01	BATHURST	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BTHDG01	BATHURST	GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	BTHDG02	BATHURST	GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	BTHNB01	BATHURST	NDB RWY 17	AA (FPD)	Chief Designer	CRC	CASA
	BTHGN01	BATHURST	RNP RWY 17	AA (FPD)	Chief Designer	CRC	CASA
	BTHGN02	BATHURST	RNP RWY 35	AA (FPD)	Chief Designer	CRC	CASA
	BTIAD01	BATHURST ISLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BTIGN01	BATHURST ISLAND	RNP RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	BTIGN02	BATHURST ISLAND	RNP RWY 33	AA (FPD)	Chief Designer	CRC	CASA
	BIEAD01	BEDOURIE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BIEGN01	BEDOURIE	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	BIEGN02	BEDOURIE	RNP RWY 32	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	BLUAD01	BELLEVUE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BLUGN02	BELLEVUE	RNAV-Z (GNSS) RWY 01	AA (FPD)	Chief Designer	CRC	CASA
	BLUGN01	BELLEVUE	RNAV-Z (GNSS) RWY 19	AA (FPD)	Chief Designer	CRC	CASA
	BLAAD01	BENALLA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BLAGN01	BENALLA	RNP RWY 26	AA (FPD)	Chief Designer	CRC	CASA
	BDGAD01	BENDIGO	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BDGGN01	BENDIGO	RNP RWY 17	GAS	Chief Designer	Docs Amend	CASA
	BDGGN02	BENDIGO	RNP RWY 35	GAS	Chief Designer	Docs Amend	CASA
	BDVAD01	BIRDSVILLE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BDVNB01	BIRDSVILLE	NDB RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	BDVGN01	BIRDSVILLE	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	BDVGN02	BIRDSVILLE	RNP RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	BCKAD01	BLACKALL	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BCKGN01	BLACKALL	RNP RWY 06	AA (FPD)	Chief Designer	CRC	CASA
	BCKGN02	BLACKALL	RNP RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	BSMGN01	BLOSSOM BANKS	RNP 030	AA (FPD)	Chief Designer	CRC	CASA
	BGDAD01	BOOLGEEDA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BGDGN01	BOOLGEEDA	RNAV(GNSS) RWY 08	IDS	Chief Designer	Docs Amend	CASA
	BGDGN02	BOOLGEEDA	RNAV(GNSS) RWY 26	IDS	Chief Designer	Docs Amend	CASA
	BOUAD01	BOULIA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BOUNB01	BOULIA	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	BOUGN01	BOULIA	RNP N	AA (FPD)	Chief Designer	CRC	CASA
	BOUGN02	BOULIA	RNP S	AA (FPD)	Chief Designer	CRC	CASA
	BKEAD01	BOURKE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BKENB01	BOURKE	NDB RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	BKEGN01	BOURKE	RNP RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	BKEGN02	BOURKE	RNP RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	BWNAD01	BOWEN	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BWNGN02	BOWEN	RNP N	AA (FPD)	Chief Designer	CRC	CASA
	BWNGN01	BOWEN	RNP S	AA (FPD)	Chief Designer	CRC	CASA
	BRWAD01	BREWARRINA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BRWGN01	BREWARRINA	RNP RWY 21	AA (FPD)	Chief Designer	CRC	CASA
	BRWGN02	BREWARRINA	RNP S	AA (FPD)	Chief Designer	CRC	CASA
	BBNAD01	BRISBANE	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	BBNAD02	BRISBANE	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	BBNAG01	BRISBANE	AERODROME GROUND MOVEMENT CHART - PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	BBNAG02	BRISBANE	AERODROME GROUND MOVEMENT CHART - PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	BBNNA04	BRISBANE	AIRPORT EFFICIENCY PROCEDURES	AA (ATM Ops)	ATM Ops	Docs Amend	CASA
	BBNAP01	BRISBANE	APRON CHART - DOMESTIC PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	BBNAP02	BRISBANE	APRON CHART - DOMESTIC PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	BBNAP06	BRISBANE	APRON CHART - GENERAL AVIATION	AD OPR	AD OPR	Docs Amend	CASA
	BBNAP03	BRISBANE	APRON CHART - INTERNATIONAL PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	BBNAP05	BRISBANE	APRON CHART - INTERNATIONAL PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	BBNAP04	BRISBANE	APRON CHART - LOGISTICS - PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	BBNAP07	BRISBANE	APRON CHART - LOGISTICS - PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	BBNAP08	BRISBANE	APRON CHART - AIRPORT NORTH REMOTE APRON	AD OPR	AD OPR	Docs Amend	CASA
	BBNII06	BRISBANE	ILS OR LOC RWY 01L	AA (FPD)	Chief Designer	CRC	CASA
	BBNII05	BRISBANE	ILS OR LOC RWY 01R	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	BBNII09	BRISBANE	ILS OR LOC RWY 19L	AA (FPD)	Chief Designer	CRC	CASA
	BBNII07	BRISBANE	ILS OR LOC RWY 19R	AA (FPD)	Chief Designer	CRC	CASA
	BBNRM01	BRISBANE	INDEPENDENT PARALLEL APPROACH USER INSTRUCTIONS	AA (ATM Ops)	ATM Ops	CRC	CASA
	BBNNA01	BRISBANE	NOISE ABATEMENT PROCEDURE PAGE 1	AA (ATM Ops)	ATM Ops	CRC	CASA
	BBNNA02	BRISBANE	NOISE ABATEMENT PROCEDURE PAGE 2	AA (ATM Ops)	ATM Ops	CRC	CASA
	BBNNA03	BRISBANE	NOISE ABATEMENT PROCEDURE PAGE 3	AA (ATM Ops)	ATM Ops	CRC	CASA
	BBNGN08	BRISBANE	RNP M RWY 01R (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	BBNGN14	BRISBANE	RNP X RWY 01L (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	BBNGN07	BRISBANE	RNP X RWY 01R (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	BBNGN18	BRISBANE	RNP X RWY 19L (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	BBNGN17	BRISBANE	RNP X RWY 19R (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	BBNGN16	BRISBANE	RNP Z RWY 01L*	AA (FPD)	Chief Designer	CRC	CASA
	BBNGN03	BRISBANE	RNP Z RWY 01R*	AA (FPD)	Chief Designer	CRC	CASA
	BBNGN02	BRISBANE	RNP Z RWY 19L*	AA (FPD)	Chief Designer	CRC	CASA
	BBNGN15	BRISBANE	RNP Z RWY 19R*	AA (FPD)	Chief Designer	CRC	CASA
	BBNDP22	BRISBANE	SID ASISO ONE DEPARTURE (RNAV) RWY 01R	AA (FPD)	Chief Designer	CRC	CASA
	BBNDP18	BRISBANE	SID BIXAD ONE DEPARTURE (RNAV) RWY 01L/19L/19R	AA (FPD)	Chief Designer	CRC	CASA
	BBNDP01	BRISBANE	SID BRISBANE FOUR DEPARTURE (RADAR) - ALL RUNWAYS	AA (FPD)	Chief Designer	CRC	CASA
	BBNDP23	BRISBANE	SID GUMKI ONE DEPARTURE (RNAV) RWY 01R/19L	AA (FPD)	Chief Designer	CRC	CASA
	BBNDP17	BRISBANE	SID SANEG ONE DEPARTURE (RNAV) RWY 01R/19L	AA (FPD)	Chief Designer	CRC	CASA
	BBNDP24	BRISBANE	SID SCOTT THREE DEPARTURE (RNAV) RWY 01R/19L	AA (FPD)	Chief Designer	CRC	CASA
	BBNDP09	BRISBANE	SID WACKO THREE DEPARTURE (RNAV) RWY 01L/19R	AA (FPD)	Chief Designer	CRC	CASA
	BBNDP10	BRISBANE	SID WACKO THREE DEPARTURE (RNAV) RWY 01R/19L	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR39	BRISBANE	STAR BLACKA FOUR X-RAY ARRIVAL (RNAV) RWY 01R/19L	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR38	BRISBANE	STAR BLAKA FOUR ALPHA ARRIVAL (RNAV) RWY 01L/19R	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR46	BRISBANE	STAR BLAKA FOUR ALPHA ARRIVAL (RNAV) RWY 01R/19L	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR51	BRISBANE	STAR ENLIP ONE ALPHA ARRIVAL (RNAV) RWY 01L/19R	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR52	BRISBANE	STAR ENLIP ONE ALPHA ARRIVAL (RNAV) RWY 01R/19L	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR53	BRISBANE	STAR ENLIP ONE X-RAY ARRIVAL (RNAV) RWY 19L/19R	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR47	BRISBANE	STAR GOMOL TWO ALPHA ARRIVAL (RNAV) RWY 01L/19R	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR48	BRISBANE	STAR GOMOL TWO ALPHA ARRIVAL (RNAV) RWY 01R/19L	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR50	BRISBANE	STAR GOMOL TWO VICTOR ARRIVAL (RNAV) RWY 01R/19L	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR49	BRISBANE	STAR GOMOL TWO X-RAY ARRIVAL (RNAV) RWY 01R/19L	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR35	BRISBANE	STAR MORBI ONE ALPHA ARRIVAL (RNAV) RWY 01L/19R	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR36	BRISBANE	STAR MORBI ONE ALPHA ARRIVAL (RNAV) RWY 01R/19L	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR34	BRISBANE	STAR MORBI ONE VICTOR ARRIVAL (RNAV) RWY 01L/19R	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR40	BRISBANE	STAR SMOKA NINE ALPHA ARRIVAL (RNAV) RWY 01L/19R	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR41	BRISBANE	STAR SMOKA NINE ALPHA ARRIVAL (RNAV) RWY 01R/19L	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR42	BRISBANE	STAR SMOKA NINE MIKE ARRIVAL (RNAV) RWY 01R	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR54	BRISBANE	STAR SMOKA NINE X-RAY ARRIVAL (RNAV) RWY 01L/19R	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR29	BRISBANE	STAR TEBOT ONE ALPHA ARRIVAL (RNAV) RWY 01L/19R	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR28	BRISBANE	STAR TEBOT ONE ALPHA ARRIVAL (RNAV) RWY 01R/19L	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR30	BRISBANE	STAR TEBOT ONE X-RAY ARRIVAL (RNAV) RWY 01R	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR44	BRISBANE	STAR UGTUG ONE ALPHA ARRIVAL (RNAV) RWY 01L/19R	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR43	BRISBANE	STAR UGTUG ONE ALPHA ARRIVAL (RNAV) RWY 01R/19L	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR45	BRISBANE	STAR UGTUG ONE X-RAY ARRIVAL (RNAV) RWY 01R/19L	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR31	BRISBANE	STAR WOODY ONE ALPHA ARRIVAL (RNAV) RWY 01L/19R	AA (FPD)	Chief Designer	CRC	CASA
	BBNSR32	BRISBANE	STAR WOODY ONE ALPHA ARRIVAL (RNAV) RWY 01R/19L	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	BBNSR33	BRISBANE	STAR WOODY ONE VICTOR ARRIVAL (RNAV) RWY 01L/19R	AA (FPD)	Chief Designer	CRC	CASA
	BWWAD01	BRISBANE WEST WELLCAMP	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BWWAP01	BRISBANE WEST WELLCAMP	APRON CHART - RPT	AD OPR	AD OPR	Docs Amend	CASA
	BWWGN04	BRISBANE WEST WELLCAMP	RNP X RWY 12 (AR)*	IDS	Chief Designer	Docs Amend	CASA
	BWWGN01	BRISBANE WEST WELLCAMP	RNP Y RWY 12*	IDS	Chief Designer	Docs Amend	CASA
	BWWGN02	BRISBANE WEST WELLCAMP	RNP Z RWY 12*	IDS	Chief Designer	Docs Amend	CASA
	BWWGN03	BRISBANE WEST WELLCAMP	RNP RWY 30*	IDS	Chief Designer	Docs Amend	CASA
	BWWDP02	BRISBANE WEST WELLCAMP	SID RWYS EAST (JET) (RNAV)	IDS	Chief Designer	Docs Amend	CASA
	BWWDP01	BRISBANE WEST WELLCAMP	SID RWYS EAST (RNAV)	IDS	Chief Designer	Docs Amend	CASA
	BWWDP05	BRISBANE WEST WELLCAMP	SID RWYS NORTH (RNAV)	IDS	Chief Designer	Docs Amend	CASA
	BWWDP04	BRISBANE WEST WELLCAMP	SID RWYS SOUTH (RNAV)	IDS	Chief Designer	Docs Amend	CASA
	BWWDP03	BRISBANE WEST WELLCAMP	SID RWYS WEST (RNAV)	IDS	Chief Designer	Docs Amend	CASA
	BAFAD01	BRISBANE/ARCHERFIELD	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	BAFAD02	BRISBANE/ARCHERFIELD	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	BAFGN03	BRISBANE/ARCHERFIELD	RNP Y RWY 10L	AA (FPD)	Chief Designer	CRC	CASA
	BAFGN02	BRISBANE/ARCHERFIELD	RNP Z RWY 10L	AA (FPD)	Chief Designer	CRC	CASA
	BAFGN01	BRISBANE/ARCHERFIELD	RNP RWY 28R	AA (FPD)	Chief Designer	CRC	CASA
	BAFDP01	BRISBANE/ARCHERFIELD	SID ARCHERFIELD THREE DEPARTURE (RADAR)–RWY10L,28R	AA (FPD)	Chief Designer	CRC	CASA
	BHIAD01	BROKEN HILL	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BHIDG01	BROKEN HILL	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	BHINB01	BROKEN HILL	NDB RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	BHIGN01	BROKEN HILL	RNP RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	BHIGN02	BROKEN HILL	RNP RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	BHIVO01	BROKEN HILL	VOR RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	BHIVO02	BROKEN HILL	VOR RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	BMLNB01	BROMELTON	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	BRMAD01	BROOME/INTL	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	BRMAD02	BROOME/INTL	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	BRMAP01	BROOME/INTL	APRON CHART - RPT	AD OPR	AD OPR	Docs Amend	CASA
	BRMDG01	BROOME/INTL	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	BRMNB03	BROOME/INTL	NDB-Y RWY 10	AA (FPD)	Chief Designer	CRC	CASA
	BRMNB04	BROOME/INTL	NDB-Y RWY 28	AA (FPD)	Chief Designer	CRC	CASA
	BRMNB01	BROOME/INTL	NDB-Z RWY 10	AA (FPD)	Chief Designer	CRC	CASA
	BRMNB02	BROOME/INTL	NDB-Z RWY 28	AA (FPD)	Chief Designer	CRC	CASA
	BRMNA01	BROOME/INTL	NOISE ABATEMENT PROCEDURE PAGE 1	AA (ATM Ops)	ATM Ops	CRC	CASA
	BRMNA02	BROOME/INTL	NOISE ABATEMENT PROCEDURE PAGE 2	AA (ATM Ops)	ATM Ops	CRC	CASA
	BRMGN01	BROOME/INTL	RNP Z RWY 10	AA (FPD)	Chief Designer	CRC	CASA
	BRMGN02	BROOME/INTL	RNP Z RWY 28	AA (FPD)	Chief Designer	CRC	CASA
	BRMGN03	BROOME/INTL	RNP 250	AA (FPD)	Chief Designer	CRC	CASA
	BRMGN04	BROOME/INTL	RNP U RWY 10 (AR) - PAGE 1	GE AVIATION	Chief Designer	Docs Amend	CASA
	BRMGN05	BROOME/INTL	RNP U RWY 10 (AR) - PAGE 2	GE AVIATION	Chief Designer	Docs Amend	CASA
	BRMGN06	BROOME/INTL	RNP U RWY 28 (AR) - PAGE 1	GE AVIATION	Chief Designer	Docs Amend	CASA
	BRMGN07	BROOME/INTL	RNP U RWY 28 (AR) - PAGE 2	GE AVIATION	Chief Designer	Docs Amend	CASA
	BRMDP01	BROOME/INTL	SID BROOME CAT H DEPARTURE (RNAV) - RWY 10, 28	AA (FPD)	Chief Designer	CRC	CASA
	BRBGN01	BROWSE BASIN	RNP Z 088	GAS	Chief Designer	Docs Amend	CASA
	BRBGN02	BROWSE BASIN	RNP Y 088	GAS	Chief Designer	Docs Amend	CASA
	BRBGN03	BROWSE BASIN	RNP Z 268	GAS	Chief Designer	Docs Amend	CASA
	BRBGN04	BROWSE BASIN	RNP Y 268	GAS	Chief Designer	Docs Amend	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	BUNAD01	BUNBURY	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BUNGN01	BUNBURY	RNAV-Z (GNSS) RWY 25	AA (FPD)	Chief Designer	CRC	CASA
	BUDAD01	BUNDABERG	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BUDDG01	BUNDABERG	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	BUDNB01	BUNDABERG	NDB RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	BUDNB02	BUNDABERG	NDB RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	BUDGN01	BUNDABERG	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	BUDGN02	BUNDABERG	RNP RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	BKTAD01	BURKETOWN	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BKTGN01	BURKETOWN	RNP RWY 03	AA (FPD)	Chief Designer	CRC	CASA
	BKTGN02	BURKETOWN	RNP RWY 21	AA (FPD)	Chief Designer	CRC	CASA
	BLNAD01	BUSSELTON	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BLNAP01	BUSSELTON	APRON CHART	AD OPR	AD OPR	Docs Amend	CASA
	BLNDG01	BUSSELTON	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	BLNNB01	BUSSELTON	NDB RWY 03	GAS	Chief Designer	Docs Amend	CASA
	BLNNB02	BUSSELTON	NDB RWY 21	GAS	Chief Designer	Docs Amend	CASA
	BLNGN04	BUSSELTON	RNAV-W (RNP) RWY 03*	GAS	Chief Designer	Docs Amend	CASA
	BLNGN03	BUSSELTON	RNAV-X (RNP) RWY 03*	GAS	Chief Designer	Docs Amend	CASA
	BLNGN05	BUSSELTON	RNAV-X (RNP) RWY 21*	GAS	Chief Designer	Docs Amend	CASA
	BLNGN01	BUSSELTON	RNAV-Z (GNSS) RWY 03*	GAS	Chief Designer	Docs Amend	CASA
	BLNGN02	BUSSELTON	RNAV-Z (GNSS) RWY 21*	GAS	Chief Designer	Docs Amend	CASA
	BLNDP01	BUSSELTON	SID BUSSELTON ONE DEPARTURE(RNAV) - RWY 03, 21	GAS	Chief Designer	Docs Amend	CASA
	BCSAD01	CAIRNS/CAIRNS INTL	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	BCSAD02	CAIRNS/CAIRNS INTL	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	BCSAP02	CAIRNS/CAIRNS INTL	APRON CHART - DOMESTIC	AD OPR	AD OPR	Docs Amend	CASA
	BCSAP01	CAIRNS/CAIRNS INTL	APRON CHART - GA	AD OPR	AD OPR	Docs Amend	CASA
	BCSAP03	CAIRNS/CAIRNS INTL	APRON CHART - INTERNATIONAL	AD OPR	AD OPR	Docs Amend	CASA
	BCSDG01	CAIRNS/CAIRNS INTL	DME OR GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	BCSDG02	CAIRNS/CAIRNS INTL	DME OR GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	BCSAP04	CAIRNS/CAIRNS INTL	HELICOPTER OPS AREA CHART	AD OPR	AD OPR	Docs Amend	CASA
	BCSII01	CAIRNS/CAIRNS INTL	ILS-W OR LOC-W RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	BCSII02	CAIRNS/CAIRNS INTL	ILS-X OR LOC-X RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	BCSII03	CAIRNS/CAIRNS INTL	ILS-Y OR LOC-Y RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	BCSII04	CAIRNS/CAIRNS INTL	ILS-Z OR LOC-Z RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	BCSLZ01	CAIRNS/CAIRNS INTL	LOC-W RWY 33	AA (FPD)	Chief Designer	CRC	CASA
	BCSLZ02	CAIRNS/CAIRNS INTL	LOC-X RWY 33	AA (FPD)	Chief Designer	CRC	CASA
	BCSLZ04	CAIRNS/CAIRNS INTL	LOC-Y RWY 33	AA (FPD)	Chief Designer	CRC	CASA
	BCSLZ03	CAIRNS/CAIRNS INTL	LOC-Z RWY 33	AA (FPD)	Chief Designer	CRC	CASA
	BCSNB01	CAIRNS/CAIRNS INTL	NDB-A OR VOR-A	AA (FPD)	Chief Designer	CRC	CASA
	BCSNB02	CAIRNS/CAIRNS INTL	NDB-B OR VOR-B	AA (FPD)	Chief Designer	CRC	CASA
	BCSNA01	CAIRNS/CAIRNS INTL	NOISE ABATEMENT PROCEDURE PAGE 1	AA (ATM Ops)	ATM Ops	CRC	CASA
	BCSNA02	CAIRNS/CAIRNS INTL	NOISE ABATEMENT PROCEDURE PAGE 2	AA (ATM Ops)	ATM Ops	CRC	CASA
	BCSGN02	CAIRNS/CAIRNS INTL	RNP W RWY 15 (AR)	AA (FPD)	Chief Designer	CRC	CASA
	BCSGN07	CAIRNS/CAIRNS INTL	RNP W RWY 33 (AR)	AA (FPD)	Chief Designer	CRC	CASA
	BCSGN04	CAIRNS/CAIRNS INTL	RNP X RWY 15 (AR)	AA (FPD)	Chief Designer	CRC	CASA
	BCSGN06	CAIRNS/CAIRNS INTL	RNP X RWY 33 (AR)	AA (FPD)	Chief Designer	CRC	CASA
	BCSGN03	CAIRNS/CAIRNS INTL	RNP Y RWY 15 (LNAV/VNAV ONLY)	AA (FPD)	Chief Designer	CRC	CASA
	BCSGN05	CAIRNS/CAIRNS INTL	RNP Y RWY 33 (AR)	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	BCSGN01	CAIRNS/CAIRNS INTL	RNP Z RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	BCSDP02	CAIRNS/CAIRNS INTL	SID CAIRNS TWO DEPARTURE (RADAR)	AA (FPD)	Chief Designer	CRC	CASA
	BCSDP04	CAIRNS/CAIRNS INTL	SID RWY 15 NONUM ONE (NON-JET)	AA (FPD)	Chief Designer	CRC	CASA
	BCSDP03	CAIRNS/CAIRNS INTL	SID RWY 15 SWIFT EIGHT (JET)	AA (FPD)	Chief Designer	CRC	CASA
	BCSDP05	CAIRNS/CAIRNS INTL	SID RWY 33 EAZEE TWO (JET)	AA (FPD)	Chief Designer	CRC	CASA
	BCSSR01	CAIRNS/CAIRNS INTL	STAR CODIE SEVEN ALPHA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCSSR10	CAIRNS/CAIRNS INTL	STAR CODIE SEVEN X-RAY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCSSR02	CAIRNS/CAIRNS INTL	STAR CODIE SEVEN ZULU ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCSSR05	CAIRNS/CAIRNS INTL	STAR HENDO EIGHT ALPHA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCSSR11	CAIRNS/CAIRNS INTL	STAR HENDO EIGHT YANKEE ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCSSR07	CAIRNS/CAIRNS INTL	STAR KEEWI TWO ALPHA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCSSR16	CAIRNS/CAIRNS INTL	STAR KEEWI TWO VICTOR ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCSSR12	CAIRNS/CAIRNS INTL	STAR KEEWI TWO X-RAY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCSSR17	CAIRNS/CAIRNS INTL	STAR KEEWI TWO YANKEE ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCSSR03	CAIRNS/CAIRNS INTL	STAR NONUM THREE ALPHA BRAVO VICTOR ZULU ARR(RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCSSR09	CAIRNS/CAIRNS INTL	STAR NONUM THREE WHISKEY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCSSR04	CAIRNS/CAIRNS INTL	STAR SUNNY SIX BRAVO VICTOR ARRIVALS (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCSSR15	CAIRNS/CAIRNS INTL	STAR TOTTY FOUR WHISKEY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCSSR08	CAIRNS/CAIRNS INTL	STAR UPOLO EIGHT ALPHA BRAVO VICTOR ZULU ARR(RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCSSR14	CAIRNS/CAIRNS INTL	STAR UPOLO EIGHT X-RAY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SCNAD01	CAMDEN	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	SCNAD02	CAMDEN	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	SCNGN01	CAMDEN	RNP W	AA (FPD)	Chief Designer	CRC	CASA
	CMWAD01	CAMOOWEAL	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CMWGN02	CAMOOWEAL	RNP E	AA (FPD)	Chief Designer	CRC	CASA
	CMWGN01	CAMOOWEAL	RNP W	AA (FPD)	Chief Designer	CRC	CASA
	SCBAD01	CANBERRA	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	SCBAD02	CANBERRA	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	SCBAP02	CANBERRA	APRON CHART - FAIRBAIRN AND 34 SQN	AD OPR	AD OPR	Docs Amend	CASA
	SCBAP03	CANBERRA	APRON CHART - GENERAL AVIATION (HARDSTAND)	AD OPR	AD OPR	Docs Amend	CASA
	SCBAP01	CANBERRA	APRON CHART - RPT - Page 1	AD OPR	AD OPR	Docs Amend	CASA
	SCBAP04	CANBERRA	APRON CHART - RPT - Page 2	AD OPR	AD OPR	Docs Amend	CASA
	SCBDG01	CANBERRA	DME OR GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	SCBDG02	CANBERRA	DME OR GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	SCBII02	CANBERRA	ILS-Y OR LOC-Y RWY 35	AA (FPD)	Chief Designer	CRC	CASA
	SCBII03	CANBERRA	ILS-Z RWY 35 PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	SCBII01	CANBERRA	ILS-Z OR LOC-Z RWY 35	AA (FPD)	Chief Designer	CRC	CASA
	SCBNB01	CANBERRA	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	SCBNA01	CANBERRA	NOISE ABATEMENT PROCEDURE PAGE 1	AA (ATM Ops)	ATM Ops	CRC	CASA
	SCBNA02	CANBERRA	NOISE ABATEMENT PROCEDURE PAGE 2	AA (ATM Ops)	ATM Ops	CRC	CASA
	SCBNA03	CANBERRA	NOISE ABATEMENT PROCEDURE PAGE 3	AA (ATM Ops)	ATM Ops	CRC	CASA
	SCBNA04	CANBERRA	NOISE ABATEMENT PROCEDURE PAGE 4	AA (ATM Ops)	ATM Ops	CRC	CASA
	SCBGN11	CANBERRA	RNP W RWY 17 (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	SCBGN13	CANBERRA	RNP W RWY 35 (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	SCBGN12	CANBERRA	RNP X RWY 17 (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	SCBGN14	CANBERRA	RNP X RWY 35 (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	SCBGN15	CANBERRA	RNP Y RWY 17 (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	SCBGN16	CANBERRA	RNP Y RWY 35 (AR)*	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	SCBGN01	CANBERRA	RNP RWY 30*	AA (FPD)	Chief Designer	CRC	CASA
	SCBGN02	CANBERRA	RNP Z RWY 35*	AA (FPD)	Chief Designer	CRC	CASA
	SCBDP07	CANBERRA	SID AKMIR TWO (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SCBDP01	CANBERRA	SID CANBERRA TWO DEPARTURE (RADAR) - RWY 12,17,35	AA (FPD)	Chief Designer	CRC	CASA
	SCBDP10	CANBERRA	SID DUBUS TWO (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SCBDP05	CANBERRA	SID RWYS 17/35 NORTH (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SCBDP06	CANBERRA	SID RWYS 17/35 SOUTH & WEST (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SCBSR01	CANBERRA	STAR BUNGO FOUR VICTOR ARRIVAL (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SCBSR03	CANBERRA	STAR POLLI EIGHT ALPHA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SCBSR04	CANBERRA	STAR RAZZI SEVEN ALPHA ARRIVAL (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SCBSR05	CANBERRA	STAR AVBEG FOUR ALPHA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SCBSR06	CANBERRA	STAR MANDA TWO ALPHA X-RAY ARRIVALS (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SCBSR07	CANBERRA	STAR POLLI EIGHT X-RAY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SCBSR10	CANBERRA	STAR BUNGO FOUR ALPHA ARRIVAL (NON-JET)(RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SCBSR11	CANBERRA	STAR RAZZI SEVEN VICTOR ARRIVAL (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SCBSR13	CANBERRA	STAR RAZZI SEVEN WHISKEY YANKEE ARRIVALS (JET)(RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SCBSR14	CANBERRA	STAR BUNGO FOUR WHISKEY YANKEE ARRIVAL (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SCBVO01	CANBERRA	VOR RWY 17	AA (FPD)	Chief Designer	CRC	CASA
	SCBVO02	CANBERRA	VOR RWY 35	AA (FPD)	Chief Designer	CRC	CASA
	CPRAD01	CAPE PRESTON	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CPRGN01	CAPE PRESTON	RNAV (GNSS) RWY 08	IDS	Chief Designer	Docs Amend	CASA
	CPRGN02	CAPE PRESTON	RNAV (GNSS) RWY 26	IDS	Chief Designer	Docs Amend	CASA
	CPRDP01	CAPE PRESTON	SID IDMIK ONE DEPARTURE (RNAV)	IDS	Chief Designer	Docs Amend	CASA
	CARAD01	CARNARVON	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CARDG01	CARNARVON	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	CARNB01	CARNARVON	NDB RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	CARGN01	CARNARVON	RNAV-Z (GNSS) RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	CARGN02	CARNARVON	RNAV-Z (GNSS) RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	CARVO01	CARNARVON	VOR-Y RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	CARVO02	CARNARVON	VOR-Y RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	CARVO03	CARNARVON	VOR-Z RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	CARVO04	CARNARVON	VOR-Z RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	SCDAD01	CAROSUE DAM	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	SCDGN01	CAROSUE DAM	RNAV (GNSS) RWY 06	IDS	Chief Designer	Docs Amend	CASA
	SCDGN02	CAROSUE DAM	RNAV (GNSS) RWY 24	IDS	Chief Designer	Docs Amend	CASA
	CPTAD01	CARRAPATEENA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CPTGN01	CARRAPATEENA	RNP RWY 01	IDS	Chief Designer	Docs Amend	CASA
	CPTGN02	CARRAPATEENA	RNP RWY 19	IDS	Chief Designer	Docs Amend	CASA
	CDUAD01	CEDUNA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CDUDG01	CEDUNA	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	CDUNB01	CEDUNA	NDB RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	CDUGN01	CEDUNA	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	CDUGN02	CEDUNA	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	CNYAD01	CENTURY MINE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CNYGN01	CENTURY MINE	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	CNYGN02	CENTURY MINE	RNP RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	BCVAD01	CHARLEVILLE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BCVDG01	CHARLEVILLE	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	BCVNB01	CHARLEVILLE	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	BCVGN01	CHARLEVILLE	RNP RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	BCVGN02	CHARLEVILLE	RNP RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	CLNGN02	CHARLIE 1	RNAV-Y(GNSS) 084	GAS	Chief Designer	Docs Amend	CASA
	CLNGN01	CHARLIE 1	RNAV-Z(GNSS) 062	GAS	Chief Designer	Docs Amend	CASA
	CHTAD01	CHARTERS TOWERS	AERODROME CHART	GAS	Chief Designer	Docs Amend	CASA
	CHTGN01	CHARTERS TOWERS	RNP RWY 06	GAS	Chief Designer	Docs Amend	CASA
	CHTGN02	CHARTERS TOWERS	RNP RWY 24	GAS	Chief Designer	Docs Amend	CASA
	CHTDP01	CHARTERS TOWERS	SID CHARTERS TOWERS ONE DEPARTURE	GAS	Chief Designer	Docs Amend	CASA
	CGOAD01	CHILLAGOE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CGOGN01	CHILLAGOE	RNP RWY 17	AA (FPD)	Chief Designer	CRC	CASA
	CGOGN02	CHILLAGOE	RNP RWY 35	AA (FPD)	Chief Designer	CRC	CASA
	CCAAD01	CHINCHILLA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CCAGN01	CHINCHILLA	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	CCAGN02	CHINCHILLA	RNP RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	CHKAD01	CHRISTMAS CREEK	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	CHKAD02	CHRISTMAS CREEK	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	CHKGN01	CHRISTMAS CREEK	RNAV (GNSS) RWY 09	IDS	Chief Designer	Docs Amend	CASA
	CHKGN02	CHRISTMAS CREEK	RNAV (GNSS) RWY 27	IDS	Chief Designer	Docs Amend	CASA
	PXMAD01	CHRISTMAS ISLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	PXMGN01	CHRISTMAS ISLAND	RNAV (GNSS) RWY 18*	AA (FPD)	Chief Designer	CRC	CASA
	PXMGN02	CHRISTMAS ISLAND	RNAV (GNSS) RWY 36*	AA (FPD)	Chief Designer	CRC	CASA
	PXMVO01	CHRISTMAS ISLAND	VOR RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	PXMVO02	CHRISTMAS ISLAND	VOR-Y RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	PXMVO03	CHRISTMAS ISLAND	VOR-Z RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	CMTAD01	CLERMONT	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CMTGN01	CLERMONT	RNP RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	CMTGN02	CLERMONT	RNP RWY 33	AA (FPD)	Chief Designer	CRC	CASA
	CEEAD01	CLEVE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CEEGN01	CLEVE	RNP RWY 26	AA (FPD)	Chief Designer	CRC	CASA
	CCYAD01	CLONCURRY	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CCYNB01	CLONCURRY	NDB RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	CCYNB02	CLONCURRY	NDB RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	CCYGN01	CLONCURRY	RNP RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	CCYGN02	CLONCURRY	RNP RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	CBAAD01	COBAR	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CBANB01	COBAR	NDB RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	CBAGN01	COBAR	RNP RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	CBAGN02	COBAR	RNP RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	PCCAD01	COCOS (KEELING) ISLANDS	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	PCCAP01	COCOS (KEELING) ISLANDS	APRON CHART	AD OPR	AD OPR	Docs Amend	CASA
	PCCDG01	COCOS (KEELING) ISLANDS	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	PCCNB01	COCOS (KEELING) ISLANDS	NDB-Y RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	PCCNB02	COCOS (KEELING) ISLANDS	NDB-Z RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	PCCGN01	COCOS (KEELING) ISLANDS	RNAV-Z (GNSS) RWY 15*	AA (FPD)	Chief Designer	CRC	CASA
	PCCGN02	COCOS (KEELING) ISLANDS	RNAV-Z (GNSS) RWY 33*	AA (FPD)	Chief Designer	CRC	CASA
	PCCVO01	COCOS (KEELING) ISLANDS	VOR-Y RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	PCCVO02	COCOS (KEELING) ISLANDS	VOR-Y RWY 33	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	PCCVO03	COCOS (KEELING) ISLANDS	VOR-Z RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	PCCVO04	COCOS (KEELING) ISLANDS	VOR-Z RWY 33	AA (FPD)	Chief Designer	CRC	CASA
	COEAD01	COEN	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	COEDG01	COEN	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	COENB01	COEN	NDB RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	COEGN01	COEN	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	CFSAD01	COFFS HARBOUR	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	CFSAD02	COFFS HARBOUR	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	CFSAP01	COFFS HARBOUR	APRON CHART - RPT	AD OPR	AD OPR	Docs Amend	CASA
	CFSDG01	COFFS HARBOUR	DME OR GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	CFSDG02	COFFS HARBOUR	DME OR GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	CFSNA01	COFFS HARBOUR	NOISE ABATEMENT PROCEDURES	AA (ATM Ops)	ATM Ops	CRC	CASA
	CFSGN01	COFFS HARBOUR	RNP RWY 03*	AA (FPD)	Chief Designer	CRC	CASA
	CFSGN02	COFFS HARBOUR	RNP RWY 21*	AA (FPD)	Chief Designer	CRC	CASA
	CFSVO04	COFFS HARBOUR	VOR RWY 03	AA (FPD)	Chief Designer	CRC	CASA
	CFSVO02	COFFS HARBOUR	VOR-Y RWY 21	AA (FPD)	Chief Designer	CRC	CASA
	CFSVO03	COFFS HARBOUR	VOR-Z RWY 21	AA (FPD)	Chief Designer	CRC	CASA
	CDOAD01	CONDOBOLIN	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CDOGN01	CONDOBOLIN	RNP RWY 01	AA (FPD)	Chief Designer	CRC	CASA
	CDOGN02	CONDOBOLIN	RNP N	AA (FPD)	Chief Designer	CRC	CASA
	CBPAD01	COOBER PEDY	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CBPDG01	COOBER PEDY	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	CBPNB01	COOBER PEDY	NDB RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	CBPGN01	COOBER PEDY	RNP RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	CBPGN02	COOBER PEDY	RNP RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	CKNAD01	COOKTOWN	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CKNGN01	COOKTOWN	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	CKNGN02	COOKTOWN	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	PFTGN01	COOMA - POLO FLAT	RNP N	AA (FPD)	Chief Designer	CRC	CASA
	COMAD01	COOMA - SNOWY MOUNTAINS	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	COMDG01	COOMA - SNOWY MOUNTAINS	DME OR GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	COMDG02	COOMA - SNOWY MOUNTAINS	DME OR GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	COMNB02	COOMA - SNOWY MOUNTAINS	NDB-Y RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	COMNB01	COOMA - SNOWY MOUNTAINS	NDB-Z RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	COMGN01	COOMA - SNOWY MOUNTAINS	RNP RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	COMGN02	COOMA - SNOWY MOUNTAINS	RNP RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	CBBAD01	COONABARABRAN	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CBBGN01	COONABARABRAN	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	CBBGN02	COONABARABRAN	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	CNMAD01	COONAMBLE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CNMGN01	COONAMBLE	RNP RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	CNMGN02	COONAMBLE	RNP RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	CWAAD01	COONDEWANNA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CWAGN01	COONDEWANNA	RNAV (GNSS) RWY 08	AA (FPD)	Chief Designer	CRC	CASA
	CWAGN02	COONDEWANNA	RNAV (GNSS) RWY 26	AA (FPD)	Chief Designer	CRC	CASA
	CTMAD01	COOTAMUNDRA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CTMGN01	COOTAMUNDRA	RNP RWY 16	AA (FPD)	Chief Designer	CRC	CASA
	CTMGN02	COOTAMUNDRA	RNP RWY 34	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	CORAD01	COROWA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CORNB01	COROWA	NDB RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	CORGN02	COROWA	RNP E	AA (FPD)	Chief Designer	CRC	CASA
	CRGAD01	CORRYONG	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CRGGN01	CORRYONG	RNP RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	CWRAD01	COWRA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CWRDG01	COWRA	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	CWRNB01	COWRA	NDB RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	CWRGN01	COWRA	RNP RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	CWRGN02	COWRA	RNP RWY 33	AA (FPD)	Chief Designer	CRC	CASA
	CUNAD01	CUNDERDIN	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CUNDG01	CUNDERDIN	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	CUNNB01	CUNDERDIN	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	CUNNB02	CUNDERDIN	NDB-B	AA (FPD)	Chief Designer	CRC	CASA
	CUNGN01	CUNDERDIN	RNAV-E (GNSS)	AA (FPD)	Chief Designer	CRC	CASA
	CMUAD01	CUNNAMULLA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CMUNB01	CUNNAMULLA	NDB OR VOR RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	CMUGN01	CUNNAMULLA	RNP RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	CMUGN02	CUNNAMULLA	RNP RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	CINAD01	CURTIN	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	CINAD02	CURTIN	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	CINDG01	CURTIN	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	CINGN01	CURTIN	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	CINGN02	CURTIN	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	CINVO01	CURTIN	VOR-Y RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	CINVO03	CURTIN	VOR-Y RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	CINVO02	CURTIN	VOR-Z RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	CINVO04	CURTIN	VOR-Z RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	DLOAD01	DARLOT	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	DLOGN01	DARLOT	RNAV-W (GNSS)	AA (FPD)	Chief Designer	CRC	CASA
	DLOGN02	DARLOT	RNAV-Z (GNSS) RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	PDNAD01	DARWIN	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	PDNAD02	DARWIN	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	PDNAP01	DARWIN	APRON CHART	AD OPR	AD OPR	Docs Amend	CASA
	PDNDG01	DARWIN	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	PDNII02	DARWIN	ILS-X OR LOC-X RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	PDNII01	DARWIN	ILS-Z OR LOC-Z RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	PDNII04	DARWIN	LOC-T RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	PDNNB01	DARWIN	NDB-Z RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	PDNNB03	DARWIN	NDB-T RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	PDNNA01	DARWIN	NOISE ABATEMENT PROCEDURE PAGE 1	DoD	RAAF AIS	Docs Amend	ANS
	PDNNA02	DARWIN	NOISE ABATEMENT PROCEDURE PAGE 2	DoD	RAAF AIS	Docs Amend	ANS
	PDNGN10	DARWIN	RNP T RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	PDNGN11	DARWIN	RNP T RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	PDNGN12	DARWIN	RNP Y RWY 11 (AR)	GE AVIATION	Chief Designer	Docs Amend	CASA
	PDNGN13	DARWIN	RNP Y RWY 29 (AR)	GE AVIATION	Chief Designer	Docs Amend	CASA
	PDNGN14	DARWIN	RNP X RWY 11 (AR)	GE AVIATION	Chief Designer	Docs Amend	CASA
	PDNGN15	DARWIN	RNP X RWY 29 (AR)	GE AVIATION	Chief Designer	Docs Amend	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	PDNGN01	DARWIN	RNP RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	PDNGN02	DARWIN	RNP Z RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	PDNGN03	DARWIN	RNP Z RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	PDNDP05	DARWIN	SID BIRDY FOUR DEPARTURE (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PDNDP01	DARWIN	SID DARWIN SEVEN DEPARTURE (RADAR)	AA (FPD)	Chief Designer	CRC	CASA
	PDNDP03	DARWIN	SID HELLI FIVE DEPARTURE (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PDNDP04	DARWIN	SID JULIE FIVE DEPARTURE (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PDNDP06	DARWIN	SID LAKUP FIVE DEPARTURE (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PDNDP07	DARWIN	SID OCTOB SEVEN DEPARTURE (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PDNDP08	DARWIN	SID PALGA SEVEN DEPARTURE (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PDNDP09	DARWIN	SID RUSKA SIX DEPARTURE (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PDNDP10	DARWIN	SID VANDI SIX DEPARTURE (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PDNSR01	DARWIN	STAR DONYA NINE UNIFORM ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PDNSR02	DARWIN	STAR GATOR NINE UNIFORM ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PDNSR03	DARWIN	STAR DONYA NINE ALPHA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PDNSR04	DARWIN	STAR GATOR NINE ALPHA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PDNSR05	DARWIN	STAR WANGI TWO ALPHA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PDNSR06	DARWIN	STAR VEGPU SEVEN ALPHA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PDNSR07	DARWIN	STAR VEGPU SEVEN PAPA, UNIFORM ARR (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PDNSR08	DARWIN	STAR WANGI TWO PAPA, UNIFORM ARR (RNAV) RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	PDNSR09	DARWIN	STAR WANGI TWO PAPA, UNIFORM ARR (RNAV) RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	PDNVO01	DARWIN	VOR-Z RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	PDNVO02	DARWIN	VOR-Y RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	PDNVO03	DARWIN	VOR-Z RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	PDNVO04	DARWIN	VOR-T RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	PDNVO05	DARWIN	VOR-T RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	DGUAD01	DEGRUSSA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	DGUGN01	DEGRUSSA	RNAV (GNSS) RWY 09	IDS	Chief Designer	Docs Amend	CASA
	DGUGN02	DEGRUSSA	RNAV (GNSS) RWY 27	IDS	Chief Designer	Docs Amend	CASA
	DGUDP01	DEGRUSSA	SID RWY 09/27 (RNAV)	IDS	Chief Designer	Docs Amend	CASA
	DLQAD01	DENILIQVIN	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	DLQGN01	DENILIQVIN	RNP RWY 06	AA (FPD)	Chief Designer	CRC	CASA
	DLQGN02	DENILIQVIN	RNP RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	DBYAD01	DERBY	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	DBYDG01	DERBY	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	DBYNB01	DERBY	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	DBYGN01	DERBY	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	DBYGN02	DERBY	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	DPOAD01	DEVONPORT	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	DPOGN01	DEVONPORT	RNP RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	DPOGN02	DEVONPORT	RNP RWY 06	AA (FPD)	Chief Designer	CRC	CASA
	UPAGN01	DOLPHIN PLATFORM	RNP 080	GAS	Chief Designer	Docs Amend	CASA
	UPAGN02	DOLPHIN PLATFORM	RNP 250	GAS	Chief Designer	Docs Amend	CASA
	DMGAD01	DOOMADGEE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	DMGGN01	DOOMADGEE	RNP RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	DMGGN02	DOOMADGEE	RNP RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	SDUAD01	DUBBO	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	SDUDG01	DUBBO	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	SDUNB01	DUBBO	NDB-A OR VOR-A	AA (FPD)	Chief Designer	CRC	CASA
	SDUGN01	DUBBO	RNP RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	SDUGN02	DUBBO	RNP RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	DKGAD01	DUKETON GOLD	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	DKGGN01	DUKETON GOLD	RNAV (GNSS) RWY 18	IDS	Chief Designer	Docs Amend	CASA
	DKGGN02	DUKETON GOLD	RNAV (GNSS) RWY 36	IDS	Chief Designer	Docs Amend	CASA
	DKGDP01	DUKETON GOLD	SID DUKETON GOLD ONE DEPARTURE	IDS	Chief Designer	Docs Amend	CASA
	EJIAD01	EAST JAURDI	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	EJIGN01	EAST JAURDI	RNAV (GNSS) RWY 08	IDS	Chief Designer	Docs Amend	CASA
	EJIGN02	EAST JAURDI	RNAV (GNSS) RWY 26	IDS	Chief Designer	Docs Amend	CASA
	MESAD01	EAST SALE	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	MESAD02	EAST SALE	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	MESDG01	EAST SALE	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	MESDP01	EAST SALE	EAST SALE FIVE DEPARTURE (RADAR)	AA (FPD)	Chief Designer	CRC	CASA
	MESII01	EAST SALE	ILS-Z OR LOC-Z RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	MESGN01	EAST SALE	RNP RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	MESGN02	EAST SALE	RNP RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	MESGN03	EAST SALE	RNP RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	ECHAD01	ECHUCA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	ECHGN01	ECHUCA	RNP RWY 17	AA (FPD)	Chief Designer	CRC	CASA
	ECHGN02	ECHUCA	RNP RWY 35	AA (FPD)	Chief Designer	CRC	CASA
	PEDAD01	EDINBURGH	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	PEDAD02	EDINBURGH	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	PEDII01	EDINBURGH	ILS-Z OR LOC-Z RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	ELDAD01	ELCHO ISLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	ELDGN01	ELCHO ISLAND	RNP RWY 10	AA (FPD)	Chief Designer	CRC	CASA
	ELDGN02	ELCHO ISLAND	RNP RWY 28	AA (FPD)	Chief Designer	CRC	CASA
	EWAAD01	ELIWANA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	EWAGN01	ELIWANA	RNAV (GNSS) RWY 10	IDS	Chief Designer	Docs Amend	CASA
	EWAGN02	ELIWANA	RNAV (GNSS) RWY 28	IDS	Chief Designer	Docs Amend	CASA
	EMLAD01	EMERALD	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	EMLDG01	EMERALD	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	EMLNB01	EMERALD	NDB RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	EMLGN01	EMERALD	RNP RWY 06	AA (FPD)	Chief Designer	CRC	CASA
	EMLGN02	EMERALD	RNP RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	ESPAD01	ESPERANCE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	ESPDG01	ESPERANCE	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	ESPNB01	ESPERANCE	NDB RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	ESPNB02	ESPERANCE	NDB RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	ESPGN01	ESPERANCE	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	ESPGN02	ESPERANCE	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	ESPVO01	ESPERANCE	VOR RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	ESPVO02	ESPERANCE	VOR RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	FLDGN01	FACING ISLAND	RNP 125	IDS	Chief Designer	Docs Amend	CASA
	FTZAD01	FITZROY CROSSING	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	FTZGN01	FITZROY CROSSING	RNP RWY 01	AA (FPD)	Chief Designer	CRC	CASA
	FTZGN02	FITZROY CROSSING	RNP RWY 19	AA (FPD)	Chief Designer	CRC	CASA
	FLIAD01	FLINDERS ISLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	FLIGN01	FLINDERS ISLAND	RNP Z RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	FLIGN02	FLINDERS ISLAND	RNP Y RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	FBSAD01	FORBES	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	FBSGN01	FORBES	RNP RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	FBSGN02	FORBES	RNP RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	FRTAD01	FORREST	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	FRTDG01	FORREST	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	FRTNB01	FORREST	NDB RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	FRTGN01	FORREST	RNP RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	FRTGN02	FORREST	RNP RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	FTAGN01	FORRESTANIA	RNAV (GNSS) RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	FTAAD01	FORRESTANIA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	FTAGN02	FORRESTANIA	RNAV (GNSS) RWY 33	AA (FPD)	Chief Designer	CRC	CASA
	FDFAD01	FORTESCUE DAVE FORREST	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	FDFAD02	FORTESCUE DAVE FORREST	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	FDFGN01	FORTESCUE DAVE FORREST	RNAV-Z (GNSS) RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	FDFGN02	FORTESCUE DAVE FORREST	RNAV-Z (GNSS) RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	GPTAD01	GARDEN POINT	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	GPTGN01	GARDEN POINT	RNP RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	GAYAD01	GAYNDAH	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	GAYGN01	GAYNDAH	RNP RWY 06	AA (FPD)	Chief Designer	CRC	CASA
	GAYGN02	GAYNDAH	RNP E	AA (FPD)	Chief Designer	CRC	CASA
	GTNAD01	GEORGETOWN (QLD)	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	GTNGN01	GEORGETOWN (QLD)	RNP RWY 06	AA (FPD)	Chief Designer	CRC	CASA
	GTNGN02	GEORGETOWN (QLD)	RNP RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	GELAD01	GERALDTON	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	GELAP01	GERALDTON	APRON CHART	AD OPR	AD OPR	Docs Amend	CASA
	GELDG01	GERALDTON	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	GELNB03	GERALDTON	NDB RWY 21	AA (FPD)	Chief Designer	CRC	CASA
	GELNB02	GERALDTON	NDB-Y OR VOR-Y RWY 03	AA (FPD)	Chief Designer	CRC	CASA
	GELNB01	GERALDTON	NDB-Z OR VOR-Z RWY 03	AA (FPD)	Chief Designer	CRC	CASA
	GELGN01	GERALDTON	RNAV-Z (GNSS) RWY 03*	AA (FPD)	Chief Designer	CRC	CASA
	GELGN02	GERALDTON	RNAV-Z (GNSS) RWY 21*	AA (FPD)	Chief Designer	CRC	CASA
	GELVO01	GERALDTON	VOR RWY 21	AA (FPD)	Chief Designer	CRC	CASA
	GIAAD01	GINBATA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	GIAGN01	GINBATA	RNAV (GNSS) RWY 09	IDS	Chief Designer	Docs Amend	CASA
	GIAGN02	GINBATA	RNAV (GNSS) RWY 27	IDS	Chief Designer	Docs Amend	CASA
	GLAAD01	GLADSTONE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	GLADG01	GLADSTONE	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	GLAGN01	GLADSTONE	RNP RWY 10	AA (FPD)	Chief Designer	CRC	CASA
	GLAGN02	GLADSTONE	RNP RWY 28	AA (FPD)	Chief Designer	CRC	CASA
	GLAVO01	GLADSTONE	VOR RWY 28	AA (FPD)	Chief Designer	CRC	CASA
	GLIAD01	GLEN INNES	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	GLIGN01	GLEN INNES	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	GLIGN02	GLEN INNES	RNP RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	GNWAD01	GNOWANGERUP	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	GNWDP01	GNOWANGERUP	SID GNOWANGERUP ONE DEPARTURE	GAS	Chief Designer	Docs Amend	CASA
	GNWGN01	GNOWANGERUP	RNAV (GNSS) RWY 12	GAS	Chief Designer	Docs Amend	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	GNWGN02	GNOWANGERUP	RNAV (GNSS) RWY 30	GAS	Chief Designer	Docs Amend	CASA
	BCGAD01	GOLD COAST	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	BCGAD02	GOLD COAST	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	BCGAP01	GOLD COAST	APRON CHART - PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	BCGAP02	GOLD COAST	APRON CHART - PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	BCGDG01	GOLD COAST	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	BCGII01	GOLD COAST	ILS-Z OR LOC-Z RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	BCGNB01	GOLD COAST	NDB OR VOR RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	BCGNB03	GOLD COAST	NDB-A OR VOR-A	AA (FPD)	Chief Designer	CRC	CASA
	BCGNB04	GOLD COAST	NDB-Y OR VOR-Y	AA (FPD)	Chief Designer	CRC	CASA
	BCGNB02	GOLD COAST	NDB-Z OR VOR-Z RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	BCGNA01	GOLD COAST	NOISE ABATEMENT PROCEDURE PAGE 1	AA (ATM Ops)	ATM Ops	CRC	CASA
	BCGNA02	GOLD COAST	NOISE ABATEMENT PROCEDURE PAGE 2	AA (ATM Ops)	ATM Ops	CRC	CASA
	BCGNA03	GOLD COAST	NOISE ABATEMENT PROCEDURE PAGE 3	AA (ATM Ops)	ATM Ops	CRC	CASA
	BCGNA04	GOLD COAST	NOISE ABATEMENT PROCEDURE PAGE 4	AA (ATM Ops)	ATM Ops	CRC	CASA
	BCGNA05	GOLD COAST	NOISE ABATEMENT PROCEDURE PAGE 5	AA (ATM Ops)	ATM Ops	CRC	CASA
	BCGNA06	GOLD COAST	NOISE ABATEMENT PROCEDURE PAGE 6	AA (ATM Ops)	ATM Ops	CRC	CASA
	BCGGN10	GOLD COAST	RNP W RWY 14 (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	BCGGN12	GOLD COAST	RNP X RWY 32 (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	BCGGN09	GOLD COAST	RNP Y RWY 14 (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	BCGGN11	GOLD COAST	RNP Y RWY 32 (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	BCGGN01	GOLD COAST	RNP Z RWY 14*	AA (FPD)	Chief Designer	CRC	CASA
	BCGGN02	GOLD COAST	RNP Z RWY 32*	AA (FPD)	Chief Designer	CRC	CASA
	BCGDP01	GOLD COAST	SID GOLD COAST SIX DEPARTURE (RADAR)-RWY14,17,32	AA (FPD)	Chief Designer	CRC	CASA
	BCGDP04	GOLD COAST	SID RW14 RNAV (RNP 0.3) CUDGN FOUR	AA (FPD)	Chief Designer	CRC	CASA
	BCGDP03	GOLD COAST	SID RW32 RNAV (RNP 0.3) BURLI FIVE	AA (FPD)	Chief Designer	CRC	CASA
	BCGDP02	GOLD COAST	SID RWY 14/32 SOUTH (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCGSR03	GOLD COAST	STAR LAMSI TWO ALPHA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCGSR04	GOLD COAST	STAR LAMSI TWO YANKEE ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCGSR06	GOLD COAST	STAR BERNI TWO ALPHA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCGSR07	GOLD COAST	STAR BERNI TWO VICTOR ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BCGSR08	GOLD COAST	STAR BERNI TWO YANKEE ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	GGEAD01	GOLDEN GROVE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	GGEGN01	GOLDEN GROVE	RNAV (GNSS) RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	GGEGN02	GOLDEN GROVE	RNAV (GNSS) RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	GDIAD01	GOONDIWINDI	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	GDIGN01	GOONDIWINDI	RNP RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	GDIGN02	GOONDIWINDI	RNP S	AA (FPD)	Chief Designer	CRC	CASA
	XGSGN01	GOSFORD DISTRICT HOSPITAL	RNP 340	AA (FPD)	Chief Designer	CRC	CASA
	GLBAD01	GOULBURN	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	GLBDG01	GOULBURN	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	GLBNB01	GOULBURN	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	GLBGN01	GOULBURN	RNP RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	GLBGN02	GOULBURN	RNP RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	PGVAD01	GOVE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	PGVDG01	GOVE	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	PGVNB01	GOVE	NDB OR VOR RWY 13	AA (FPD)	Chief Designer	CRC	CASA
	PGVNB02	GOVE	NDB OR VOR RWY 31	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	PGVGN01	GOVE	RNP RWY 13	AA (FPD)	Chief Designer	CRC	CASA
	PGVGN02	GOVE	RNP RWY 31	AA (FPD)	Chief Designer	CRC	CASA
	GFNAD01	GRAFTON	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	GFNDG01	GRAFTON	GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	GFNDG02	GRAFTON	GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	GFNNB01	GRAFTON	NDB RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	GFNGN01	GRAFTON	RNP RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	GTHAD01	GRIFFITH	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	GTHDG01	GRIFFITH	GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	GTHDG02	GRIFFITH	GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	GTHNB01	GRIFFITH	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	GTHGN01	GRIFFITH	RNP RWY 06	AA (FPD)	Chief Designer	CRC	CASA
	GTHGN02	GRIFFITH	RNP RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	GTEAD01	GROOTE EYLANDT	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	GTEDG01	GROOTE EYLANDT	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	GTENB01	GROOTE EYLANDT	NDB RWY 10	AA (FPD)	Chief Designer	CRC	CASA
	GTEGN01	GROOTE EYLANDT	RNP RWY 10	AA (FPD)	Chief Designer	CRC	CASA
	GTEGN02	GROOTE EYLANDT	RNP RWY 28	AA (FPD)	Chief Designer	CRC	CASA
	GRMAD01	GRUYERE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	GRMGN01	GRUYERE	RNAV(GNSS) RWY06	IDS	Chief Designer	Docs Amend	CASA
	GRMGN02	GRUYERE	RNAV(GNSS) RWY24	IDS	Chief Designer	Docs Amend	CASA
	GDHAD01	GUNNEDAH	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	GDHDG01	GUNNEDAH	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	GDHNB01	GUNNEDAH	NDB RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	GDHGN01	GUNNEDAH	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	GDHGN02	GUNNEDAH	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	HLCAD01	HALLS CREEK	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	HLCDG01	HALLS CREEK	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	HLCNB01	HALLS CREEK	NDB RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	HLCNB02	HALLS CREEK	NDB RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	HLCGN01	HALLS CREEK	RNP RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	HLCGN02	HALLS CREEK	RNP RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	HMLAD01	HAMILTON	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	HMLNB01	HAMILTON	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	HMLGN01	HAMILTON	RNP RWY 17	AA (FPD)	Chief Designer	CRC	CASA
	HMLGN02	HAMILTON	RNP RWY 35	AA (FPD)	Chief Designer	CRC	CASA
	BHMAD01	HAMILTON ISLAND	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	BHMAD02	HAMILTON ISLAND	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	BHMG03	HAMILTON ISLAND	RNP P RWY 14 (AR) - PAGE 1	GE AVIATION	Chief Designer	Docs Amend	CASA
	BHMG04	HAMILTON ISLAND	RNP P RWY 14 (AR) - PAGE 2	GE AVIATION	Chief Designer	Docs Amend	CASA
	BHMG05	HAMILTON ISLAND	RNP U RWY 14 (AR) - PAGE 1	GE AVIATION	Chief Designer	Docs Amend	CASA
	BHMG06	HAMILTON ISLAND	RNP U RWY 14 (AR) - PAGE 2	GE AVIATION	Chief Designer	Docs Amend	CASA
	BHMG07	HAMILTON ISLAND	RNP U RWY 32 (AR) - PAGE 1	GE AVIATION	Chief Designer	Docs Amend	CASA
	BHMG08	HAMILTON ISLAND	RNP U RWY 32 (AR) - PAGE 2	GE AVIATION	Chief Designer	Docs Amend	CASA
	BHMG11	HAMILTON ISLAND	RNP W RWY 14 (AR)	AA (FPD)	Chief Designer	CRC	CASA
	BHMG09	HAMILTON ISLAND	RNP W RWY 32 (AR)	AA (FPD)	Chief Designer	CRC	CASA
	BHMG12	HAMILTON ISLAND	RNP X RWY 32 (AR)	AA (FPD)	Chief Designer	CRC	CASA
	BHMG10	HAMILTON ISLAND	RNP Y RWY 32 (LNAV/VNAV ONLY)	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	BHMG13	HAMILTON ISLAND	RNP Y RWY 14 (AR)	AA (FPD)	Chief Designer	CRC	CASA
	BHMG01	HAMILTON ISLAND	RNP Z RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	BHMG02	HAMILTON ISLAND	RNP Z RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	HAYAD01	HAY	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	HAYGN01	HAY	RNP RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	HAYGN02	HAY	RNP RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	HBAAD01	HERVEY BAY	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	HBAGN01	HERVEY BAY	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	HBAGN02	HERVEY BAY	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	MHBAD01	HOBART	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	MHBAD02	HOBART	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	MHBAP01	HOBART	APRON CHART	AD OPR	AD OPR	Docs Amend	CASA
	MHBII01	HOBART	ILS-Y or LOC-Y RWY12	AA (FPD)	Chief Designer	CRC	CASA
	MHBII02	HOBART	ILS-Z OR LOC-Z RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	MHBNA01	HOBART	NOISE ABATEMENT PROCEDURE	AA (ATM Ops)	ATM Ops	CRC	CASA
	MHBGN03	HOBART	RNP W RWY 12 (AR)	AA (FPD)	Chief Designer	CRC	CASA
	MHBGN04	HOBART	RNP W RWY 30 (AR)	AA (FPD)	Chief Designer	CRC	CASA
	MHBGN01	HOBART	RNP Z RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	MHBGN02	HOBART	RNP Z RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	MHBDP06	HOBART	SID CLARK TWO DEPARTURE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MHBDP05	HOBART	SID KANLI THREE DEP (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MHBDP07	HOBART	SID LATUM TWO DEPARTURE (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MHBDP08	HOBART	SID LAVOP ONE DEPARTURE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MHBSR02	HOBART	STAR IPLET SIX ALPHA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MHBSR03	HOBART	STAR MORG0 TWO WHISKEY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MHBSR04	HOBART	STAR MORG0 TWO ALPHA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MHBSR05	HOBART	STAR IPLET SIX WHISKEY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MHBSR06	HOBART	STAR IPLET SIX VICTOR ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MHBSR07	HOBART	STAR MORG0 TWO VICTOR ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MHBVO01	HOBART	VOR RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	MHBVO03	HOBART	VOR-Y RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	MHBVO02	HOBART	VOR-Z RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	HIDAD01	HORN ISLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	HIDDG01	HORN ISLAND	GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	HIDDG02	HORN ISLAND	GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	HIDNB01	HORN ISLAND	NDB RWY 08	AA (FPD)	Chief Designer	CRC	CASA
	HIDNB02	HORN ISLAND	NDB RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	HIDGN01	HORN ISLAND	RNP RWY 08	AA (FPD)	Chief Designer	CRC	CASA
	HIDGN02	HORN ISLAND	RNP RWY 26	AA (FPD)	Chief Designer	CRC	CASA
	HSMAD01	HORSHAM	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	HSMGN01	HORSHAM	RNP RWY 08	AA (FPD)	Chief Designer	CRC	CASA
	HSMGN02	HORSHAM	RNP RWY 26	AA (FPD)	Chief Designer	CRC	CASA
	HUGAD01	HUGHENDEN	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	HUGDG01	HUGHENDEN	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	HUGNB01	HUGHENDEN	NDB RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	HUGGN01	HUGHENDEN	RNP RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	HUGGN02	HUGHENDEN	RNP RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	IGMGN02	INGHAM	RNP E	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	IFLAD01	INNISFAIL	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	IFLDG01	INNISFAIL	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	IFLNB01	INNISFAIL	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	IFLGN01	INNISFAIL	RNP RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	IVLAD01	INVERELL	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	IVLDG01	INVERELL	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	IVLNB01	INVERELL	NDB RWY 16	AA (FPD)	Chief Designer	CRC	CASA
	IVLGN01	INVERELL	RNP RWY 34	AA (FPD)	Chief Designer	CRC	CASA
	IBOAD01	IRON BRIDGE MINE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	IBOGN01	IRON BRIDGE MINE	RNAV (GNSS) RWY 12	IDS	Chief Designer	Docs Amend	CASA
	IBOGN02	IRON BRIDGE MINE	RNAV (GNSS) RWY 30	IDS	Chief Designer	Docs Amend	CASA
	IVOAD01	IVANHOE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	IVOGN01	IVANHOE	RNP RWY 16	GAS	Chief Designer	Docs Amend	CASA
	IVOGN02	IVANHOE	RNP RWY 34	GAS	Chief Designer	Docs Amend	CASA
	IVODP01	IVANHOE	SID IVANHOE ONE DEPARTURE	GAS	Chief Designer	Docs Amend	CASA
	JABAD01	JABIRU	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	JABGN01	JABIRU	RNP RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	JABGN02	JABIRU	RNP RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	JACAD01	JACINTH AMBROSIA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	JACGN01	JACINTH AMBROSIA	RNP N	GAS	Chief Designer	Docs Amend	CASA
	JACGN02	JACINTH AMBROSIA	RNP S	GAS	Chief Designer	Docs Amend	CASA
	JACDP01	JACINTH AMBROSIA	SID JACINTH AMBROSIA ONE DEPARTURE	GAS	Chief Designer	Docs Amend	CASA
	JLCAD01	JULIA CREEK	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	JLCGN01	JULIA CREEK	RNP RWY 10	AA (FPD)	Chief Designer	CRC	CASA
	JLCGN02	JULIA CREEK	RNP RWY 28	AA (FPD)	Chief Designer	CRC	CASA
	JUNAD01	JUNDEE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	JUNGN01	JUNDEE	RNAV-Z (GNSS) RWY 08	AA (FPD)	Chief Designer	CRC	CASA
	PKGAD01	KALGOORLIE-BOULDER	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	PKGAP01	KALGOORLIE-BOULDER	APRON CHART	AD OPR	AD OPR	Docs Amend	CASA
	PKGDG01	KALGOORLIE-BOULDER	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	PKGNB01	KALGOORLIE-BOULDER	NDB RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	PKGGN05	KALGOORLIE-BOULDER	RNAV-U(RNP) RWY 11	GE AVIATION	Chief Designer	Docs Amend	CASA
	PKGGN06	KALGOORLIE-BOULDER	RNAV-U(RNP) RWY 29	GE AVIATION	Chief Designer	Docs Amend	CASA
	PKGGN01	KALGOORLIE-BOULDER	RNAV-Z (GNSS) RWY 11*	AA (FPD)	Chief Designer	CRC	CASA
	PKGGN02	KALGOORLIE-BOULDER	RNAV-Z (GNSS) RWY 18*	AA (FPD)	Chief Designer	CRC	CASA
	PKGGN03	KALGOORLIE-BOULDER	RNAV-Z (GNSS) RWY 29*	AA (FPD)	Chief Designer	CRC	CASA
	PKGGN04	KALGOORLIE-BOULDER	RNAV-Z (GNSS) RWY 36*	AA (FPD)	Chief Designer	CRC	CASA
	PKGVO05	KALGOORLIE-BOULDER	VOR-Y RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	PKGVO06	KALGOORLIE-BOULDER	VOR-Y RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	PKGVO07	KALGOORLIE-BOULDER	VOR-Y RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	PKGVO08	KALGOORLIE-BOULDER	VOR-Y RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	PKGVO01	KALGOORLIE-BOULDER	VOR-Z RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	PKGVO02	KALGOORLIE-BOULDER	VOR-Z RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	PKGVO03	KALGOORLIE-BOULDER	VOR-Z RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	PKGVO04	KALGOORLIE-BOULDER	VOR-Z RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	KKGAD01	KALKGURUNG	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	KKGGN01	KALKGURUNG	RNP RWY 03	AA (FPD)	Chief Designer	CRC	CASA
	KKGGN02	KALKGURUNG	RNP N	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	KARAD01	KARARA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	KARGN01	KARARA	RNAV(GNSS) RWY 12	IDS	Chief Designer	Docs Amend	CASA
	KARGN02	KARARA	RNAV(GNSS) RWY 30	IDS	Chief Designer	Docs Amend	CASA
	KWAAD01	KARLAWINDA MINE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	KWAGN01	KARLAWINDA MINE	RNAV (GNSS) RWY 01	IDS	Chief Designer	Docs Amend	CASA
	KWAGN02	KARLAWINDA MINE	RNAV (GNSS) RWY 19	IDS	Chief Designer	Docs Amend	CASA
	PKAAD01	KARRATHA	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	PKAAD02	KARRATHA	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	PKAAP01	KARRATHA	APRON CHART	AD OPR	AD OPR	Docs Amend	CASA
	PKADG01	KARRATHA	DME OR GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	PKADG02	KARRATHA	DME OR GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	PKADG03	KARRATHA	DME OR GNSS ARRIVAL PAGE 3	AA (FPD)	Chief Designer	CRC	CASA
	PKANB02	KARRATHA	NDB-Y RWY 08	AA (FPD)	Chief Designer	CRC	CASA
	PKANB01	KARRATHA	NDB-Z RWY 08	AA (FPD)	Chief Designer	CRC	CASA
	PKAGN03	KARRATHA	RNAV-U(RNP) RWY 08	GE AVIATION	Chief Designer	Docs Amend	CASA
	PKAGN04	KARRATHA	RNAV-U(RNP) RWY 26	GE AVIATION	Chief Designer	Docs Amend	CASA
	PKAGN01	KARRATHA	RNAV-Z (GNSS) RWY 08	AA (FPD)	Chief Designer	CRC	CASA
	PKAGN02	KARRATHA	RNAV-Z (GNSS) RWY 26	AA (FPD)	Chief Designer	CRC	CASA
	PKAVO03	KARRATHA	VOR-Y RWY 08	AA (FPD)	Chief Designer	CRC	CASA
	PKAVO04	KARRATHA	VOR-Y RWY 26	AA (FPD)	Chief Designer	CRC	CASA
	PKAVO01	KARRATHA	VOR-Z RWY 08	AA (FPD)	Chief Designer	CRC	CASA
	PKAVO02	KARRATHA	VOR-Z RWY 26	AA (FPD)	Chief Designer	CRC	CASA
	KNGAD01	KATANNING	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	KNGGN01	KATANNING	RNAV (GNSS) RWY 25	AA (FPD)	Chief Designer	CRC	CASA
	KMPAD01	KEMPSEY	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	KMPGN01	KEMPSEY	RNP RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	KMPGN02	KEMPSEY	RNP RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	KERAD01	KERANG	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	KERGN01	KERANG	RNP RWY 32	GAS	Chief Designer	Docs Amend	CASA
	KERGN02	KERANG	RNP RWY 14	GAS	Chief Designer	Docs Amend	CASA
	IMBAD01	KIMBA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	IMBGN01	KIMBA	RNP RWY 03	AA (FPD)	Chief Designer	CRC	CASA
	IMBGN02	KIMBA	RNP RWY 21	AA (FPD)	Chief Designer	CRC	CASA
	KIIAD01	KING ISLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	KIIDG01	KING ISLAND	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	KIINB01	KING ISLAND	NDB RWY 10	AA (FPD)	Chief Designer	CRC	CASA
	KIINB02	KING ISLAND	NDB RWY 28	AA (FPD)	Chief Designer	CRC	CASA
	KIIGN01	KING ISLAND	RNP RWY 28	AA (FPD)	Chief Designer	CRC	CASA
	KIIGN02	KING ISLAND	RNP RWY 10	AA (FPD)	Chief Designer	CRC	CASA
	KRYAD01	KINGAROY	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	KRYGN01	KINGAROY	RNP RWY 16	AA (FPD)	Chief Designer	CRC	CASA
	KRYGN02	KINGAROY	RNP RWY 34	AA (FPD)	Chief Designer	CRC	CASA
	KSCAD01	KINGSCOTE/KANGAROO ISLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	KSCGN01	KINGSCOTE/KANGAROO ISLAND	RNP RWY 19	AA (FPD)	Chief Designer	CRC	CASA
	KSCGN02	KINGSCOTE/KANGAROO ISLAND	RNP RWY 01	AA (FPD)	Chief Designer	CRC	CASA
	KDDAD01	KOODAIDERI MINE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	KDDGN01	KOODAIDERI MINE	RNAV (GNSS) RWY 12	IDS	Chief Designer	Docs Amend	CASA
	KDDGN02	KOODAIDERI MINE	RNAV (GNSS) RWY 30	IDS	Chief Designer	Docs Amend	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	KLCGN01	KOOLAN ISLAND/KOOLAN CENTRAL	RNP RWY 11	IDS	Chief Designer	Docs Amend	CASA
	KLCGN02	KOOLAN ISLAND/KOOLAN CENTRAL	RNP RWY 29	IDS	Chief Designer	Docs Amend	CASA
	KLCAD01	KOOLAN ISLAND/KOOLAN CENTRAL	AERODROME CHART	IDS	Chief Designer	Docs Amend	CASA
	KOWAD01	KOWANYAMA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	KOWGN01	KOWANYAMA	RNP RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	KOWGN02	KOWANYAMA	RNP RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	PKUAD01	KUNUNURRA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	PKUDG01	KUNUNURRA	DME OR GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	PKUDG02	KUNUNURRA	DME OR GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	PKUNB01	KUNUNURRA	NDB-A OR VOR-A	AA (FPD)	Chief Designer	CRC	CASA
	PKUGN01	KUNUNURRA	RNP RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	PKUGN02	KUNUNURRA	RNP RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	PKUVO01	KUNUNURRA	VOR RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	LMQGN01	LAKE MACQUARIE AIRPORT	RNP 070	IDS	Chief Designer	Docs Amend	CASA
	LTVAD01	LATROBE VALLEY	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	LTVNB01	LATROBE VALLEY	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	LTVNB02	LATROBE VALLEY	NDB-B	AA (FPD)	Chief Designer	CRC	CASA
	LTVGN01	LATROBE VALLEY	RNP RWY 03	AA (FPD)	Chief Designer	CRC	CASA
	LTVGN02	LATROBE VALLEY	RNP RWY 21	AA (FPD)	Chief Designer	CRC	CASA
	MLTAD01	LAUNCESTON	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	MLTAD02	LAUNCESTON	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	MLTDG01	LAUNCESTON	DME OR GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	MLTDG03	LAUNCESTON	DME OR GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	MLTII01	LAUNCESTON	ILS-Y OR LOC-Y RWY 32L	AA (FPD)	Chief Designer	CRC	CASA
	MLTII02	LAUNCESTON	ILS-Z OR LOC-Z RWY 32L	AA (FPD)	Chief Designer	CRC	CASA
	MLTNA01	LAUNCESTON	NOISE ABATEMENT PROCEDURE	AA (ATM Ops)	ATM Ops	CRC	CASA
	MLTGN01	LAUNCESTON	RNP RWY 14R	AA (FPD)	Chief Designer	CRC	CASA
	MLTGN02	LAUNCESTON	RNP RWY 32L	AA (FPD)	Chief Designer	CRC	CASA
	MLTDP05	LAUNCESTON	SID RWY 14R NORTH BRAVO	AA (FPD)	Chief Designer	CRC	CASA
	MLTDP01	LAUNCESTON	SID RWY 14R/32L NORTH ALPHA	AA (FPD)	Chief Designer	CRC	CASA
	MLTDP02	LAUNCESTON	SID RWY 14R/32L SOUTH	AA (FPD)	Chief Designer	CRC	CASA
	MLTVO01	LAUNCESTON	VOR RWY 14R	AA (FPD)	Chief Designer	CRC	CASA
	MLTVO02	LAUNCESTON	VOR RWY 32L	AA (FPD)	Chief Designer	CRC	CASA
	LTNAD01	LAVERTON (WA)	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	LTNGN02	LAVERTON (WA)	RNAV-Z (GNSS) RWY 07	AA (FPD)	Chief Designer	CRC	CASA
	LTNGN01	LAVERTON (WA)	RNAV-Z (GNSS) RWY 25	AA (FPD)	Chief Designer	CRC	CASA
	PLMAD01	LEARMONTH	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	PLMAD02	LEARMONTH	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	PLMAP01	LEARMONTH	APRON CHART	AD OPR	AD OPR	Docs Amend	CASA
	PLMDG01	LEARMONTH	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	PLMNB01	LEARMONTH	NDB-A OR VOR-A	AA (FPD)	Chief Designer	CRC	CASA
	PLMGN01	LEARMONTH	RNAV-Z (GNSS) RWY 18*	AA (FPD)	Chief Designer	CRC	CASA
	PLMGN02	LEARMONTH	RNAV-Z (GNSS) RWY 36*	AA (FPD)	Chief Designer	CRC	CASA
	PLMVO01	LEARMONTH	VOR RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	PLMVO02	LEARMONTH	VOR RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	LECAD01	LEIGH CREEK	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	LECDG01	LEIGH CREEK	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	LECNB01	LEIGH CREEK	NDB-A	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	LECGN01	LEIGH CREEK	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	LECGN02	LEIGH CREEK	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	LSTAD01	LEINSTER	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	LSTDG01	LEINSTER	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	LSTNB01	LEINSTER	NDB RWY 10	AA (FPD)	Chief Designer	CRC	CASA
	LSTNB02	LEINSTER	NDB RWY 28	AA (FPD)	Chief Designer	CRC	CASA
	LSTGN01	LEINSTER	RNAV (GNSS) RWY 10	AA (FPD)	Chief Designer	CRC	CASA
	LSTGN02	LEINSTER	RNAV (GNSS) RWY 28	AA (FPD)	Chief Designer	CRC	CASA
	LEOAD01	LEONORA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	LEODG01	LEONORA	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	LEONB01	LEONORA	NDB RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	LEOGN01	LEONORA	RNAV (GNSS) RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	LRDAD01	LIGHTNING RIDGE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	LRDGN01	LIGHTNING RIDGE	RNP RWY 28	GAS	Chief Designer	Docs Amend	CASA
	LRDGN02	LIGHTNING RIDGE	RNP W	GAS	Chief Designer	Docs Amend	CASA
	LRDDP01	LIGHTNING RIDGE	SID LIGHTNING RIDGE ONE DEPARTURE	GAS	Chief Designer	Docs Amend	CASA
	LISAD01	LISMORE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	LISGN01	LISMORE	RNP RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	LISGN02	LISMORE	RNP RWY 33	AA (FPD)	Chief Designer	CRC	CASA
	XLGGN01	LITHGOW MEDICAL	RNP 063	AA (FPD)	Chief Designer	CRC	CASA
	XLGGN02	LITHGOW MEDICAL	RNP 318	AA (FPD)	Chief Designer	CRC	CASA
	LHRAD01	LOCKHART RIVER	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	LHRNB01	LOCKHART RIVER	NDB RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	LHRGN01	LOCKHART RIVER	RNP RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	LHRGN02	LOCKHART RIVER	RNP Z RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	LHRGN03	LOCKHART RIVER	RNP Y RWY 30 (LNAV/VNAV ONLY)	AA (FPD)	Chief Designer	CRC	CASA
	LBDAD01	LOMBADINA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	LBDGN01	LOMBADINA	RNP 104	AA (FPD)	Chief Designer	CRC	CASA
	LBDGN02	LOMBADINA	RNP 284	AA (FPD)	Chief Designer	CRC	CASA
	UOFGN01	LONGFORD HELIPORT	RNP 266	GAS	Chief Designer	Docs Amend	CASA
	LREAD01	LONGREACH	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	LREDG01	LONGREACH	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	LRENB02	LONGREACH	NDB RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	LRENB01	LONGREACH	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	LREGN01	LONGREACH	RNP RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	LREGN02	LONGREACH	RNP RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	LHIAD01	LORD HOWE ISLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	LHIDG01	LORD HOWE ISLAND	DME OR GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	LHIDG02	LORD HOWE ISLAND	DME OR GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	LHINB01	LORD HOWE ISLAND	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	LHIGN01	LORD HOWE ISLAND	RNP RWY 10*	AA (FPD)	Chief Designer	CRC	CASA
	LHIGN03	LORD HOWE ISLAND	RNP RWY 28*	AA (FPD)	Chief Designer	CRC	CASA
	BMKAD01	MACKAY	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	BMKAD02	MACKAY	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	BMKAP01	MACKAY	APRON CHART - RPT	AD OPR	AD OPR	Docs Amend	CASA
	BMKDG01	MACKAY	DME OR GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	BMKDG02	MACKAY	DME OR GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	BMKNB01	MACKAY	NDB-A OR VOR-A	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	BMKNA01	MACKAY	NOISE ABATEMENT PROCEDURE PAGE 1	AA (ATM Ops)	ATM Ops	CRC	CASA
	BMKGN01	MACKAY	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	BMKGN02	MACKAY	RNP RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	BMKDP02	MACKAY	SID CLIFT TWO DEPARTURE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BMKDP01	MACKAY	SID MACKAY TWO DEPARTURE (RADAR)	AA (FPD)	Chief Designer	CRC	CASA
	BMKDP03	MACKAY	SID POONA TWO DEPARTURE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BMKSR02	MACKAY	STAR DAGSI ONE ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BMKSR01	MACKAY	STAR WELKE ONE ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BMKVO01	MACKAY	VOR RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	BMKVO02	MACKAY	VOR RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	XMAGN01	MACLEAN HOSPITAL	RNP 078	AA (FPD)	Chief Designer	CRC	CASA
	MNDAD01	MAITLAND (NSW)	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MNDGN01	MAITLAND (NSW)	RNP W	AA (FPD)	Chief Designer	CRC	CASA
	MCOAD01	MALLACOOTA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MCOGN01	MALLACOOTA	RNP RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	MCOGN02	MALLACOOTA	RNP RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	MNGAD01	MANGALORE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MNGDG01	MANGALORE	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	MNGGN01	MANGALORE	RNP RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	MNGGN02	MANGALORE	RNP RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	MNGGN03	MANGALORE	RNP RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	MNGVO01	MANGALORE	VOR RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	MGDAD01	MANINGRIDA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MGDDG01	MANINGRIDA	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	MGDNB01	MANINGRIDA	NDB RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	MGDGN01	MANINGRIDA	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	MGDGN02	MANINGRIDA	RNP RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	MJMAD01	MANJIMUP	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MJMGN02	MANJIMUP	RNAV-W (GNSS)	AA (FPD)	Chief Designer	CRC	CASA
	MJMGN01	MANJIMUP	RNAV-Z (GNSS) RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	MBAAD01	MAREEBA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MBAGN01	MAREEBA	RNP RWY 10	AA (FPD)	Chief Designer	CRC	CASA
	MYBAD01	MARYBOROUGH (QLD)	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MYBGN01	MARYBOROUGH (QLD)	RNP RWY 17	AA (FPD)	Chief Designer	CRC	CASA
	MYBGN02	MARYBOROUGH (QLD)	RNP RWY 35	AA (FPD)	Chief Designer	CRC	CASA
	MHUAD01	MCARTHUR RIVER MINE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MHUGN01	MCARTHUR RIVER MINE	RNP RWY 06	AA (FPD)	Chief Designer	CRC	CASA
	MHUGN02	MCARTHUR RIVER MINE	RNP RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	MEKAD01	MEEKATHARRA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MEKDG01	MEEKATHARRA	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	MEKNB01	MEEKATHARRA	NDB RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	MEKGN01	MEEKATHARRA	RNAV (GNSS) RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	MEKGN02	MEEKATHARRA	RNAV (GNSS) RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	MEKVO01	MEEKATHARRA	VOR RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	MEKVO02	MEEKATHARRA	VOR RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	MMLAD01	MELBOURNE	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	MMLAD02	MELBOURNE	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	MMLAG01	MELBOURNE	AERODROME GROUND MOVEMENT CHART - PAGE 1	AD OPR	AD OPR	Docs Amend	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	MMLAG02	MELBOURNE	AERODROME GROUND MOVEMENT CHART - PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	MMLAG04	MELBOURNE	AERODROME GROUND MOVEMENT CHART - PAGE 3	AD OPR	AD OPR	Docs Amend	CASA
	MMLNA04	MELBOURNE	AIRPORT EFFICIENCY PROCEDURES	AA (ATM Ops)	ATM Ops	Docs Amend	CASA
	MMLAP01	MELBOURNE	APRON CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	MMLAP02	MELBOURNE	APRON CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	MMLAP03	MELBOURNE	APRON CHART PAGE 3	AD OPR	AD OPR	Docs Amend	CASA
	MMLGL04	MELBOURNE	GLS RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	MMLGL05	MELBOURNE	GLS RWY 16	AA (FPD)	Chief Designer	CRC	CASA
	MMLGL02	MELBOURNE	GLS RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	MMLGL03	MELBOURNE	GLS RWY 34	AA (FPD)	Chief Designer	CRC	CASA
	MMLII01	MELBOURNE	ILS-Y OR LOC-Y RWY 16	AA (FPD)	Chief Designer	CRC	CASA
	MMLII05	MELBOURNE	ILS-Y OR LOC-Y RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	MMLII04	MELBOURNE	ILS-Z RWY 16 - PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	MMLII03	MELBOURNE	ILS-Z OR LOC-Z RWY 16 - PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	MMLII02	MELBOURNE	ILS-Z OR LOC-Z RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	MMLNA01	MELBOURNE	NOISE ABATEMENT PROCEDURE PAGE 1	AA (ATM Ops)	ATM Ops	CRC	CASA
	MMLNA02	MELBOURNE	NOISE ABATEMENT PROCEDURE PAGE 2	AA (ATM Ops)	ATM Ops	CRC	CASA
	MMLGN15	MELBOURNE	RNP M RWY 16 (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	MMLGN16	MELBOURNE	RNP P RWY 16 (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	MMLGN02	MELBOURNE	RNP RWY 09*	AA (FPD)	Chief Designer	CRC	CASA
	MMLGN03	MELBOURNE	RNP Z RWY 16*	AA (FPD)	Chief Designer	CRC	CASA
	MMLGN04	MELBOURNE	RNP RWY 27*	AA (FPD)	Chief Designer	CRC	CASA
	MMLGN01	MELBOURNE	RNP RWY 34*	AA (FPD)	Chief Designer	CRC	CASA
	MMLDP11	MELBOURNE	SID CORRS NINE (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MMLDP04	MELBOURNE	SID KEPPA TWO (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MMLDP01	MELBOURNE	SID MELBOURNE SIX DEPARTURE (RADAR)	AA (FPD)	Chief Designer	CRC	CASA
	MMLDP32	MELBOURNE	SID NEVIS SEVEN (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MMLDP08	MELBOURNE	SID RWY 16 KAGMU ONE (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MMLDP02	MELBOURNE	SID RWYS NORTH EAST (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MMLDP07	MELBOURNE	SID RWYS WEST (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MMLDP05	MELBOURNE	SID SUNTI THREE (JET)(RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MMLSR01	MELBOURNE	STAR BOYSE EIGHT ALPHA ARR (NON-JET)(RNAV)RWY 09/34	AA (FPD)	Chief Designer	CRC	CASA
	MMLSR02	MELBOURNE	STAR WAREN EIGHT ALPHA ARRIVAL (RNAV) RWY 16/27	AA (FPD)	Chief Designer	CRC	CASA
	MMLSR03	MELBOURNE	STAR PORTS SEVEN ALPHA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MMLSR08	MELBOURNE	STAR LIZZI NINE VICTOR ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MMLSR09	MELBOURNE	STAR BOYSE EIGHT VICTOR ARRIVAL (NON-JET)(RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MMLSR11	MELBOURNE	STAR ARBEY SEVEN ALPHA ARRIVAL (RNAV) RWY 09/16	AA (FPD)	Chief Designer	CRC	CASA
	MMLSR13	MELBOURNE	STAR WAREN EIGHT MIKE ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MMLSR19	MELBOURNE	STAR WAREN EIGHT VICTOR ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MMLSR21	MELBOURNE	STAR WENDY ONE PAPA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	MMLSR22	MELBOURNE	STAR WENDY ONE ALPHA ARRIVAL (RNAV) RWY 09/34	AA (FPD)	Chief Designer	CRC	CASA
	MMLSR24	MELBOURNE	STAR BOYSE EIGHT A ARR (NON-JET)(RNAV) RWY 16/27	AA (FPD)	Chief Designer	CRC	CASA
	MMLSR25	MELBOURNE	STAR LIZZI NINE ALPHA ARRIVAL (RNAV) RWY 09/34	AA (FPD)	Chief Designer	CRC	CASA
	MMLSR26	MELBOURNE	STAR WAREN EIGHT ALPHA ARRIVAL (RNAV) RWY 09/34	AA (FPD)	Chief Designer	CRC	CASA
	MMLSR27	MELBOURNE	STAR LIZZI NINE ALPHA ARRIVAL (RNAV) RWY 16/27	AA (FPD)	Chief Designer	CRC	CASA
	MMLSR31	MELBOURNE	STAR ARBEY SEVEN ALPHA ARRIVAL (RNAV) RWY 27/34	AA (FPD)	Chief Designer	CRC	CASA
	MMLSR35	MELBOURNE	STAR WENDY ONE ALPHA ARRIVAL (RNAV) RWY 16/27	AA (FPD)	Chief Designer	CRC	CASA
	MMLVO01	MELBOURNE	VOR RWY 09	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	MMLVO02	MELBOURNE	VOR RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	MMLVO03	MELBOURNE	VOR RWY 34	AA (FPD)	Chief Designer	CRC	CASA
	MENAD01	MELBOURNE/ESSENDON	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	MENAD02	MELBOURNE/ESSENDON	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	MENAP01	MELBOURNE/ESSENDON	APRON CHART	AD OPR	AD OPR	Docs Amend	CASA
	MENII01	MELBOURNE/ESSENDON	ILS OR LOC RWY 26	AA (FPD)	Chief Designer	CRC	CASA
	MENNA01	MELBOURNE/ESSENDON	NOISE ABATEMENT PROCEDURE PAGE 1	AA (ATM Ops)	ATM Ops	CRC	CASA
	MENNA02	MELBOURNE/ESSENDON	NOISE ABATEMENT PROCEDURE PAGE 2	AA (ATM Ops)	ATM Ops	CRC	CASA
	MENNA03	MELBOURNE/ESSENDON	NOISE ABATEMENT PROCEDURE PAGE 3	AA (ATM Ops)	ATM Ops	CRC	CASA
	MENGN02	MELBOURNE/ESSENDON	RNP RWY 17	AA (FPD)	Chief Designer	CRC	CASA
	MENGN01	MELBOURNE/ESSENDON	RNP RWY 26	AA (FPD)	Chief Designer	CRC	CASA
	MENDP01	MELBOURNE/ESSENDON	SID ESSENDON EIGHT DEPARTURE (RADAR)	AA (FPD)	Chief Designer	CRC	CASA
	MMBAD01	MELBOURNE/MOORABBIN	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	MMBAD02	MELBOURNE/MOORABBIN	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	MMBDG01	MELBOURNE/MOORABBIN	GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	MMBDG02	MELBOURNE/MOORABBIN	GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	MMBNB01	MELBOURNE/MOORABBIN	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	MMBGN02	MELBOURNE/MOORABBIN	RNP RWY 17L	AA (FPD)	Chief Designer	CRC	CASA
	MMBGN01	MELBOURNE/MOORABBIN	RNP RWY 35R	AA (FPD)	Chief Designer	CRC	CASA
	MERAD01	MERIMBULA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MERDG01	MERIMBULA	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	MERNB01	MERIMBULA	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	MERGN01	MERIMBULA	RNP RWY 03	AA (FPD)	Chief Designer	CRC	CASA
	MERGN02	MERIMBULA	RNP RWY 21	AA (FPD)	Chief Designer	CRC	CASA
	XMWGN01	MERRIWA HOSPITAL	RNP 161	AA (FPD)	Chief Designer	CRC	CASA
	MIAAD01	MILDURA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MIADG01	MILDURA	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	MIAGN01	MILDURA	RNP RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	MIAGN02	MILDURA	RNP RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	MIAGN03	MILDURA	RNP RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	MIAGN04	MILDURA	RNP RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	MIAII01	MILDURA	ILS-Z OR LOC-Z RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	MIAII02	MILDURA	ILS-Y OR LOC-Y RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	MIANB01	MILDURA	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	MIAVO04	MILDURA	VOR-Y RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	MIAVO02	MILDURA	VOR-Y RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	MIAVO01	MILDURA	VOR-Z RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	MIAVO03	MILDURA	VOR-Z RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	MLSAD01	MILES	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MLSGN01	MILES	RNP RWY 04	IDS	Chief Designer	Docs Amend	CASA
	MLSGN02	MILES	RNP RWY 22	IDS	Chief Designer	Docs Amend	CASA
	MLSDP01	MILES	SID MILES ONE DEPARTURE	IDS	Chief Designer	Docs Amend	CASA
	MGBAD01	MILINGIMBI	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MGBGN01	MILINGIMBI	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	MGBGN02	MILINGIMBI	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	OOMAD01	MOOMBA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	OOMDG01	MOOMBA	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	OOMNB01	MOOMBA	NDB-A	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	OOMNB02	MOOMBA	NDB-B	AA (FPD)	Chief Designer	CRC	CASA
	OOMGN01	MOOMBA	RNP RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	OOMGN02	MOOMBA	RNP RWY 30	IDS	Chief Designer	Docs Amend	CASA
	MRBAD01	MORANBAH	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MRBGN01	MORANBAH	RNP RWY 16	AA (FPD)	Chief Designer	CRC	CASA
	MRBGN02	MORANBAH	RNP RWY 34	AA (FPD)	Chief Designer	CRC	CASA
	MRWAD01	MORAWA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MRWGN02	MORAWA	RNAV-N (GNSS)	AA (FPD)	Chief Designer	CRC	CASA
	MRWGN01	MORAWA	RNAV-S (GNSS)	AA (FPD)	Chief Designer	CRC	CASA
	MORAD01	MOREE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MORDG01	MOREE	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	MORNB01	MOREE	NDB RWY 19	AA (FPD)	Chief Designer	CRC	CASA
	MORGN02	MOREE	RNP RWY 01	AA (FPD)	Chief Designer	CRC	CASA
	MORGN01	MOREE	RNP RWY 19	AA (FPD)	Chief Designer	CRC	CASA
	MTIAD01	MORNINGTON ISLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MTIGN01	MORNINGTON ISLAND	RNP W	AA (FPD)	Chief Designer	CRC	CASA
	MTIGN02	MORNINGTON ISLAND	RNP RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	MRYAD01	MORUYA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MRYGN01	MORUYA	RNP RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	MRYGN02	MORUYA	RNP RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	XMOGN01	MOSSMAN HOSPITAL	RNP 194	AA (FPD)	Chief Designer	CRC	CASA
	MTGAD01	MOUNT GAMBIER	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MTGDG01	MOUNT GAMBIER	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	MTGNB01	MOUNT GAMBIER	NDB RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	MTGGN01	MOUNT GAMBIER	RNP RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	MTGGN02	MOUNT GAMBIER	RNP RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	MTGVO01	MOUNT GAMBIER	VOR RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	MHLAD01	MOUNT HOLLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MHLGN01	MOUNT HOLLAND	RNAV (GNSS) RWY 08	IDS	Chief Designer	Docs Amend	CASA
	MHLGN02	MOUNT HOLLAND	RNAV (GNSS) RWY 26	IDS	Chief Designer	Docs Amend	CASA
	HOTAD01	MOUNT HOTHAM	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	HOTGN01	MOUNT HOTHAM	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	BMAAD01	MOUNT ISA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BMAAP01	MOUNT ISA	APRON CHART	AD OPR	AD OPR	Docs Amend	CASA
	BMADG01	MOUNT ISA	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	BMANB01	MOUNT ISA	NDB-A OR VOR-A	AA (FPD)	Chief Designer	CRC	CASA
	BMANA01	MOUNT ISA	NOISE ABATEMENT PROCEDURE	AA (ATM Ops)	ATM Ops	CRC	CASA
	BMAGN01	MOUNT ISA	RNP Z RWY 16	AA (FPD)	Chief Designer	CRC	CASA
	BMAGN02	MOUNT ISA	RNP Z RWY 34	AA (FPD)	Chief Designer	CRC	CASA
	BMAGN03	MOUNT ISA	RNP U RWY 16 (AR) - PAGE 1	GE AVIATION	Chief Designer	Docs Amend	CASA
	BMAGN04	MOUNT ISA	RNP U RWY 34 (AR) - PAGE 1	GE AVIATION	Chief Designer	Docs Amend	CASA
	BMAGN05	MOUNT ISA	RNP U RWY 16 (AR) - PAGE 2	GE AVIATION	Chief Designer	Docs Amend	CASA
	BMAGN06	MOUNT ISA	RNP U RWY 34 (AR) - PAGE 2	GE AVIATION	Chief Designer	Docs Amend	CASA
	BMAVO01	MOUNT ISA	VOR RWY 16	AA (FPD)	Chief Designer	CRC	CASA
	MNEAD01	MOUNT KEITH	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MNEGN01	MOUNT KEITH	RNAV-Z (GNSS) RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	MNEGN02	MOUNT KEITH	RNAV-Z (GNSS) RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	MOGAD01	MOUNT MAGNET	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	MOGDG01	MOUNT MAGNET	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	MOGNB01	MOUNT MAGNET	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	MOGGN01	MOUNT MAGNET	RNAV-Z (GNSS) RWY 16	AA (FPD)	Chief Designer	CRC	CASA
	MOGGN02	MOUNT MAGNET	RNAV-Z (GNSS) RWY 34	AA (FPD)	Chief Designer	CRC	CASA
	MDGAD01	MUDGEE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MDGDG01	MUDGEE	GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	MDGDG02	MUDGEE	GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	MDGNB01	MUDGEE	NDB RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	MDGGN01	MUDGEE	RNP RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	MDGGN02	MUDGEE	RNP RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	MMIAD01	MURRIN MURRIN	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	MMIGN01	MURRIN MURRIN	RNAV-Z (GNSS) RWY 03	AA (FPD)	Chief Designer	CRC	CASA
	NRCAD01	NARACORTE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	NRCGN01	NARACORTE	RNP RWY 26	AA (FPD)	Chief Designer	CRC	CASA
	NRCGN02	NARACORTE	RNP W	AA (FPD)	Chief Designer	CRC	CASA
	NBRAD01	NARRABRI	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	NBRDG01	NARRABRI	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	NBRNB01	NARRABRI	NDB RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	NBRGN01	NARRABRI	RNP RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	NARAD01	NARRANDERA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	NARGN01	NARRANDERA	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	NARGN02	NARRANDERA	RNP RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	NRMAD01	NARROMINE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	NRMGN01	NARROMINE	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	XFVGN01	NEWCASTLE WESTPAC BASE	RNP 110	AA (FPD)	Chief Designer	CRC	CASA
	NWNAD01	NEWMAN	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	NWNDG01	NEWMAN	DME OR GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	NWNDG02	NEWMAN	DME OR GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	NWNNB01	NEWMAN	NDB RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	NWNGN03	NEWMAN	RNAV-M(RNP) RWY 05 P1	GE AVIATION	Chief Designer	Docs Amend	CASA
	NWNGN04	NEWMAN	RNAV-M(RNP) RWY 05 P2	GE AVIATION	Chief Designer	Docs Amend	CASA
	NWNGN05	NEWMAN	RNAV-M(RNP) RWY 23 P1	GE AVIATION	Chief Designer	Docs Amend	CASA
	NWNGN06	NEWMAN	RNAV-M(RNP) RWY 23 P2	GE AVIATION	Chief Designer	Docs Amend	CASA
	NWNGN07	NEWMAN	RNAV-P(RNP) RWY 05 P1	GE AVIATION	Chief Designer	Docs Amend	CASA
	NWNGN08	NEWMAN	RNAV-P(RNP) RWY 05 P2	GE AVIATION	Chief Designer	Docs Amend	CASA
	NWNGN09	NEWMAN	RNAV-P(RNP) RWY 23 P1	GE AVIATION	Chief Designer	Docs Amend	CASA
	NWNGN10	NEWMAN	RNAV-P(RNP) RWY 23 P2	GE AVIATION	Chief Designer	Docs Amend	CASA
	NWNGN11	NEWMAN	RNAV-U(RNP) RWY 05 P1	GE AVIATION	Chief Designer	Docs Amend	CASA
	NWNGN12	NEWMAN	RNAV-U(RNP) RWY 05 P2	GE AVIATION	Chief Designer	Docs Amend	CASA
	NWNGN13	NEWMAN	RNAV-U(RNP) RWY 23 P1	GE AVIATION	Chief Designer	Docs Amend	CASA
	NWNGN14	NEWMAN	RNAV-U(RNP) RWY 23 P2	GE AVIATION	Chief Designer	Docs Amend	CASA
	NWNGN01	NEWMAN	RNAV-Z (GNSS) RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	NWNGN02	NEWMAN	RNAV-Z (GNSS) RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	NWNVO02	NEWMAN	VOR RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	NWNVO03	NEWMAN	VOR-Y RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	NWNVO01	NEWMAN	VOR-Z RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	NGUAD01	NGUKURR	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	NGUGN01	NGUKURR	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	NGUGN02	NGUKURR	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	NHLAD01	NHILL	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	NHLGN01	NHILL	RNP RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	NHLGN02	NHILL	RNP RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	CNFAD01	NIFTY	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	CNFGN01	NIFTY	RNAV (GNSS) RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	CNFGN02	NIFTY	RNAV (GNSS) RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	SNFAD01	NORFOLK ISLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	SNFDG01	NORFOLK ISLAND	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	SNFNB01	NORFOLK ISLAND	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	SNFGN01	NORFOLK ISLAND	RNP X RWY 11 (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	SNFGN02	NORFOLK ISLAND	RNP X RWY 29 (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	SNFGN03	NORFOLK ISLAND	RNP RWY 04*	AA (FPD)	Chief Designer	CRC	CASA
	SNFGN04	NORFOLK ISLAND	RNP Y RWY 11*	AA (FPD)	Chief Designer	CRC	CASA
	SNFGN05	NORFOLK ISLAND	RNP Y RWY 29*	AA (FPD)	Chief Designer	CRC	CASA
	SNFVO01	NORFOLK ISLAND	VOR RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	SNFVO02	NORFOLK ISLAND	VOR RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	SNFVO03	NORFOLK ISLAND	VOR RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	NTNAD01	NORMANTON	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	NTNDG01	NORMANTON	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	NTNNB01	NORMANTON	NDB RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	NTNGN01	NORMANTON	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	NTNGN02	NORMANTON	RNP RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	NPEAD01	NORTHERN PENINSULA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	NPEGN02	NORTHERN PENINSULA	RNP E	AA (FPD)	Chief Designer	CRC	CASA
	NPEGN01	NORTHERN PENINSULA	RNP W	AA (FPD)	Chief Designer	CRC	CASA
	NOVAD01	NOVA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	NOVGN01	NOVA	RNAV (GNSS) RWY 06	GAS	Chief Designer	Docs Amend	CASA
	NOVGN02	NOVA	RNAV (GNSS) RWY 24	GAS	Chief Designer	Docs Amend	CASA
	SNWAD01	NOWRA	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	SNWAD02	NOWRA	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	SNWDG01	NOWRA	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	SNWII01	NOWRA	ILS-Z OR LOC-Z RWY 21	AA (FPD)	Chief Designer	CRC	CASA
	SNWNB01	NOWRA	NDB RWY 21	AA (FPD)	Chief Designer	CRC	CASA
	SNWNB02	NOWRA	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	SNWDP01	NOWRA	SID NOWRA FIVE DEPARTURE (RADAR)	AA (FPD)	Chief Designer	CRC	CASA
	NYNAD01	NYNGAN	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	NYNGN01	NYNGAN	RNP RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	NYNGN02	NYNGAN	RNP RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	BOKAD01	OAKEY	AERODROME CHART - PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	BOKAD02	OAKEY	AERODROME CHART - PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	BOKII01	OAKEY	ILS-Z OR LOC-Z RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	BOKGN01	OAKEY	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	BOKGN02	OAKEY	RNP RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	BOKDP01	OAKEY	SID OAKEY SIX DEPARTURE (RADAR)	AA (FPD)	Chief Designer	CRC	CASA
	OLDAD01	OLYMPIC DAM	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	OLDGN02	OLYMPIC DAM	RNP RWY 25	GAS	Chief Designer	Docs Amend	CASA
	OLDGN03	OLYMPIC DAM	RNP RWY 07	GAS	Chief Designer	Docs Amend	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	OLWAD02	ONSLow	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	OLWGN01	ONSLow	RNAV (GNSS) RWY 03	IDS	Chief Designer	Docs Amend	CASA
	OLWGN02	ONSLow	RNAV (GNSS) RWY 21	IDS	Chief Designer	Docs Amend	CASA
	ORGAD01	ORANGE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	ORGGN01	ORANGE	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	ORGGN02	ORANGE	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	ORBAD01	ORBOST	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	ORBGN01	ORBOST	RNP RWY 07	AA (FPD)	Chief Designer	CRC	CASA
	ORBGN02	ORBOST	RNP RWY 25	AA (FPD)	Chief Designer	CRC	CASA
	OSBAD01	OSBORNE MINE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	OSBGN01	OSBORNE MINE	RNP RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	OSBGN02	OSBORNE MINE	RNP RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	PAMAD01	PALM ISLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	PAMGN03	PALM ISLAND	RNP Y RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	PAMGN01	PALM ISLAND	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	PAMGN02	PALM ISLAND	RNP Z RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	PBOAD01	PARABURDOO	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	PBODG01	PARABURDOO	DME OR GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	PBODG02	PARABURDOO	DME OR GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	PBONB01	PARABURDOO	NDB-A OR VOR-A	AA (FPD)	Chief Designer	CRC	CASA
	PBOGN01	PARABURDOO	RNAV-Z (GNSS) RWY 06	AA (FPD)	Chief Designer	CRC	CASA
	PBOGN02	PARABURDOO	RNAV-Z (GNSS) RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	PBOVO01	PARABURDOO	VOR RWY 06	AA (FPD)	Chief Designer	CRC	CASA
	PBOVO02	PARABURDOO	VOR RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	PKSAD01	PARKES	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	PKSDG01	PARKES	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	PKSNB01	PARKES	NDB-A OR VOR-A	AA (FPD)	Chief Designer	CRC	CASA
	PKSGN01	PARKES	RNP RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	PKSGN02	PARKES	RNP RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	PEAAD01	PEARCE	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	PEAAD02	PEARCE	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	PEAII01	PEARCE	ILS-Z OR LOC-Z RWY 18L	AA (FPD)	Chief Designer	CRC	CASA
	PEASR02	PEARCE	STAR PEARCE THREE GOLF ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PEASR03	PEARCE	STAR PEARCE THREE ROMEO ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PEASR01	PEARCE	STAR PEARCE THREE WHISKEY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	UPEGN01	PERCH PLATFORM	RNP 070	GAS	Chief Designer	Docs Amend	CASA
	UPEGN02	PERCH PLATFORM	RNP 250	GAS	Chief Designer	Docs Amend	CASA
	PPHAD01	PERTH	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	PPHAD02	PERTH	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	PPHAG01	PERTH	AERODROME GROUND MOVEMENT CHART - PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	PPHAG02	PERTH	AERODROME GROUND MOVEMENT CHART - PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	PPHNA02	PERTH	AIRPORT EFFICIENCY PROCEDURES	AA (ATM Ops)	ATM Ops	Docs Amend	CASA
	PPHAP03	PERTH	APRON CHART - CENTRAL DOMESTIC AND GA SOUTHERN	AD OPR	AD OPR	Docs Amend	CASA
	PPHAP04	PERTH	APRON CHART - GA NORTHERN	AD OPR	AD OPR	Docs Amend	CASA
	PPHAP02	PERTH	APRON CHART - TERMINAL 1 & 2 - PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	PPHAP05	PERTH	APRON CHART - TERMINAL 1 & 2 - PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	PPHAP07	PERTH	APRON CHART - TERMINAL 1 & 2 - PAGE 3	AD OPR	AD OPR	Docs Amend	CASA
	PPHAP01	PERTH	APRON CHART - TERMINAL 3 & 4 - PAGE 1	AD OPR	AD OPR	Docs Amend	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	PPHAP06	PERTH	APRON CHART - TERMINAL 3 & 4 - PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	PPHII04	PERTH	ILS-Y OR LOC-Y RWY 03	AA (FPD)	Chief Designer	CRC	CASA
	PPHII01	PERTH	ILS-Y OR LOC-Y RWY 21	AA (FPD)	Chief Designer	CRC	CASA
	PPHII02	PERTH	ILS-Y OR LOC-Y RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	PPHII03	PERTH	ILS-Z OR LOC-Z RWY 03	AA (FPD)	Chief Designer	CRC	CASA
	PPHII05	PERTH	ILS-Z OR LOC-Z RWY 21 - PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	PPHII06	PERTH	ILS-Z OR LOC-Z RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	PPHII07	PERTH	ILS-Z RWY 21 - PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	PPHNA01	PERTH	NOISE ABATEMENT PROCEDURE	AA (ATM Ops)	ATM Ops	CRC	CASA
	PPHGN05	PERTH	RNAV-X (RNP) RWY 03*	AA (FPD)	Chief Designer	CRC	CASA
	PPHGN01	PERTH	RNAV-Z (GNSS) RWY 03*	AA (FPD)	Chief Designer	CRC	CASA
	PPHGN03	PERTH	RNAV-Z (GNSS) RWY 06*	AA (FPD)	Chief Designer	CRC	CASA
	PPHGN02	PERTH	RNAV-Z (GNSS) RWY 21*	AA (FPD)	Chief Designer	CRC	CASA
	PPHGN04	PERTH	RNAV-Z (GNSS) RWY 24*	AA (FPD)	Chief Designer	CRC	CASA
	PPHDP03	PERTH	SID AMANA TWO (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHDP14	PERTH	SID AVNEX THREE (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHDP08	PERTH	SID KEELS FIVE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHDP15	PERTH	SID OTLED THREE (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHDP01	PERTH	SID PERTH SIX DEPARTURE (RADAR)	AA (FPD)	Chief Designer	CRC	CASA
	PPHDP12	PERTH	SID RAVON THREE (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHDP04	PERTH	SID RWYS EAST (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHDP07	PERTH	SID RWYS EAST (NON-JET)(RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHDP09	PERTH	SID RWYS SOUTH (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHDP13	PERTH	SID RWYS WEST (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR09	PERTH	STAR BEVLY FIVE ALPHA ARRIVALS (JET)(RNAV)RWY03/06	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR23	PERTH	STAR BEVLY FIVE ALPHA ARRIVALS (JET)(RNAV)RWY21/24	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR21	PERTH	STAR BEVLY FIVE VICTOR ARRIVAL (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR22	PERTH	STAR BEVLY FIVE X-RAY ARRIVAL (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR11	PERTH	STAR CONNI FOUR ALPHA ARR (NON-JET)(RNAV)RWY03/06	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR25	PERTH	STAR CONNI FOUR ALPHA ARR(NON-JET)(RNAV) RWY21/24	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR03	PERTH	STAR CONNI FOUR VICTOR ARRIVALS (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR15	PERTH	STAR CONNI FOUR X-RAY ARRIVALS (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR02	PERTH	STAR DAYLR FOUR ALPHA ARRIVALS (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR07	PERTH	STAR DAYLR FOUR VICTOR ARRIVAL (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR08	PERTH	STAR DAYLR FOUR X-RAY ARRIVAL (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR01	PERTH	STAR GRENE FIVE ALPHA ARR (NON-JET) (RNAV)RWY03/06	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR26	PERTH	STAR GRENE FIVE ALPHA ARR (NON-JET)(RNAV) RWY21/24	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR05	PERTH	STAR GRENE FIVE VICTOR ARRIVAL (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR06	PERTH	STAR GRENE FIVE X-RAY ARRIVAL (NON-JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR24	PERTH	STAR JULIM FIVE ALPHA ARRIVALS (JET)(RNAV)RWY21/24	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR04	PERTH	STAR JULIM FIVE ALPHA ARRIVALS(JET)(RNAV)RWY 03/06	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR12	PERTH	STAR JULIM FIVE VICTOR ARRIVALS (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR20	PERTH	STAR JULIM FIVE X-RAY ARRIVAL (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR10	PERTH	STAR SOLUS TWO ALPHA ARRIVALS (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR13	PERTH	STAR SOLUS TWO VICTOR ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR14	PERTH	STAR SOLUS TWO X-RAY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHSR18	PERTH	STAR WAVES THREE ALPHA ARRIVALS (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PPHVO01	PERTH	VOR RWY 03	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	PPHVO02	PERTH	VOR RWY 06	AA (FPD)	Chief Designer	CRC	CASA
	PPHVO03	PERTH	VOR RWY 21	AA (FPD)	Chief Designer	CRC	CASA
	PPHVO04	PERTH	VOR RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	PJTAD01	PERTH/JANDAKOT	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	PJTAD02	PERTH/JANDAKOT	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	PJTNB01	PERTH/JANDAKOT	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	PJTNB02	PERTH/JANDAKOT	NDB-B	AA (FPD)	Chief Designer	CRC	CASA
	PJTGN01	PERTH/JANDAKOT	RNAV-Z (GNSS) RWY 06L	AA (FPD)	Chief Designer	CRC	CASA
	PJTGN02	PERTH/JANDAKOT	RNAV-Z (GNSS) RWY 24R	AA (FPD)	Chief Designer	CRC	CASA
	PJTGN03	PERTH/JANDAKOT	RNAV-Z (GNSS) RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	PJTDP01	PERTH/JANDAKOT	SID SCARP FIVE DEP - RUNWAYS EAST	AA (FPD)	Chief Designer	CRC	CASA
	PJTDP02	PERTH/JANDAKOT	SID ISPET ONE DEP - RUNWAYS WEST	AA (FPD)	Chief Designer	CRC	CASA
	PJTDP03	PERTH/JANDAKOT	SID TONEG FOUR DEP - RUNWAYS WEST	AA (FPD)	Chief Designer	CRC	CASA
	PJTSR02	PERTH/JANDAKOT	STAR JANDAKOT TWO GOLF ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PJTSR03	PERTH/JANDAKOT	STAR JANDAKOT TWO ROMEO ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PJTSR01	PERTH/JANDAKOT	STAR JANDAKOT TWO WHISKEY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	PJTVO01	PERTH/JANDAKOT	VOR-A	AA (FPD)	Chief Designer	CRC	CASA
	MPCAD01	POINT COOK	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	MPCAD02	POINT COOK	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	MPCGN01	POINT COOK	RNP RWY 35	AA (FPD)	Chief Designer	CRC	CASA
	PMPAD01	PORMPURA AW	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	PMPGN01	PORMPURA AW	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	PMPGN02	PORMPURA AW	RNP RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	PAGAD01	PORT AUGUSTA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	PAGGN01	PORT AUGUSTA	RNP RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	PPDAD01	PORT HEDLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	PPDAP01	PORT HEDLAND	APRON CHART - PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	PPDAP02	PORT HEDLAND	APRON CHART - PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	PPDDG01	PORT HEDLAND	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	PPDNB01	PORT HEDLAND	NDB RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	PPDGN03	PORT HEDLAND	RNAV-U(RNP) RWY 14	GE AVIATION	Chief Designer	Docs Amend	CASA
	PPDGN04	PORT HEDLAND	RNAV-U(RNP) RWY 32	GE AVIATION	Chief Designer	Docs Amend	CASA
	PPDGN01	PORT HEDLAND	RNAV-Z (GNSS) RWY 14*	AA (FPD)	Chief Designer	CRC	CASA
	PPDGN02	PORT HEDLAND	RNAV-Z (GNSS) RWY 32*	AA (FPD)	Chief Designer	CRC	CASA
	PPDVO02	PORT HEDLAND	VOR RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	PPDVO01	PORT HEDLAND	VOR-Y RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	PPDVO03	PORT HEDLAND	VOR-Z RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	WGAAD01	PORT HEDLAND/WODGINA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WGAGN01	PORT HEDLAND/WODGINA	RNAV (GNSS) RWY 09	IDS	Chief Designer	Docs Amend	CASA
	WGAGN02	PORT HEDLAND/WODGINA	RNAV (GNSS) RWY 27	IDS	Chief Designer	Docs Amend	CASA
	PKTAD01	PORT KEATS	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	PKTGN01	PORT KEATS	RNP RWY 16	AA (FPD)	Chief Designer	CRC	CASA
	PKTGN02	PORT KEATS	RNP RWY 34	AA (FPD)	Chief Designer	CRC	CASA
	PLCAD01	PORT LINCOLN	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	PLCDG01	PORT LINCOLN	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	PLCNB01	PORT LINCOLN	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	PLCGN01	PORT LINCOLN	RNP RWY 19	AA (FPD)	Chief Designer	CRC	CASA
	PMQAD01	PORT MACQUARIE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	PMQDG01	PORT MACQUARIE	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	PMQNB01	PORT MACQUARIE	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	PMQGN01	PORT MACQUARIE	RNP RWY 03	AA (FPD)	Chief Designer	CRC	CASA
	PMQGN02	PORT MACQUARIE	RNP RWY 21	AA (FPD)	Chief Designer	CRC	CASA
	PIRAD01	PORT PIRIE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	PIRGN01	PORT PIRIE	RNP RWY 08	AA (FPD)	Chief Designer	CRC	CASA
	PIRGN02	PORT PIRIE	RNP RWY 26	AA (FPD)	Chief Designer	CRC	CASA
	PODAD01	PORTLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	PODGN01	PORTLAND	RNP RWY 08	AA (FPD)	Chief Designer	CRC	CASA
	PODGN02	PORTLAND	RNP RWY 26	AA (FPD)	Chief Designer	CRC	CASA
	PMHAD01	PROMINENT HILL	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	PMHGN01	PROMINENT HILL	RNP RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	PMHGN02	PROMINENT HILL	RNP RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	BPNAD01	PROSERPINE/WHITSUNDAY COAST	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BPNDG01	PROSERPINE/WHITSUNDAY COAST	DME OR GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	BPNDG02	PROSERPINE/WHITSUNDAY COAST	DME OR GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	BPNGN02	PROSERPINE/WHITSUNDAY COAST	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	BPNGN01	PROSERPINE/WHITSUNDAY COAST	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	BPNVO01	PROSERPINE/WHITSUNDAY COAST	VOR RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	BPNVO03	PROSERPINE/WHITSUNDAY COAST	VOR RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	QLPAD01	QUILPIE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	QLPGN01	QUILPIE	RNP RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	QLPGN02	QUILPIE	RNP RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	QDIAD01	QUIRINDI	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	QDINB01	QUIRINDI	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	QDIGN02	QUIRINDI	RNP E	AA (FPD)	Chief Designer	CRC	CASA
	QDIGN01	QUIRINDI	RNP W	AA (FPD)	Chief Designer	CRC	CASA
	NRVAD01	RAVENSTHORPE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	NRVGN01	RAVENSTHORPE	RNAV (GNSS) RWY 06	AA (FPD)	Chief Designer	CRC	CASA
	NRVGN02	RAVENSTHORPE	RNAV (GNSS) RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	RENAD01	RENMARK	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	RENGN01	RENMARK	RNP RWY 07	AA (FPD)	Chief Designer	CRC	CASA
	RENGN02	RENMARK	RNP RWY 25	AA (FPD)	Chief Designer	CRC	CASA
	SRIAD01	RICHMOND (NSW)	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	SRIAD02	RICHMOND (NSW)	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	SRIII01	RICHMOND (NSW)	ILS-Z OR LOC-Z RWY 28	AA (FPD)	Chief Designer	CRC	CASA
	SRINB01	RICHMOND (NSW)	NDB-B OR NDB RWY 28	AA (FPD)	Chief Designer	CRC	CASA
	SRIDP01	RICHMOND (NSW)	SID RICHMOND THREE DEPARTURE (RADAR)	AA (FPD)	Chief Designer	CRC	CASA
	RMDAD01	RICHMOND (QLD)	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	RMDGN01	RICHMOND (QLD)	RNP RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	RMDGN02	RICHMOND (QLD)	RNP RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	BRKAD01	ROCKHAMPTON	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	BRKAD02	ROCKHAMPTON	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	BRKAP01	ROCKHAMPTON	APRON CHART	AD OPR	AD OPR	Docs Amend	CASA
	BRKDG01	ROCKHAMPTON	DME OR GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	BRKDG02	ROCKHAMPTON	DME OR GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	BRKNB01	ROCKHAMPTON	NDB-A OR VOR-A	AA (FPD)	Chief Designer	CRC	CASA
	BRKNA01	ROCKHAMPTON	NOISE ABATEMENT PROCEDURE	AA (ATM Ops)	ATM Ops	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	BRKGN01	ROCKHAMPTON	RNP RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	BRKGN02	ROCKHAMPTON	RNP RWY 33	AA (FPD)	Chief Designer	CRC	CASA
	BRKDP02	ROCKHAMPTON	SID BUDGI TWO DEPARTURE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BRKDP01	ROCKHAMPTON	SID ROCKHAMPTON THREE DEPARTURE (RADAR) RWY 15, 33	AA (FPD)	Chief Designer	CRC	CASA
	BRKDP03	ROCKHAMPTON	SID TARES FOUR DEPARTURE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BRKSR01	ROCKHAMPTON	STAR ABVAS ONE ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BRKSR02	ROCKHAMPTON	STAR DADBO ONE ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BRKVO01	ROCKHAMPTON	VOR RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	BRKVO02	ROCKHAMPTON	VOR RWY 33	AA (FPD)	Chief Designer	CRC	CASA
	ROMAD01	ROMA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	ROMDG01	ROMA	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	ROMNB01	ROMA	NDB RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	ROMGN01	ROMA	RNP RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	ROMGN02	ROMA	RNP RWY 36	AA (FPD)	Chief Designer	CRC	CASA
	RTIAD01	ROTTNEST ISLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	RTIGN02	ROTTNEST ISLAND	RNAV (GNSS) RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	RTIGN01	ROTTNEST ISLAND	RNAV-E (GNSS)	AA (FPD)	Chief Designer	CRC	CASA
	SIAD01	SAIBAI ISLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	SIIGN01	SAIBAI ISLAND	RNP E	AA (FPD)	Chief Designer	CRC	CASA
	SGEAD01	SAINT GEORGE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	SGENB01	SAINT GEORGE	NDB RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	SGEGN01	SAINT GEORGE	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	SGEGN02	SAINT GEORGE	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	STHAD01	SAINT HELENS	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	STHGN01	SAINT HELENS	RNP RWY 26	AA (FPD)	Chief Designer	CRC	CASA
	STHGN02	SAINT HELENS	RNP RWY 08	AA (FPD)	Chief Designer	CRC	CASA
	SCFGN01	SCAWFELL ISLAND	RNP 050	GAS	Chief Designer	Docs Amend	CASA
	SCOAD01	SCONE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	SCONB01	SCONE	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	SCOGN01	SCONE	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	SBYGN01	SEABUOY	RNAV(GNSS) 044	GAS	Chief Designer	Docs Amend	CASA
	SHLAD01	SHELLHARBOUR AIRPORT	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	SHLDG01	SHELLHARBOUR AIRPORT	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	SHLNB01	SHELLHARBOUR AIRPORT	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	SHLGN01	SHELLHARBOUR AIRPORT	RNP RWY 16	AA (FPD)	Chief Designer	CRC	CASA
	SHLGN02	SHELLHARBOUR AIRPORT	RNP RWY 34	AA (FPD)	Chief Designer	CRC	CASA
	SHTAD01	SHEPPARTON	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	SHTDG01	SHEPPARTON	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	SHTNB01	SHEPPARTON	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	SHTGN01	SHEPPARTON	RNP RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	SNKAD01	SNAKE BAY	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	SNKGN01	SNAKE BAY	RNP RWY 31	AA (FPD)	Chief Designer	CRC	CASA
	SOLAD01	SOLOMON	AERODROME CHART PAGE	AD OPR	AD OPR	Docs Amend	CASA
	SOLGN01	SOLOMON	RNAV (GNSS) RWY 09	IDS	Chief Designer	Docs Amend	CASA
	SOLGN02	SOLOMON	RNAV (GNSS) RWY 27	IDS	Chief Designer	Docs Amend	CASA
	SOLDP01	SOLOMON	SID SOLOMON ONE DEPARTURE	IDS	Chief Designer	Docs Amend	CASA
	SCRAD01	SOUTHERN CROSS	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	SCRGN01	SOUTHERN CROSS	RNAV-N (GNSS)	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	SCRGN02	SOUTHERN CROSS	RNAV-S (GNSS)	AA (FPD)	Chief Designer	CRC	CASA
	SPEAD01	STANTHORPE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	SPEGN01	STANTHORPE	RNP RWY 08	AA (FPD)	Chief Designer	CRC	CASA
	SWLAD01	STAWELL	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	SWLGN01	STAWELL	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	SWLGN02	STAWELL	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA
	SRNAD01	STRAHAN	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	SRNGN01	STRAHAN	RNP RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	SRNGN02	STRAHAN	RNP S	AA (FPD)	Chief Designer	CRC	CASA
	KBYAD01	STREAKY BAY	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	KBYGN01	STREAKY BAY	RNP RWY 13	AA (FPD)	Chief Designer	CRC	CASA
	KBYGN02	STREAKY BAY	RNP RWY 31	AA (FPD)	Chief Designer	CRC	CASA
	SRDAD01	SUNRISE DAM	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	SRDGN01	SUNRISE DAM	RNAV (GNSS) RWY 06	AA (FPD)	Chief Designer	CRC	CASA
	SRDGN02	SUNRISE DAM	RNAV (GNSS) RWY 24	AA (FPD)	Chief Designer	CRC	CASA
	BSUAD01	SUNSHINE COAST	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	BSUAD02	SUNSHINE COAST	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	BSUAP01	SUNSHINE COAST	APRON CHART - Page 1	AD OPR	AD OPR	Docs Amend	CASA
	BSUAP02	SUNSHINE COAST	APRON CHART - Page 2	AD OPR	AD OPR	Docs Amend	CASA
	BSUNB03	SUNSHINE COAST	NDB-B OR VOR-B	AA (FPD)	Chief Designer	CRC	CASA
	BSUNA01	SUNSHINE COAST	NOISE ABATEMENT PROCEDURES	AA (ATM Ops)	ATM Ops	CRC	CASA
	BSUGN07	SUNSHINE COAST	RNP W RWY 13*	AA (FPD)	Chief Designer	CRC	CASA
	BSUGN08	SUNSHINE COAST	RNP W RWY 31 (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	BSUGN06	SUNSHINE COAST	RNP X RWY 31 (AR)*	AA (FPD)	Chief Designer	CRC	CASA
	BSUGN10	SUNSHINE COAST	RNP Y RWY 31 (LNAV/VNAV ONLY)*	AA (FPD)	Chief Designer	CRC	CASA
	BSUGN05	SUNSHINE COAST	RNP Z RWY 13*	AA (FPD)	Chief Designer	CRC	CASA
	BSUGN09	SUNSHINE COAST	RNP Z RWY 31*	AA (FPD)	Chief Designer	CRC	CASA
	BSUDP01	SUNSHINE COAST	SID MOOLO ONE DEPARTURE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BSUDP02	SUNSHINE COAST	SID TAPET ONE DEPARTURE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BSUSR01	SUNSHINE COAST	STAR REBEG TWO ZULU ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BSUSR02	SUNSHINE COAST	STAR REBEG TWO X-RAY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BSUSR03	SUNSHINE COAST	STAR ITIDE TWO ZULU ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BSUSR04	SUNSHINE COAST	STAR ITIDE TWO WHISKEY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BSUSR05	SUNSHINE COAST	STAR SEBVA ONE ZULU ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BSUSR06	SUNSHINE COAST	STAR SEBVA ONE X-RAY ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SWHAD01	SWAN HILL	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	SWHDG01	SWAN HILL	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	SWHNB01	SWAN HILL	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	SWHGN01	SWAN HILL	RNP RWY 26	AA (FPD)	Chief Designer	CRC	CASA
	SBKAD01	SYDNEY/BANKSTOWN	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	SBKAD02	SYDNEY/BANKSTOWN	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	SBKNB03	SYDNEY/BANKSTOWN	NDB RWY 11C	AA (FPD)	Chief Designer	CRC	CASA
	SBKNB01	SYDNEY/BANKSTOWN	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	SBKGN01	SYDNEY/BANKSTOWN	RNP RWY 11C	AA (FPD)	Chief Designer	CRC	CASA
	SBKDP01	SYDNEY/BANKSTOWN	SID BANKSTOWN EIGHT DEPARTURE RWY 11C/29C	AA (FPD)	Chief Designer	CRC	CASA
	SSYAD01	SYDNEY/KINGSFORD SMITH	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	SSYAD02	SYDNEY/KINGSFORD SMITH	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	SSYAG01	SYDNEY/KINGSFORD SMITH	AERODROME GROUND MOVEMENT CHART	AD OPR	AD OPR	Docs Amend	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	SSYNA10	SYDNEY/KINGSFORD SMITH	AIRPORT EFFICIENCY PROCEDURES	AA (ATM Ops)	ATM Ops	Docs Amend	CASA
	SSYNA11	SYDNEY/KINGSFORD SMITH	AIRPORT EFFICIENCY PROCEDURES	AA (ATM Ops)	ATM Ops	Docs Amend	CASA
	SSYAP03	SYDNEY/KINGSFORD SMITH	APRON CHART - DOMESTIC PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	SSYAP04	SYDNEY/KINGSFORD SMITH	APRON CHART - DOMESTIC PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	SSYAP07	SYDNEY/KINGSFORD SMITH	APRON CHART - DOMESTIC PAGE 3	AD OPR	AD OPR	Docs Amend	CASA
	SSYAP01	SYDNEY/KINGSFORD SMITH	APRON CHART - INTERNATIONAL PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	SSYAP02	SYDNEY/KINGSFORD SMITH	APRON CHART - INTERNATIONAL PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	SSYGL01	SYDNEY/KINGSFORD SMITH	GLS RWY 07	AA (FPD)	Chief Designer	CRC	CASA
	SSYGL02	SYDNEY/KINGSFORD SMITH	GLS RWY 16L	AA (FPD)	Chief Designer	CRC	CASA
	SSYGL03	SYDNEY/KINGSFORD SMITH	GLS RWY 16R	AA (FPD)	Chief Designer	CRC	CASA
	SSYGL04	SYDNEY/KINGSFORD SMITH	GLS RWY 25	AA (FPD)	Chief Designer	CRC	CASA
	SSYGL05	SYDNEY/KINGSFORD SMITH	GLS RWY 34L	AA (FPD)	Chief Designer	CRC	CASA
	SSYGL06	SYDNEY/KINGSFORD SMITH	GLS RWY 34R	AA (FPD)	Chief Designer	CRC	CASA
	SSYII07	SYDNEY/KINGSFORD SMITH	ILS OR LOC RWY 07	AA (FPD)	Chief Designer	CRC	CASA
	SSYII03	SYDNEY/KINGSFORD SMITH	ILS OR LOC RWY 16L - Page 1	AA (FPD)	Chief Designer	CRC	CASA
	SSYII11	SYDNEY/KINGSFORD SMITH	ILS OR LOC RWY 16R - Page 1	AA (FPD)	Chief Designer	CRC	CASA
	SSYII06	SYDNEY/KINGSFORD SMITH	ILS OR LOC RWY 25	AA (FPD)	Chief Designer	CRC	CASA
	SSYII10	SYDNEY/KINGSFORD SMITH	ILS OR LOC RWY 34L - Page 1	AA (FPD)	Chief Designer	CRC	CASA
	SSYII05	SYDNEY/KINGSFORD SMITH	ILS OR LOC RWY 34R - Page 1	AA (FPD)	Chief Designer	CRC	CASA
	SSYII22	SYDNEY/KINGSFORD SMITH	ILS RWY 16L - Page 2	AA (FPD)	Chief Designer	CRC	CASA
	SSYII20	SYDNEY/KINGSFORD SMITH	ILS RWY 16R - Page 2	AA (FPD)	Chief Designer	CRC	CASA
	SSYII21	SYDNEY/KINGSFORD SMITH	ILS RWY 34L - Page 2	AA (FPD)	Chief Designer	CRC	CASA
	SSYII23	SYDNEY/KINGSFORD SMITH	ILS RWY 34R - Page 2	AA (FPD)	Chief Designer	CRC	CASA
	SSYUG01	SYDNEY/KINGSFORD SMITH	IVA USER GUIDE PAGE 1	AA (ATM Ops)	ATM Ops	CRC	CASA
	SSYUG02	SYDNEY/KINGSFORD SMITH	IVA USER GUIDE PAGE 2	AA (ATM Ops)	ATM Ops	CRC	CASA
	SSYNA01	SYDNEY/KINGSFORD SMITH	NOISE ABATEMENT PROCEDURE PAGE 1	AA (ATM Ops)	ATM Ops	CRC	CASA
	SSYNA02	SYDNEY/KINGSFORD SMITH	NOISE ABATEMENT PROCEDURE PAGE 2	AA (ATM Ops)	ATM Ops	CRC	CASA
	SSYNA03	SYDNEY/KINGSFORD SMITH	NOISE ABATEMENT PROCEDURE PAGE 3	AA (ATM Ops)	ATM Ops	CRC	CASA
	SSYNA04	SYDNEY/KINGSFORD SMITH	NOISE ABATEMENT PROCEDURE PAGE 4	AA (ATM Ops)	ATM Ops	CRC	CASA
	SSYNA05	SYDNEY/KINGSFORD SMITH	NOISE ABATEMENT PROCEDURE PAGE 5	AA (ATM Ops)	ATM Ops	CRC	CASA
	SSYNA06	SYDNEY/KINGSFORD SMITH	NOISE ABATEMENT PROCEDURE PAGE 6	AA (ATM Ops)	ATM Ops	CRC	CASA
	SSYNA07	SYDNEY/KINGSFORD SMITH	NOISE ABATEMENT PROCEDURE PAGE 7	AA (ATM Ops)	ATM Ops	CRC	CASA
	SSYNA08	SYDNEY/KINGSFORD SMITH	NOISE ABATEMENT PROCEDURE PAGE 8	AA (ATM Ops)	ATM Ops	CRC	CASA
	SSYNA09	SYDNEY/KINGSFORD SMITH	NOISE ABATEMENT PROCEDURE PAGE 9	AA (ATM Ops)	ATM Ops	CRC	CASA
	SSYRM01	SYDNEY/KINGSFORD SMITH	PRM USER INSTRUCTIONS	AA (ATM Ops)	ATM Ops	CRC	CASA
	SSYGN05	SYDNEY/KINGSFORD SMITH	RNP RWY 07*	AA (FPD)	Chief Designer	CRC	CASA
	SSYGN01	SYDNEY/KINGSFORD SMITH	RNP RWY 16L*	AA (FPD)	Chief Designer	CRC	CASA
	SSYGN03	SYDNEY/KINGSFORD SMITH	RNP RWY 16R*	AA (FPD)	Chief Designer	CRC	CASA
	SSYGN06	SYDNEY/KINGSFORD SMITH	RNP RWY 25*	AA (FPD)	Chief Designer	CRC	CASA
	SSYGN04	SYDNEY/KINGSFORD SMITH	RNP RWY 34L*	AA (FPD)	Chief Designer	CRC	CASA
	SSYGN02	SYDNEY/KINGSFORD SMITH	RNP RWY 34R*	AA (FPD)	Chief Designer	CRC	CASA
	SSYDP01	SYDNEY/KINGSFORD SMITH	SID RWY 07 FISHA EIGHT (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SSYDP15	SYDNEY/KINGSFORD SMITH	SID RWY 16L ABBEY THREE (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SSYDP03	SYDNEY/KINGSFORD SMITH	SID RWY 16L KEVIN SIX (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SSYDP04	SYDNEY/KINGSFORD SMITH	SID RWY 16R DEENA SEVEN (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SSYDP10	SYDNEY/KINGSFORD SMITH	SID RWY 16R KAMPI FIVE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SSYDP09	SYDNEY/KINGSFORD SMITH	SID RWY 34L RICHMOND FIVE DEPARTURE (JET)	AA (FPD)	Chief Designer	CRC	CASA
	SSYDP05	SYDNEY/KINGSFORD SMITH	SID RWY 34L SOUTH WEST DEPARTURES (JET)	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	SSYDP07	SYDNEY/KINGSFORD SMITH	SID RWY 34R ENTRA FIVE (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SSYDP08	SYDNEY/KINGSFORD SMITH	SID RWY 34R MARUB SIX (JET) (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SSYDP12	SYDNEY/KINGSFORD SMITH	SID SYDNEY TWO DEPARTURE (RADAR)	AA (FPD)	Chief Designer	CRC	CASA
	SSYAP05	SYDNEY/KINGSFORD SMITH	STANDARD DOMESTIC TAXI ROUTES - ARRIVALS	AA (ATM Ops)	ATM Ops	CRC	CASA
	SSYAP06	SYDNEY/KINGSFORD SMITH	STANDARD DOMESTIC TAXI ROUTES - DEPARTURES	AA (ATM Ops)	ATM Ops	CRC	CASA
	SSYSR06	SYDNEY/KINGSFORD SMITH	STAR BOREE THREE ALPHA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SSYSR09	SYDNEY/KINGSFORD SMITH	STAR BOREE THREE PAPA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SSYSR02	SYDNEY/KINGSFORD SMITH	STAR MARLN FIVE ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SSYSR01	SYDNEY/KINGSFORD SMITH	STAR MEPIL THREE ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SSYSR04	SYDNEY/KINGSFORD SMITH	STAR ODALE SEVEN ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	SSYSR05	SYDNEY/KINGSFORD SMITH	STAR RIVET THREE ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	STWAD01	TAMWORTH	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	STWAD02	TAMWORTH	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	STWDG01	TAMWORTH	DME OR GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	STWDG02	TAMWORTH	DME OR GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	STWII01	TAMWORTH	ILS OR LOC RWY 30R	AA (FPD)	Chief Designer	CRC	CASA
	STWNB01	TAMWORTH	NDB-A OR VOR-A	AA (FPD)	Chief Designer	CRC	CASA
	STWGN01	TAMWORTH	RNP RWY 12L	AA (FPD)	Chief Designer	CRC	CASA
	STWGN02	TAMWORTH	RNP RWY 30R	AA (FPD)	Chief Designer	CRC	CASA
	STWVO01	TAMWORTH	VOR RWY 12L	AA (FPD)	Chief Designer	CRC	CASA
	STWVO02	TAMWORTH	VOR RWY 30R	AA (FPD)	Chief Designer	CRC	CASA
	TREAD01	TAREE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TREGN03	TAREE	RNP RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	TREGN04	TAREE	RNP RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	TAMAD01	TAROOM	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TAMGN01	TAROOM	RNP RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	TAMGN02	TAROOM	RNP RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	TEFAD01	TELFER	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TEFGN01	TELFER	RNAV-Z (GNSS) RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	TEFGN02	TELFER	RNAV-Z (GNSS) RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	TEMAD01	TEMORA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TEMGN02	TEMORA	RNP RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	TEMGN03	TEMORA	RNP RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	TNKAD01	TENNANT CREEK	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TNKDG01	TENNANT CREEK	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	TNKNB01	TENNANT CREEK	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	TNKGNO1	TENNANT CREEK	RNP RWY 07	AA (FPD)	Chief Designer	CRC	CASA
	TNKVO01	TENNANT CREEK	VOR-A	AA (FPD)	Chief Designer	CRC	CASA
	TESGN01	TESSA SHOALS	RNAV (GNSS) 051	GAS	Chief Designer	Docs Amend	CASA
	TNGAD01	THANGOOL	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TNGGN02	THANGOOL	RNP RWY 28	AA (FPD)	Chief Designer	CRC	CASA
	TNGGN01	THANGOOL	RNP RWY 10	AA (FPD)	Chief Designer	CRC	CASA
	TGMAD01	THARGOMINDAH	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TGMGN01	THARGOMINDAH	RNP RWY 31	AA (FPD)	Chief Designer	CRC	CASA
	TGMGN02	THARGOMINDAH	RNP W	AA (FPD)	Chief Designer	CRC	CASA
	TGTAD01	THE GRANITES	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TGTGN01	THE GRANITES	RNP RWY 11	AA (FPD)	Chief Designer	CRC	CASA
	TGTGN02	THE GRANITES	RNP RWY 29	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	TMOAD01	THE MONUMENT	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TMOGN01	THE MONUMENT	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	TMOGN02	THE MONUMENT	RNP RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	TDRAD01	THEODORE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TDRGN01	THEODORE	RNP N	IDS	Chief Designer	Docs Amend	CASA
	TDRGN02	THEODORE	RNP S	IDS	Chief Designer	Docs Amend	CASA
	TIBAD01	TIBOOBURRA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TIBGN01	TIBOOBURRA	RNP RWY 20	AA (FPD)	Chief Designer	CRC	CASA
	TIBGN02	TIBOOBURRA	RNP RWY 02	AA (FPD)	Chief Designer	CRC	CASA
	PTNAD01	TINDAL	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	PTNAD02	TINDAL	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	PTNAP01	TINDAL	APRON CHART	AD OPR	AD OPR	Docs Amend	CASA
	PTNDG01	TINDAL	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	PTNLZ01	TINDAL	LOC-Z RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	PTNNB01	TINDAL	NDB RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	PTNGN01	TINDAL	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	PTNGN02	TINDAL	RNP RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	PTNDP02	TINDAL	SID DEPARTURES - RWYS NORTH	AA (FPD)	Chief Designer	CRC	CASA
	PTNDP03	TINDAL	SID DEPARTURES - RWYS SOUTH	AA (FPD)	Chief Designer	CRC	CASA
	PTNDP01	TINDAL	SID TINDAL THREE DEPARTURE (RADAR)	AA (FPD)	Chief Designer	CRC	CASA
	PTNVO01	TINDAL	VOR RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	PTNVO02	TINDAL	VOR RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	TOCAD01	TOCUMWAL	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TOCGN01	TOCUMWAL	RNP RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	TOCGN02	TOCUMWAL	RNP RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	TDNGN01	TOORADIN	RNP RWY 04	IDS	Chief Designer	Docs Amend	CASA
	TDNGN02	TOORADIN	RNP RWY 22	IDS	Chief Designer	Docs Amend	CASA
	TWBAD01	TOOWOOMBA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TWBG01	TOOWOOMBA	RNP RWY 11	IDS	Chief Designer	Docs Amend	CASA
	TWBG02	TOOWOOMBA	RNP RWY 29	IDS	Chief Designer	Docs Amend	CASA
	BTLAD01	TOWNSVILLE/TOWNSVILLE INTL	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	BTLAD02	TOWNSVILLE/TOWNSVILLE INTL	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	BTLAP01	TOWNSVILLE/TOWNSVILLE INTL	APRON CHART	AD OPR	AD OPR	Docs Amend	CASA
	BTLDG01	TOWNSVILLE/TOWNSVILLE INTL	DME OR GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	BTLDG02	TOWNSVILLE/TOWNSVILLE INTL	DME OR GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	BTLI01	TOWNSVILLE/TOWNSVILLE INTL	ILS-X OR LOC-X RWY 01	AA (FPD)	Chief Designer	CRC	CASA
	BTLI02	TOWNSVILLE/TOWNSVILLE INTL	ILS-Z OR LOC-Z RWY 01	AA (FPD)	Chief Designer	CRC	CASA
	BTLNB01	TOWNSVILLE/TOWNSVILLE INTL	NDB-A OR VOR-A	AA (FPD)	Chief Designer	CRC	CASA
	BTLGN06	TOWNSVILLE/TOWNSVILLE INTL	RNP P RWY 01 (AR)	GE AVIATION	Chief Designer	Docs Amend	CASA
	BTLGN07	TOWNSVILLE/TOWNSVILLE INTL	RNP P RWY 19 (AR)	GE AVIATION	Chief Designer	Docs Amend	CASA
	BTLGN05	TOWNSVILLE/TOWNSVILLE INTL	RNP Z RWY 01	AA (FPD)	Chief Designer	CRC	CASA
	BTLGN01	TOWNSVILLE/TOWNSVILLE INTL	RNP RWY 07	AA (FPD)	Chief Designer	CRC	CASA
	BTLGN02	TOWNSVILLE/TOWNSVILLE INTL	RNP Z RWY 19	AA (FPD)	Chief Designer	CRC	CASA
	BTLDP16	TOWNSVILLE/TOWNSVILLE INTL	SID KVALM ONE DEPARTURE	GE AVIATION	Chief Designer	Docs Amend	CASA
	BTLDP06	TOWNSVILLE/TOWNSVILLE INTL	SID RWY 01 CARMN ONE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BTLDP05	TOWNSVILLE/TOWNSVILLE INTL	SID RWY 01/19 ANRUB ONE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BTLDP07	TOWNSVILLE/TOWNSVILLE INTL	SID RWY 01/19 CATEY ONE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BTLDP08	TOWNSVILLE/TOWNSVILLE INTL	SID RWY 01/19 IGBIK ONE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	BTLDP02	TOWNSVILLE/TOWNSVILLE INTL	SID RWY 01/19 PEWEE SIX (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BTLDP11	TOWNSVILLE/TOWNSVILLE INTL	SID RWY 01/19 SWIFT ONE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BTLDP12	TOWNSVILLE/TOWNSVILLE INTL	SID RWY 01/19 WALTA ONE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BTLDP10	TOWNSVILLE/TOWNSVILLE INTL	SID RWY 19 RURTO ONE (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BTLDP14	TOWNSVILLE/TOWNSVILLE INTL	SID TOWNSVILLE EAST THREE DEPARTURE	AA (FPD)	Chief Designer	CRC	CASA
	BTLDP09	TOWNSVILLE/TOWNSVILLE INTL	SID TOWNSVILLE JEMMA TWO DEPARTURE	AA (FPD)	Chief Designer	CRC	CASA
	BTLDP15	TOWNSVILLE/TOWNSVILLE INTL	SID TOWNSVILLE NORTH FOUR DEPARTURE	AA (FPD)	Chief Designer	CRC	CASA
	BTLSR01	TOWNSVILLE/TOWNSVILLE INTL	STAR IBUXI ONE ALPHA ZULU ARRIVALS (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BTLSR02	TOWNSVILLE/TOWNSVILLE INTL	STAR POROB ONE ALPHA ZULU ARRIVALS (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BTLSR03	TOWNSVILLE/TOWNSVILLE INTL	STAR POROB ONE BRAVO ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BTLSR04	TOWNSVILLE/TOWNSVILLE INTL	STAR POROB ONE PAPA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BTLSR05	TOWNSVILLE/TOWNSVILLE INTL	STAR IGIKI ONE ALPHA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BTLSR06	TOWNSVILLE/TOWNSVILLE INTL	STAR VOMPA ONE ALPHA ZULU ARRIVALS (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BTLSR07	TOWNSVILLE/TOWNSVILLE INTL	STAR VOMPA ONE BRAVO ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BTLSR08	TOWNSVILLE/TOWNSVILLE INTL	STAR VOMPA ONE PAPA ARRIVAL (RNAV)	AA (FPD)	Chief Designer	CRC	CASA
	BTLVO01	TOWNSVILLE/TOWNSVILLE INTL	VOR RWY 19	AA (FPD)	Chief Designer	CRC	CASA
	TEEAD01	TREPELL	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TEEGN01	TREPELL	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	TRAAD01	TROPICANA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TRAGN01	TROPICANA	RNAV (GNSS) RWY 09	GAS	Chief Designer	Docs Amend	CASA
	TRAGN02	TROPICANA	RNAV (GNSS) RWY 27	GAS	Chief Designer	Docs Amend	CASA
	TTIAD01	TROUGHTON ISLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TTIGN01	TROUGHTON ISLAND	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	TTIGN02	TROUGHTON ISLAND	RNP RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	TSTAD01	TRUSCOTT-MUNGALALU	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TSTGN01	TRUSCOTT-MUNGALALU	RNP RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	TSTGN02	TRUSCOTT-MUNGALALU	RNP RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	XTUGN01	TULLY HOSPITAL	RNP 284	AA (FPD)	Chief Designer	CRC	CASA
	TBBAD01	TUMBY BAY	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TBBGN01	TUMBY BAY	RNP RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	TMUAD01	TUMUT	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	TMUGN01	TUMUT	RNP S	AA (FPD)	Chief Designer	CRC	CASA
	VIEGN01	VICTOR ISLAND EAST	RNP 167	GAS	Chief Designer	Docs Amend	CASA
	VIWGN01	VICTOR ISLAND WEST	RNP 167	GAS	Chief Designer	Docs Amend	CASA
	SWGAD01	WAGGA WAGGA	AERODROME CHART - PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	SWGAD02	WAGGA WAGGA	AERODROME CHART - PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	SWGAP01	WAGGA WAGGA	APRON CHART	AD OPR	AD OPR	Docs Amend	CASA
	SWGDG01	WAGGA WAGGA	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	SWGII01	WAGGA WAGGA	ILS-Y OR LOC-Y RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	SWGII02	WAGGA WAGGA	ILS-Z OR LOC-Z RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	SWGNB01	WAGGA WAGGA	NDB-A OR VOR-A	AA (FPD)	Chief Designer	CRC	CASA
	SWGGN01	WAGGA WAGGA	RNP RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	SWGGN02	WAGGA WAGGA	RNP RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	SWGVO01	WAGGA WAGGA	VOR RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	SWGVO02	WAGGA WAGGA	VOR RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	WLGAD01	WALGETT	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WLGDG01	WALGETT	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	WLGNB01	WALGETT	NDB RWY 05	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	WLGGN02	WALGETT	RNP RWY 23	AA (FPD)	Chief Designer	CRC	CASA
	WLGGN01	WALGETT	RNP RWY 05	AA (FPD)	Chief Designer	CRC	CASA
	WGTAD01	WANGARATTA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WGTGN01	WANGARATTA	RNP RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	WBRAD01	WARBURTON	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WBRDG01	WARBURTON	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	WBRNB01	WARBURTON	NDB-A	AA (FPD)	Chief Designer	CRC	CASA
	WBRGN01	WARBURTON	RNP N	AA (FPD)	Chief Designer	CRC	CASA
	WBRGN02	WARBURTON	RNP S	AA (FPD)	Chief Designer	CRC	CASA
	WKBAD01	WARRACKNABEAL	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WKBGN01	WARRACKNABEAL	RNP RWY 08	AA (FPD)	Chief Designer	CRC	CASA
	WKBGN02	WARRACKNABEAL	RNP E	AA (FPD)	Chief Designer	CRC	CASA
	WBLAD01	WARRNAMBOOL	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WBLGN01	WARRNAMBOOL	RNP RWY 31	AA (FPD)	Chief Designer	CRC	CASA
	WBLGN02	WARRNAMBOOL	RNP RWY 13	AA (FPD)	Chief Designer	CRC	CASA
	WCKAD01	WARWICK	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WCKGN01	WARWICK	RNP E	AA (FPD)	Chief Designer	CRC	CASA
	BWPAD01	WEIPA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	BWPDG01	WEIPA	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	BWPNB02	WEIPA	NDB-Y RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	BWPNB01	WEIPA	NDB-Z RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	BWPGN01	WEIPA	RNP RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	BWPGN02	WEIPA	RNP RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	BWPVO03	WEIPA	VOR-Y RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	BWPVO04	WEIPA	VOR-Y RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	BWPVO01	WEIPA	VOR-Z RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	BWPVO02	WEIPA	VOR-Z RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	ANGAD01	WEST ANGELAS	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	ANGGN01	WEST ANGELAS	RNAV (GNSS) RWY 04	IDS	Chief Designer	Docs Amend	CASA
	ANGGN02	WEST ANGELAS	RNAV (GNSS) RWY 22	IDS	Chief Designer	Docs Amend	CASA
	WSLAD01	WEST SALE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WSLDG01	WEST SALE	DME OR GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	WSLNB01	WEST SALE	NDB-Y RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	WSLNB02	WEST SALE	NDB-Z RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	WSLGN01	WEST SALE	RNP RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	WSLDP01	WEST SALE	SID WEST SALE TWO DEPARTURE - RWYS 09 & 27	AA (FPD)	Chief Designer	CRC	CASA
	WWLAD01	WEST WYALONG	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WWLGN01	WEST WYALONG	RNP W	AA (FPD)	Chief Designer	CRC	CASA
	WWLGN02	WEST WYALONG	RNP RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	WSTGN02	WESTMEAD HOSPITAL	RNP 052	AA (FPD)	Chief Designer	CRC	CASA
	WSTGN01	WESTMEAD HOSPITAL	RNP 127	AA (FPD)	Chief Designer	CRC	CASA
	WHCAD01	WHITE CLIFFS	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WHCGN01	WHITE CLIFFS	RNP RWY 12	GAS	Chief Designer	Docs Amend	CASA
	WHCGN02	WHITE CLIFFS	RNP RWY 30	GAS	Chief Designer	Docs Amend	CASA
	WHCDP01	WHITE CLIFFS	SID WHITE CLIFFS ONE DEPARTURE	GAS	Chief Designer	Docs Amend	CASA
	WHAAD01	WHYALLA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WHADG01	WHYALLA	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	WHANB01	WHYALLA	NDB RWY 35	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	WHAGN01	WHYALLA	RNP RWY 17	AA (FPD)	Chief Designer	CRC	CASA
	WHAGN02	WHYALLA	RNP RWY 35	AA (FPD)	Chief Designer	CRC	CASA
	WCAAD01	WILCANNIA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WCAGN01	WILCANNIA	RNP RWY 03	GAS	Chief Designer	Docs Amend	CASA
	WCAGN02	WILCANNIA	RNP RWY 21	GAS	Chief Designer	Docs Amend	CASA
	WCADP01	WILCANNIA	SID WILCANNIA ONE DEPARTURE	GAS	Chief Designer	Docs Amend	CASA
	WKSAD01	WILKINS RUNWAY	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WKSGN01	WILKINS RUNWAY	RNAV-Z (GNSS) RWY 09T	AA (FPD)	Chief Designer	CRC	CASA
	WLMAD01	WILLIAMTOWN	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	WLMAD02	WILLIAMTOWN	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	WLMAP01	WILLIAMTOWN	APRON CHART	AD OPR	AD OPR	Docs Amend	CASA
	WLMDG01	WILLIAMTOWN	DME OR GNSS ARRIVAL	GAS	Chief Designer	Docs Amend	CASA
	WLMII02	WILLIAMTOWN	ILS-Y or LOC-Y RWY 12	GAS	Chief Designer	Docs Amend	CASA
	WLMII01	WILLIAMTOWN	ILS-Z OR LOC-Z RWY 12	GAS	Chief Designer	Docs Amend	CASA
	WLMNB01	WILLIAMTOWN	NDB RWY 12	GAS	Chief Designer	Docs Amend	CASA
	WLMNB03	WILLIAMTOWN	NDB-Y RWY 30	GAS	Chief Designer	Docs Amend	CASA
	WLMNB04	WILLIAMTOWN	NDB-Z RWY 30	GAS	Chief Designer	Docs Amend	CASA
	WLMGN03	WILLIAMTOWN	RNP RWY 12*	GAS	Chief Designer	Docs Amend	CASA
	WLMGN02	WILLIAMTOWN	RNP RWY 30*	GAS	Chief Designer	Docs Amend	CASA
	WLMDP03	WILLIAMTOWN	SID RWY 12 ALPHA (RNAV)	GAS	Chief Designer	Docs Amend	CASA
	WLMDP04	WILLIAMTOWN	SID RWY 12 BRAVO (RNAV)	GAS	Chief Designer	Docs Amend	CASA
	WLMDP06	WILLIAMTOWN	SID RWY 12/30 SOUTH (RNAV)	GAS	Chief Designer	Docs Amend	CASA
	WLMDP05	WILLIAMTOWN	SID RWY 30 NORTH (RNAV)	GAS	Chief Designer	Docs Amend	CASA
	WLMDP01	WILLIAMTOWN	SID WILLY THREE DEPARTURE (RADAR)	GAS	Chief Designer	Docs Amend	CASA
	WLUAD01	WILUNA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WLUDG01	WILUNA	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	WLUNB01	WILUNA	NDB RWY 33	AA (FPD)	Chief Designer	CRC	CASA
	WLUGN01	WILUNA	RNAV (GNSS) RWY 15	AA (FPD)	Chief Designer	CRC	CASA
	WLUGN02	WILUNA	RNAV (GNSS) RWY 33	AA (FPD)	Chief Designer	CRC	CASA
	WDGAD01	WINDARLING	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WDGGN01	WINDARLING	RNAV-W (GNSS)	IDS	Chief Designer	Docs Amend	CASA
	WDGGN02	WINDARLING	RNAV (GNSS) RWY 28	IDS	Chief Designer	Docs Amend	CASA
	WDHAD01	WINDORAH	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WDHNB01	WINDORAH	NDB RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	WDHGN01	WINDORAH	RNP RWY 04	AA (FPD)	Chief Designer	CRC	CASA
	WDHGN02	WINDORAH	RNP RWY 22	AA (FPD)	Chief Designer	CRC	CASA
	WTNAD01	WINTON	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WTNGN02	WINTON	RNP S	AA (FPD)	Chief Designer	CRC	CASA
	WTNGN01	WINTON	RNP RWY 14	AA (FPD)	Chief Designer	CRC	CASA
	WVRGN01	WOLGAN VALLEY HELIPORT	RNP 049	GAS	Chief Designer	Docs Amend	CASA
	XWLGN01	WOLLONGONG HOSPITAL	RNP 212	AA (FPD)	Chief Designer	CRC	CASA
	WWIAD01	WOODIE WOODIE	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WWIGN01	WOODIE WOODIE	RNAV(GNSS) RWY 14	IDS	Chief Designer	Docs Amend	CASA
	WWIGN02	WOODIE WOODIE	RNAV(GNSS) RWY 32	IDS	Chief Designer	Docs Amend	CASA
	PWRAD01	WOOMERA	AERODROME CHART PAGE 1	AD OPR	AD OPR	Docs Amend	CASA
	PWRAD02	WOOMERA	AERODROME CHART PAGE 2	AD OPR	AD OPR	Docs Amend	CASA
	PWRDG01	WOOMERA	GNSS ARRIVAL	AA (FPD)	Chief Designer	CRC	CASA
	PWRNB01	WOOMERA	NDB RWY 18	AA (FPD)	Chief Designer	CRC	CASA

Reference	DAP IDENT	Location Name	Chart Name Coding data available - https://data.airservicesaustralia.com/	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
CHARTS	PWRGN01	WOOMERA	RNAV-Z (GNSS) RWY 18	AA (FPD)	Chief Designer	CRC	CASA
	WUDAD01	WUDINNA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WUDGN01	WUDINNA	RNP RWY 32	AA (FPD)	Chief Designer	CRC	CASA
	WJLGN01	WUJAL WUJAL	RNP 227	AA (FPD)	Chief Designer	CRC	CASA
	WYMAD01	WYNDHAM	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WYMG01	WYNDHAM	RNP RWY 12	AA (FPD)	Chief Designer	CRC	CASA
	WYMG02	WYNDHAM	RNP RWY 30	AA (FPD)	Chief Designer	CRC	CASA
	WYYAD01	WYNYARD	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	WYYDG01	WYNYARD	GNSS ARRIVAL PAGE 1	AA (FPD)	Chief Designer	CRC	CASA
	WYYDG02	WYNYARD	GNSS ARRIVAL PAGE 2	AA (FPD)	Chief Designer	CRC	CASA
	WYYNB03	WYNYARD	NDB-Y RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	WYYGN01	WYNYARD	RNP RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	WYYGN02	WYNYARD	RNP RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	YRMAD01	YARRAM	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	YRMGN01	YARRAM	RNP RWY 09	AA (FPD)	Chief Designer	CRC	CASA
	YRMGN02	YARRAM	RNP RWY 27	AA (FPD)	Chief Designer	CRC	CASA
	YWGAD01	YARRAWONGA	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	YWGGN01	YARRAWONGA	RNP RWY 19	AA (FPD)	Chief Designer	CRC	CASA
	YKIAD01	YORKE ISLAND	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	YKIGN01	YORKE ISLAND	RNP E	AA (FPD)	Chief Designer	CRC	CASA
	YNGAD01	YOUNG	AERODROME CHART	AD OPR	AD OPR	Docs Amend	CASA
	YNGGN01	YOUNG	RNP RWY 01	AA (FPD)	Chief Designer	CRC	CASA
	YNGGN02	YOUNG	RNP RWY 19	AA (FPD)	Chief Designer	CRC	CASA

Designated Airspace Handbook (DAH)					
Reference	Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
	COVER	AA	AIS Manager	CRC	CASA
	INDEX	AA	AIS Manager	CRC	CASA
	INTRODUCTION	AA	AIS Manager	CRC	CASA
	SPECIAL NOTICES	AA	AIS Manager	CRC	CASA
SECTION 1	FLIGHT INFORMATION REGIONS	CASA		CASA OAR	AA
SECTION 2	CONTROL ZONES C	CASA		CASA OAR	AA
SECTION 3	CONTROL ZONES D	CASA		CASA OAR	AA
SECTION 4	CONTROLLED AIRSPACE A	CASA		CASA OAR	AA
SECTION 5	CONTROLLED AIRSPACE C	CASA		CASA OAR	AA
SECTION 6	CONTROLLED AIRSPACE D	CASA		CASA OAR	AA
SECTION 7	CONTROLLED AIRSPACE E	CASA		CASA OAR	AA
SECTION 8	OCEANIC CONTROL AREAS	CASA		CASA OAR	AA
SECTION 9	ATC SECTORS LOW	AA	ATM Ops	CRC	CASA
SECTION 10	ATC SECTORS HIGH/LOW	AA	ATM Ops	CRC	CASA
SECTION 11	E AIRSPACE FREQUENCY BOUNDARIES	CASA		CASA OAR	AA
SECTION 12	FLIGHT INFORMATION AREAS	CASA		CASA OAR	AA
SECTION 13	PRD AREAS	CASA		CASA OAR	AA
SECTION 14	BROADCAST AREAS	CASA		CASA RFC	AA
SECTION 15	HF FREQUENCY AREA BOUNDARIES	AA	ATM Ops	CRC	CASA
SECTION 16	BRIEFING AND METEOROLOGICAL AREA BOUNDARIES	BoM			CASA, AA
SECTION 17	CERTIFIED AERODROMES	AA	AIS Manager	CRC	CASA
SECTION 18	CERTIFIED AERODROMES THRESHOLD DATA	AA	AIS Manager	CRC	CASA
SECTION 19	CONTROLLED AERODROMES	CASA		CASA OAR	AA
SECTION 20	UNCERTIFIED AERODROMES LISTED IN ERSA	AA	AIS Manager	CRC	CASA
SECTION 21	NAVIGATION AIDS	AA		CRC	CASA
SECTION 22	IFR WAYPOINTS	AA	AIS Manager	CRC	CASA
SECTION 23	AIR ROUTES	CASA		CASA OAR	AA

MAP				
Subject	Subject Owner	Change Originator	Change Process	Subject Owner Correspondence
Content other than that described below	AA	AIS Manager	CRC	CASA
ATS Routes	CASA		CASA OAR	AA
Navigation Aids	AA	CSDO - SS & MS	CRC	CASA
Airspace	CASA		CASA OAR	AA
Controlled Aerodromes	CASA		CASA RFC	AA
Topography and Spot Heights	Geoscience Australia			CASA, AA
Sports Aviation Array	CASA		CASA RFC	AA
VFR Waypoints and Routes	CASA		CASA RFC	AA

LEGEND

Owner		Responsible Owner	Contact Details
AA	Airservices Australia	AIS Manager	docs.amend@AirservicesAustralia.com
		ATS Integrity	atsintegrity@airservicesaustralia.com
		ATM Ops	
		Chief Designer	IFP@AirservicesAustralia.com
ABF	Australian Border Force	Traveller Policy	travellerpolicy@abf.gov.au
ACMA	Australian Communications and Media Authority		info@acma.gov.au
AMSA	Australian Maritime Safety Authority	SAR Policy	amsaconnect@amsa.gov.au
ATSB	Australian Transport Safety Bureau		atsbinfo@atsb.gov.au
BoM	Bureau of Meteorology	AMS (Aviation MET Services)	metauthority@bom.gov.au
CASA	Civil Aviation Safety Authority	Air Navigation, Airspace and Aerodromes Branch	CASA.RFC@casa.gov.au
DAWE	Department of Agriculture, Water and the Environment	Compliance Division, Conveyances and Ports	arrivals@awe.gov.au
DoD	Department of Defence	RAAF AIS	ais.data@defence.gov.au
		Diplomatic Clearance Area	dipa.hqac@defence.gov.au
			foreignaircraft.requests@defence.gov.au
DFAT	Department of Foreign Affairs and Trade	Sanctions	sanctions@dfat.gov.au
		Protocols	protocol.branch@dfat.gov.au
DoH	Department of Health	Human Biosecurity	humanbiosecurity@health.gov.au
		Human Quarantine	humanquarantine@health.gov.au
DoHA	Department of Home Affairs		national.coordinator@homeaffairs.gov.au
		Transport Security	transport.security@homeaffairs.gov.au
DoITRDCA	Department of Infrastructure, Transport, Regional Development, Communications and Arts	A&A – Aviation Environment	AIPchanges@infrastructure.gov.au
GA	Geoscience Australia		clientservices@ga.gov.au
RFDS	Royal Flying Doctor Service of Australia		enquiries@rfdse.org.au

PERM NOTAM

Section	Data/Information to be Included	NOTAM	Custodian	*Notes
EN-ROUTE SUPPLEMENT AUSTRALIA (ERSA)				
NAME		YES	ADR OPR	
ELEVATION	• The highest point of the landing area AMSL • Shown in FT • ELEV at sea level, is indicated as 00 • ELEV below sea level, a minus sign will precede the figure	YES*	AD OPR	• Changes above 20FT for AD with Instrument Approaches • Changes above 100FT for all other AD
AVFAX Code		NO	AD OPR	
STATE		NO	AD OPR	
UTC TIME CONVERSION	The number of hours to be added to UTC to obtain the standard time applicable at the location	NO	AD OPR	
ICAO IDENTIFIER	The 3, 4 or 5 letter aeronautical code	YES*	AD OPR	Usually changed in conjunction with AD Name
GEOGRAPHIC LOCATION	Location of ARP in degrees, minutes and seconds	YES*	AD OPR	Only if displacement is more than 0.5NM ARP coordinates provided must be converted to WGS84 format
MAGNETIC VARIATION	Variation shown in degrees magnetic, rounded to the nearest whole number	NO	AD OPR	
AERODROME TYPE	Status of AD as per ERSA Intro	YES*	CASA	NOTAM issued when AD becomes either: • Certified or loses its Certification • Registered or loses its registration Note: • CASA is in the process of abolishing the ‘Registered’ status • Consultation with AIS Data is required prior to publication
CONTACT DETAILS	• Address • Phone number • Email address • Website • Fax number (if applicable)	YES*	AD OPR	NOTAM can be accepted: • If ARO contact details have changed • If AD is PPR and contact details have changed
AD DIAGRAM	• RWY Designators • RWY Length • Apron/Taxiway layout • RWY Strip and surface type • BRG and distance to nearest town • Wind Indicators (including illuminated) • ARP	NO	AD OPR	
REMARKS	• Fees/Charges • Types of operations allowed and permission required • Security restrictions • Operational hours	NO	AD OPR	
HANDLING SERVICES AND FACILITIES	• Fuel/Oil types and remarks (hours, payment details, contact information) • Hanger space for visiting aircraft • Repair facilities for visiting aircraft • UNICOM – under separate heading	YES*	AD OPR	Only details of fuel available and fuel providers. All other entries are not NOTAMable
UNICOM/CA/GRS		YES	AD OPR	
PASSENGER FACILITIES	• As per ERSA INTRO • Remarks	NO	AD OPR	
APRONS AND TAXIWAYS	• Apron Surface and Strength • Taxiway width, surface and strength • Remarks	YES	AD OPR	

Section	Data/Information to be Included	NOTAM	Custodian	*Notes
SURFACE MOVEMENT GUIDANCE	• Use of Aircraft Stand IDs • TWY guidelines • Docking Systems • RWY and TWY markings • Stop Bars • Remarks	NO	AD OPR	
RESCUE AND FIREFIGHTING SERVICES	• Aerodrome Category for Fire Fighting and Operational Hours • Rescue equipment • Remarks	YES	ARFFS	
AERODROME OBSTACLES	• Obstacle ID/Designation (if applicable) • Obstacle type • Obstacle position • Elevation • Marking, type, colour • Remarks	YES*	AD OPR	NOTAM must be published: • All new or dismantled OBST above 300FT AGL • If a charted obstacle (300FT or above) is modified • Any OBST infringing the OLS of an AD • Any OBST LGT changes Obstacle coordinates provided must be converted to WGS84 format
METEOROLOGICAL INFORMATION PROVIDED	• AWIS frequency and phone numbers • Fault reporting	YES*	BoM or AD OPR	All NOTAM to be raised by the BoM except for privately owned equipment or services
	• METER/SPECI • TAF	YES	BoM	
	• ATIS	YES	Civil AD – AA (ATM Ops) ADF AD – AIS-AF	
PHYSICAL CHARACTERISTICS	• RWY Designation • Bearing • Dimensions (length x width) Strength (PCN) • Slope • Remarks • Arrestor Barriers (MIL only)	YES	AD OPR	
AERODROME AND APPROACH LIGHTING	• RWY Designation • Light type • VASIS (MEHT) PAPI • Remarks	YES	AD OPR	
OTHER LIGHTING	• ABN location, characteristics and hours of operation • TWY edge and CL lighting • Secondary power supply/switch over time • Remarks	YES	AD OPR	
ATS COMMUNICATIONS FACILITIES	• Designation • Call sign • Tower Hours • Channel/frequency • Remarks	YES	Civil AD – AA (ATM Ops) ADF AD – AIS-AF	

Section	Data/Information to be Included	NOTAM	Custodian	*Notes
RADIO NAVIGATION AND LANDING AIDS	- Type - ID - Frequency - LAT/LONG - Remarks	YES*	AA (ATM Ops) or AD OPR	All NOTAM to be raised by AA except for privately owned equipment NAVAID coordinates provided must be converted to WGS84 format
LOCAL TRAFFIC REGULATIONS <i>Note: Relating to movements/operations on the <u>ground</u></i>	- Parking bays - Taxiing and taxi clearance - Operation/restriction of large aircraft - Marshaller/Towing assistance - Engine power/idle power - Engine start-up and use of APU - Fuel spillage - Precautions during extreme weather - School and training flights - Weight/turning restrictions	NO	CTA – AD OPR OCTA – CASA or AD OPR	
FLIGHT PROCEDURES <i>Note: Relating to movements/operations in the <u>air</u>, including Low Visibility Procedures</i>	- ATC/ATS related information - Radar approaches - Communication failure - Information regarding circuits - Information regarding parachuting, ultra-light, gliding and Unmanned Aircraft System (UAS) operations	YES	CTA – AA (ATM Ops) OCTA – CASA ADF AD – AIS-AF	
	Low Visibility Procedures (ground facilities and infrastructure)	YES*	AD OPR	Consultation with AA (ATM Ops) is required prior to publication
	Low Visibility Procedures (ATC procedures)	YES*	AA (ATM Ops)	Consultation with AD OPR is required prior to publication
CTAF - AFRU	- CTAF (with AFRU if applicable) frequency - Remarks	YES	CASA	
NOISE ABATEMENT PROCEDURES	- NAP as per aircraft size/weight and propulsion - Use of RWY – day/night - Restrictions	NO	CTA – AA (ATM Ops) OCTA - CASA	
ADDITIONAL INFORMATION	- Bird/animal hazards - Charts other than those listed below - Weather balloon launches - Blasting information (CASA)	YES	CTA – AA (ATM Ops) GND – AD OPR OCTA - CASA	
CHARTS RELATED TO THE AERODROME	- Precision approach/obstacle charts (as supplied by ARO) - DAP Procedures - WAC <i>Note: No other chart information, i.e. AIP Charts or local specific charts is to be published, but can be included in Additional Info</i>	NO	AD OPR	
RUNWAY DISTANCE SUPPLEMENT	- RWY Designator - CN - TORA/TODA/ASDA/LDA - STODA - TWY Intersection Declared Distances - Arrestor Barrier Info (Military only)	YES*	AD OPR	NOTAM must meet the following criteria: - Length – decreases by 10M or increases by 30M or more - Width – any change - TODA gradient – changes by 0.05% or more

Section	Data/Information to be Included	NOTAM	Custodian	*Notes
DESIGNATED AIRSPACE HANDBOOK (DAH)				
SECTION 18 - THRESHOLD COORDINATES	• AD Name • BRG (True) • RWY Designator • Threshold Coordinates in degrees, minutes, seconds and 100ths of a second	YES	AA (AIS)	AD OPR to supply data to AIS who will issue the NOTAM Threshold coordinates provided must be converted to WGS84 format

Data Quality Requirements - Aeronautical Data Originators								
Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
AERODROME / HELIPORT			A defined area on land or water (including any buildings, installations and equipment) intended to be used either wholly or in part for the arrival, departure and surface movement of aircraft					
Aerodrome / Heliport	Designator		Designator of the aerodrome / heliport		Four letter character			
		Text	The four letter ICAO location indicator of the aerodrome/heliport, as listed in ICAO DOC 7910 (Location Indicators)	If any				
		Text	The identifier that is assigned to a location in accordance with rules (resolution 767) governed by the International Air Transport Association (IATA)	If any				
		Text	A locally defined airport identifier, if other than an ICAO Location Indicator	Requested through Airservices				
	Name	Text	The primary official name of an aerodrome as designated by an appropriate authority	Less than 45 characters	Less than 40 characters			
	UTC Time	Value	As per Australian Standard Time zone					
	AD Usage Classification	Text	CERT/REG/UNCR/MIL/JOINT					
	AD Diagram	Image						
	AD Type	Text	AD/ALA/HLS					
	State/Territory	Text	Australia State or Territory					
	Type of traffic permitted	Code list	Indication if international and/or national flights are permitted at the aerodrome/heliport					
		Code list	Indication if IFR and/or VFR flights are permitted at the aerodrome/heliport					
		Code list	Indication if scheduled and/or nonscheduled flights are permitted at the aerodrome/heliport					
		Code list	Indication if civil commercial aviation and/or general aviation and/or military flights are permitted at the aerodrome/heliport					
		Text	Indication if an aerodrome or heliport is not open for the public (Only for the use of the owners)					
	Heliport type	Text	The type of the heliport as mentioned in Annex 14 Volume II (Surface-level, elevated, shipboard or helideck)					
	Control type	Text	Indication if an aerodrome is under civil control, military control or joint control					
	Certified ICAO	Text	Indication if airport is/is not certified according to the ICAO rules					
	Certification date	Date	The date when the airport certification has been issued by the supervising authority					
	Certification expiration date	Date	The date when the airport certification will become invalid					
	Field elevation	Elevation	The vertical distance above Mean Sea Level (MSL) of the highest point of the landing area		1FT	0.5 m	Essential	Surveyed
		Height	Geoid undulation at the aerodrome/ heliport elevation position	Where appropriate		0.5 m	Essential	Surveyed
	Magnetic variation		The angular difference between True North and Magnetic North					
		Angle	The magnetic variation angle value. Provided by Airservices	Supplied by Airservices	System Calculated	1 degree	Essential	Airservices
		Date	The date on which the magnetic variation had the corresponding value					
		Value	The annual rate of change of the magnetic variation					
	Reference point		The designated geographical location of an aerodrome					
	Reference point	Point	Geographical location of aerodrome reference point	ERSA and DAH published in 1 sec resolution Geographical coordinates provided must be converted to WGS84 format	DD MM SS.ss 1/100th second	30 m	Routine	Surveyed/ Calculated
		Text	The location of the reference point on the aerodrome					

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
LANDING DIRECTION INDICATOR			A device to indicate visually the direction currently designated for landing and for take-off					
Landing Direction Indicator	Location	Text	Location of landing direction indicator					
	Lighting	Text	Lighting of landing direction indicator	If any				
SECONDARY POWER SUPPLY								
Secondary Power Supply	Characteristics	Text	The description of the secondary power supply					
	Switch-over time	Value	Secondary power supply switch-over time		1 sec			
ANEMOMETER			Device used for measuring wind speed					
Anemometer	Location	Text	Location of anemometer					
	Lighting	Text	Lighting of anemometer	If any				
ABN / IBN			Aerodrome beacon / identification beacon used to indicate the location of an aerodrome/heliport from the air					
ABN / IBN	Location	Text	Location of aerodrome/heliport beacon/identification beacon	If any ABN/HBN/IBN coordinates provided must be converted to WGS84 format	1/100th second			
	Characteristics	Text	Description of aerodrome/heliport beacon/identification beacon		Flash time in 1 sec			
	Hours of operation	Schedule	Hours of operation of aerodrome/heliport beacon/identification beacon					
WIND DIRECTION INDICATOR								
Wind Direction Indicator	Location	Text	Location of wind direction indicator					
	Lighting	Text	Lighting of wind direction indicator					
RVR OBSERVATION SITE			The observation site of Runway Visual Range					
RVR Observation Site	Position	Point	Geographical location of runway visual range (RVR) observation sites	Geographical coordinates provided must be converted to WGS84 format				
FREQUENCY AREA			Designated part of a surface movement area where a specific frequency is required by air traffic control or ground control					
Frequency Area	Station	Text	Name of the station providing the service					
	Frequency	Value	Frequency of the station providing the service					
	Boundary	Polygon	Area boundary of the frequency area					
HOT SPOT			A location on an aerodrome movement area with a history or potential risk of collision or runway incursion, and where heightened attention by pilots/drivers is necessary					
Hot Spot	Identifier	Text	The identifier of the hot spot					
	Annotation	Text	Additional information about the hot spot					
	Geometry	Polygon	The geographical area of the hot spot					
AVFAX CODE		Numerical	Supplied by Aircservices					
REMARKS		Text						
Remarks	Landing Fees/Charges	Text						
	Types of operations allowed and permission required	Text						
	Security restrictions	Text						
	Operating Hours	Text						
HANDLING SERVICES AND FACILITIES								
Handling Services and Facilities	Fuel/oil types and remarks	Text						
	Hangar space for visiting aircraft	Text						
	Repair facilities for visiting aircraft	Text						
UNICOM		Numerical						
PASSENGER FACILITIES		Text	PT/TX/BU/LG/WC/RF/ME					
RESCUE AND FIRE FIGHTING								

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
Rescue and Fire Fighting	Aerodrome category for fire fighting	Numerical	0-10					
	Rescue equipment	Text						
APRON			A defined area, on a land aerodrome, intended to accommodate aircraft for purposes of loading or unloading passengers, mail or cargo, fuelling, parking or maintenance					
Apron	Designator	Text	The full textual name or designator used to identify an apron at an aerodrome/heliport.					
	Geometry	Polygon	Geographical location of the apron element	Geographical coordinates provided must be converted to WGS84 format		1m	Routine	Surveyed
	Type	Text	Classification of the primary use for the apron					
	Aircraft restriction	Text	Usage restriction (prohibition) for specified aircraft type		Aircraft categories as per https://www.icao.int/publications/D0C8643/Pages/Search.aspx			
	Surface type	Text	The surface type of the apron					
	Strength	Text	Pavement classification number of apron					
		Text	Pavement type for aircraft classification number — pavement classification number (ACN-PCN) determination					
		Text	Subgrade strength category of apron					
		Text	Maximum allowable tire pressure category or maximum allowable tire pressure value					
		Text	The evaluation method used to determine the apron strength					
	Elevation	Elevation	The elevation of the apron					
TAXIWAY			A defined path on a land aerodrome established for the taxiing of aircraft and intended to provide a link between one part of the aerodrome and another					
Taxiway	Designator	Text	The full textual designator of the taxiway.					
	Width	Distance	The transversal extent of the taxiway.			1m	Essential	Surveyed
	Geometry	Polygon	Geographical location of the taxiway element	Geographical coordinates provided must be converted to WGS84 format				
	Bridge	Text	Type of bridge (none, overpass, underpass)					
	Surface type	Text	Surface type of taxiway					
	Strength	Text	Pavement classification number of taxiway					
		Text	Pavement type for aircraft classification number — pavement classification number (ACN-PCN) determination					
		Text	Subgrade strength category of taxiway					
	Strength	Text	Maximum allowable tire pressure category or maximum allowable tire pressure value					
		Text	The evaluation method used to determine the taxiway strength					
	Aircraft restrictions	Text	Usage restriction (prohibition) for specified aircraft type		Aircraft categories as per https://www.icao.int/publications/D0C8643/Pages/Search.aspx			
	Reference code letter	Code list	A letter based on the aeroplane wingspan and outer main gear wheel span					
	Location for wing tips extension	Point	For aerodromes accommodating aeroplanes with folding wing tips, the location where to extend the wing tips					
	Center line points	Point	Geographical coordinates of taxiway center line points	Geographical coordinates provided must be converted to WGS84 format		0.5m	Essential	Surveyed
		Elevation	Elevation of taxiway center line points			1m	Essential	Surveyed
	Shoulder		An area adjacent to the edge of a pavement so prepared as to provide a transition between the pavement and the adjacent surface.					
		Polygon	Geographical location of the taxiway shoulder	Geographical coordinates provided must be converted to WGS84 format				
		Text	Surface type of taxiway shoulder					
		Distance	The width of the taxiway shoulder			1m	Essential	Surveyed

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
Taxiway	Guidance lines	Line	Geographical location of guidance lines	Geographical coordinates provided must be converted to WGS84 format		0.5 m	Essential	Surveyed
		Text	Colour of taxiway guidance lines					
		Text	Style of taxiway guidance lines					
		Value	Wingspan					
		Value	Maximum speed					
		Text	Direction					
	Intermediate holding position marking line	Line	Intermediate holding position marking line	Geographical coordinates provided must be converted to WGS84 format		0.5 m	Essential	Surveyed
	Taxiway marking	Text	Description of taxiway marking					
	Taxiway edge lights	Text	Description of taxiway edge lights					
		Point	Geographical location of each individual light of the taxiway edge lights	Geographical coordinates provided must be converted to WGS84 format				
	Taxiway Centre Line Lights	Text	Description of taxiway centre line lights					
		Point	Geographical location of each individual light of the taxiway center line lights	Geographical coordinates provided must be converted to WGS84 format				
	Stop Bars	Text	Description of the stop bars	If any				
		Line	Location of the stop bar					
	Runway Guard Lights	Text	Description of the runway guard lights and other runway protection measures	If any				
		Point	Location of the stop bar	Configuration A Geographical coordinates provided must be converted to WGS84 format				
		Line	Location of the stop bar	Configuration B				
	Runway holding position		A designated position intended to protect a runway, an obstacle limitation surface, or an ILS/ MLS critical/sensitive area at which taxiing aircraft and vehicles shall stop and hold, unless otherwise authorized by the aerodrome control tower.					
		Line	Geographical location of runway holding position	Geographical coordinates provided must be converted to WGS84 format		0.5m	Essential	Surveyed
		Text	Designator of the runway protected					
		Code list	CAT of runway (0, I, II, III)					
		Text	Actual text as it exists in the marking. For example, RWY AHEAD or RUNWAY AHEAD.					
	Intermediate holding position	Line	Geographical location of intermediate holding position - A designated position intended for traffic control at which taxiing aircraft and vehicles shall stop and hold until further cleared to proceed, when so instructed by the aerodrome control tower.	Geographical coordinates provided must be converted to WGS84 format				
VOR CHECKPOINT								
VOR Checkpoint	Position	Point	Geographical location of the VOR check point	Where available Geographical coordinates provided must be converted to WGS84 format				
	Frequency	Value	Frequency of the VOR check point					

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
AIRCRAFT STAND			A designated area on an apron intended to be used for parking an aircraft					
Aircraft Stand	Name	Text	Name of the aircraft stand point					
	Aircraft stand points	Point	Geographical location of aircraft stand point	Geographical coordinates provided must be converted to WGS84 format	1/100th second	0.5m	Critical	Surveyed
		Code list	Aircraft types		Aircraft categories as per https://www.icao.int/publications/D0C8643/Pages/Search.aspx			
	Identification sign	Text	Description of aircraft stand identification sign					
	Visual docking parking guidance system	Text	Description of visual docking/parking guidance system at the aircraft stand					
	Parking stand area	Polygon	Geographical location of parking stand area	Geographical coordinates provided must be converted to WGS84 format				
	Jetway	Code list	Jetway available at aircraft stand					
	Fuel	Code list	Fuel available at aircraft stand					
	Ground power	Code list	Ground power available at aircraft stand					
	Towing	Code list	Towing available at aircraft stand					
	Terminal	Text	Terminal building reference					
	Surface type	Text	Surface type of the aircraft stand					
	Aircraft restriction	Text	Usage restriction (prohibition) for specified aircraft type		Aircraft categories as per https://www.icao.int/publications/D0C8643/Pages/Search.aspx			
	PCN	Text	Pavement classification number of aircraft stand					
	Stand guidance line	Line	Geographical location of stand guidance line	Geographical coordinates provided must be converted to WGS84 format		0.5m	Essential	Surveyed
		Elevation	Parking guidance line points elevation			1m	Essential	Surveyed
		Text	Direction of stand guidance line					
Value		Wingspan						
Code list		Colour of stand guidance line						
Code list		Style of stand guidance line						
HELICOPTER STAND			An aircraft stand which provides for parking a helicopter and where ground taxi operations are completed or where the helicopter touches down and lifts off for air taxi operations (Annex 14)					
Helicopter Stand	Name	Text	Name of helicopter stand					
	Position	Point	Geographical location of helicopter stand point/ INS checkpoints	Geographical coordinates provided must be converted to WGS84 format	1/100th second	0.5m	Critical	Surveyed
RUNWAY			A defined rectangular area on a land aerodrome prepared for the landing and take-off of aircraft (Annex 14)					
Runway	Designator	Text	The full textual designator of the runway, used to uniquely identify it at an aerodrome/heliport. E.g. 09/27, 02R/20L, RWY 1.					
	Nominal length	Distance	The declared longitudinal extent of the runway for operational (performance) calculations.		1m	1 m	Critical	Surveyed
	Nominal width	Distance	The declared transversal extent of the runway for operational (performance) calculations.			1 m	Essential	Surveyed
	Geometry	Polygon	Geometries of RunwayElement, RunwayDisplacedArea and RunwayIntersection					
	Centre line points	Point	The geographical location of runway centre line at each end of the runway, at the stopway and at the origin of each take-off flight path area, and at each significant change in slope of runway and stopway	Definition from Annex 4 3.8.4.2 Geographical coordinates provided must be converted to WGS84 format		1 m	Critical	Surveyed
		Elevation	The elevation of the corresponding centre line point. (See Annex 14 I 2.3.2: ---- for non-precision approaches ... any significant high and low intermediate points along the runway shall be measured to the accuracy of one-half metre or foot...) See Note 3)			0.25 m	Critical	Surveyed
		Height	The geoid undulation at the correspoding centre line point					

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
Runway	Runway Exit Line	Line	The geographical location of the runway exit line	Geographical coordinates provided must be converted to WGS84 format		0.5 m	Essential	Surveyed
		Text	Colour of runway exit line					
		Text	Style of runway exit line					
		Code List	Directionality of RWY exit line (one-way or two-way)					
	Surface type	Text	The surface type of the runway defined as specified in Annex 14 Volume I					
	Strength	Text	Pavement classification number					
		Text	Pavement type for aircraft classification number — pavement classification number (ACN-PCN) determination					
		Text	Subgrade strength category					
		Text	Maximum allowable tire pressure category or maximum allowable tire pressure value					
		Text	The evaluation method used					
	Strip		A defined area including the runway and the stop-way if provided a) to reduce the risk of damage to aircraft running off a runway; and b) to protect aircraft flying over it during take-off or landing operations					
		Distance	The longitudinal extent of the runway strip.					
		Distance	The transversal extent of the runway strip					
		Text	The surface type of the runway strip					
	Shoulder		An area adjacent to the edge of a pavement so prepared as to provide a transition between the pavement and the adjacent surface.					
		Polygon	The geographical location of the shoulders	Geographical coordinates provided must be converted to WGS84 format				
		Text	The surface type of the shoulder					
		Distance	The width of the runway shoulder			1m	Essential	Surveyed
	Blastpad		The area provided to reduce the erosive effects of jet blast and propeller wash.					
		Polygon	The geographical location of the blastpad	Geographical coordinates provided must be converted to WGS84 format				
	Obstacle free zone	Text	Existence of an obstacle-free zone for a precision approach runway category I	When provided				
	Runway Marking	Text	Type of runway marking					
		Text	Description of the runway markings					
		Polygon	The geographical location of the runway marking	Geographical coordinates provided must be converted to WGS84 format				
	RWY Centre Line Light	Distance	The longitudinal extent of the runway centre line lights					
		Distance	Spacing of runway centre line lights					
	RWY Centre Line Light	Text	Colour of runway centre line lights					
		Text	Intensity of runway centre line lights					
		Point	Geographical location of each individual light of the runway center line lights	Geographical coordinates provided must be converted to WGS84 format				
	RWY Edge Light	Distance	The longitudinal extent of the runway edge lights					
		Distance	Spacing of the runway edge lights					
		Text	Colour of runway edge lights					
		Text	Intensity of runway edge lights					
		Point	Geographical location of each individual light of the runway edge lights	Geographical coordinates provided must be converted to WGS84 format				

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
Runway	Reference Code		The intent of the reference code is to provide a simple method for interrelating the numerous specifications concerning the characteristics of aerodromes so as to provide a series of aerodrome facilities that are suitable for the aeroplanes that are intended to operate at the aerodrome					
		Code list	A number based on the aeroplane reference field length					
		Code list	A letter based on the aeroplane wingspan and outer main gear wheel span					
	Restriction	Text	Description of restrictions imposed on runway					
RUNWAY DIRECTION								
Runway Direction	Designator	Text	The full textual designator of the landing and take-off direction. Examples: 27, 35L, 01R.					
	True bearing	Bearing	The true bearing of the runway.			1/100 deg	Routine	Surveyed
	Type	Text	Type of runway: precision (CAT I, II, III) / non-precision / non-instrument					
	Threshold		The beginning of that portion of the runway usable for landing.					
		Point	Geographical location for runway threshold	Geographical coordinates provided must be converted to WGS84 format	DD MM SS.ss	1 m	Critical	Surveyed
		Elevation	Elevation of the runway threshold			See Note 1)		
		Height	WGS-84 Geoid undulation at runway threshold position			See Note 2)		
		Text	The indication if the threshold is displaced/ not displaced. A displaced threshold is not located at the extremity of a runway.					
		Distance	Distance of displaced threshold (if displaced)	If displaced threshold	1M	1 m	Routine	Surveyed
			Runway end (flight path alignment point)					
	Runway end	Point	Location of the runway end in the direction of departure	Geographical coordinates provided must be converted to WGS84 format	DD MM SS.ss	1 m	Critical	Surveyed
		Elevation	Elevation of the end position of the runway		1M	See Note 3)		
			Departure end of the runway (DER), which is the end of the area declared suitable for take-off (i.e. the end of the runway or, where a clearway is provided, the end of the clearway).	Beginning of departure procedure				
	Departure end of runway	Point	Geographical location of DER	Geographical coordinates provided must be converted to WGS84 format	DD MM SS.ss			
		Elevation	The elevation of DER is the elevation of the end of the runway or the		0.5FT			
			The portion of a runway, beyond the threshold, where it is intended landing aeroplanes first contact the runway.					
	Touchdown zone	Elevation	Highest elevation of the touchdown zone of a precision approach runway	Precision approach RWY		0.25 m or 1 ft		
		Value	The slope of the runway touchdown zone					
		Slope	Slope of the runway					
	LAHSO		Land and Hold Short Operations					
		Line	Geographical location of Land and Hold Short Operations (LAHSO)					
		Text	Name of runway or taxiway being protected					
	Displaced area		That portion of a runway between the beginning of the runway and the displaced threshold.					
		Polygon	Geographical location of the displaced area	Geographical coordinates provided must be converted to WGS84 format				
		Text	Pavement classification number of the displaced area					
		Text	The surface type of the displaced area					
		Text	Usage restriction for specific aircraft type					

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
Runway Direction	Stopway		A defined rectangular area on the ground at the end of take-off run available prepared as a suitable area in which an aircraft can be stopped in the case of an abandoned take-off.					
		Distance	The longitudinal extent of stopway	If any		1 m	Critical	Surveyed
		Distance	Width of the stopway		1M	1 m	Critical	Surveyed
		Polygon	Geographical location of the stopway	Geographical coordinates provided must be converted to WGS84 format				
		Value	Slope of stopway					
		Text	The surface type of the stopway					
	Clearway		A defined rectangular area on the ground or water under the control of the appropriate authority, selected or prepared as a suitable area over which an aeroplane may make a portion of its initial climb to a specified height.					
		Distance	The longitudinal extent of the clearway		1M	1 m	Essential	Surveyed
		Distance	The transversal extent of the clearway			1 m	Essential	Surveyed
			The vertical profile (or slope) of the clearway	If any				
	RESA		An area symmetrical about the extended runway centre line and adjacent to the end of the strip primarily intended to reduce the risk of damage to an aeroplane undershooting or overrunning the runway.					
		Distance	The longitudinal extent of Runway End Safety Area		1M			
		Distance	The transversal extent of the Runway End Safety Area					
		Value	Longitudinal slope of Runway End Safety Area					
		Value	Tranverse slope Runway End Safety Area					
	Declared Distances	Distance	Take-off run available - The length of runway declared available and suitable for the ground run of an aeroplane taking off.		1M	1 m	Critical	Surveyed
		Distance	Take-off distance available - The length of the take-off run available plus the length of the clearway, if provided.		1M	1 m	Critical	Surveyed
		Distance	Accelerate-stop distance available - The length of the take-off run available plus the length of the stopway, if provided.		1M	1 m	Critical	Surveyed
		Distance	Landing distance available - The length of runway which is declared available and suitable for the ground run of an aeroplane landing.		1M	1 m	Critical	Surveyed
		Text	Remarks including runway entry or start point where alternative reduced declared distances have been declared.					
	Runway End LGT	Text	Colour of runway end lights					
		Point	Geographical location of each individual light of the runway end lights	Geographical coordinates provided must be converted to WGS84 format				
	SWY LGT	Distance	The longitudinal extent of stopway lights					
		Text	Colour of stopway lights					
		Point	Geographical location of each individual light of the stopway lights	Geographical coordinates provided must be converted to WGS84 format				
	Approach lighting system	Text	Classification of the approach lighting system using as criteria the ICAO Annex 14 standards					
		Distance	The longitudinal extent of approach lighting system					
		Text	A code indicating the relative intensity of the lighting system					
		Point	Geographical location of each individual light of the approach lighting system	Geographical coordinates provided must be converted to WGS84 format				
	RWY threshold lights	Text	Colour of runway threshold lights					
		Text	Colour of runway threshold wing bars					
		Point	Geographical location of each individual light of the threshold and wing bar lights	Geographical coordinates provided must be converted to WGS84 format				
	Touchdown zone lights	Distance	The longitudinal extent of the runway touchdown zone lights					
		Point	Geographical location of each individual light of the touchdown zone lights	Geographical coordinates provided must be converted to WGS84 format				

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
Runway Direction	Visual approach slope indicator system	Height	Minimum Eye Height over the Threshold					
		Point	Geographical location of Visual approach slope indicator system	Geographical coordinates provided must be converted to WGS84 format				
		Angle	Nominal approach slope angle(s)					
		Text	Type of VGSI (VASI, PAPI etc.)					
		Angle	Where the axis of the system is not parallel to the runway centre line, the angle of displacement					
		Text	Where the axis of the system is not parallel to the runway centre line, the direction of displacement, i.e. left or right					
	Arresting gear	Line	Geographical location of the arresting gear cable across the runway	Geographical coordinates provided must be converted to WGS84 format				
	Arresting system		High energy absorbing material located at the end of a runway or stopway designed to crush under the weight of an aircraft as the material exerts deceleration forces on the aircraft landing gear.					
		Polygon	The geographical location of the arresting system	Geographical coordinates provided must be converted to WGS84 format				
		Distance	Setback of the arresting system					
		Distance	The longitudinal extent of arresting system		1M			
		Distance	The transverse extent of arresting system					
		Notes	Note 1)	Threshold elevation for runways with non-precision approaches			0.5 m	Essential
	Threshold elevation for runways with precision approaches					0.25 m	Critical	Surveyed
	Note 2)		WGS-84 geoid undulation at runway threshold, non-precision approaches			0.5 m	Essential	Surveyed
			WGS-84 geoid undulation at runway threshold, precision approaches			0.25 m	Critical	Surveyed
	Note 3)		Elevation of the runway end and any significant high and low intermediate points along the runway for non-precision approaches			0.5 m or 1 ft		
			Elevation of the runway end and the highest elevation of the touchdown zone for precision approach runways			0.25 m or 1 ft		
COMMUNITY FACILITY								
Community Facility	Service designation	Text	Designation of the service provided					
	Call sign	Text	Call sign of the communication facility					
	Channel	Text	Channel/Frequency of the communication facility					
	Logon address	Text	The logon address of the facility	As appropriate				
	Hours of operation	Schedule	Operational hours of the station serving the unit					
RADIO NAVIGATION AID			This Section is covered in NavAids DPS					
Radio Navigation Aid	Type	Text	Type of radio navigation aid					
	Identification	Text	The code assigned to uniquely identify the navaid					
	Name	Text	The textual name assigned to the navaid					
	ILS facility classification	Code list	A classification based on the functional and performance capabilities of an ILS	ILS				
	GBAS facility classification	Code list	A classification based on the functional and performance capabilities of the GBAS ground subsystem	GBAS				
	GBAS approach facility designation	Code list	A classification based on the GBAS service volume and performance requirements for each supported approach	GBAS				
	Purpose	Code list	Indication whether navigation aid serves en-route (E), aerodrome (A) or dual (AE) purposes.					
	Aerodrome served	Text	The ICAO location indicator or name of the aerodromes served					
	Runway served	Text	Designator of the runway served					
	Operating authority	Text	Name of the operating authority of the facility					
	Type of supported ops	Code list	Indication of the type of supported operation for ILS/MLS and GBAS					
	Co-location	Text	Information that a navaid is co-located with another navaid					
	Hours of operation	Schedule	The hours of operation of the radio navigation aid					

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
Radio Navigation Aid	Magnetic variation		The angular difference between True North and Magnetic North					
		Angle	The magnetic variation at the radio navigation aid	ILS/NDB		See Note 1)		
		Date	The date on which the magnetic variation had the corresponding value.					
	Station declination	Angle	An alignment variation of the navaid between the zero degree radial and true north, determined at the time the station is calibrated.	VOR/ILS/MLS				
	Zero bearing direction	Text	Direction of the 'zero bearing' provided by the station. For example: magnetic north, true north	VOR				
	Frequency	Value	Frequency or tuning frequency of the radio navigation aid					
	Channel	Text	The channel number of the radio navigation aid	DME				
	Position	Point	Geographical location of the radio navigation aid	Geographical coordinates provided must be converted to WGS84 format		See Note 2)		
	Elevation	Elevation	The elevation of the transmitting antenna of DME The elevation of GBAS reference point	DME GBAS		See Note 3)		
	Ellipsoidal height	Height	The ellipsoid height of the GBAS reference point,	GBAS				
	Localizer alignment	Bearing	The localizer course	ILS Localizer. 1deg resolution in DAP		1/100 deg	Essential	Surveyed
		Text	Type of localizer alligment, true or magnetic	ILS Localizer				
	Angle	Angle	The angle of the glide path of an ILS or the normal glide path angle for the MLS installation	ILS GP /MLS				
	RDH	Value	The value of the ILS Reference Datum Height (ILS RDH).	ILS GP		0.5m	Critical	Calculated
	Localizer antenna rwy end distance	Distance	ILS localizer runway/FATO end distance	ILS Localizer		3 m	Routine	Calculated
	ILS glideslope antenna TRSH distance	Distance	ILS glideslope antenna - threshold distance along centerline	ILS GP		3 m	Routine	Calculated
	ILS DME antenna TRSH distance	Distance	ILS DME antenna - threshold distance along centerline	ILS		3 m	Essential	Calculated
	Signal polarization	Code list	GBAS signal polarization (GBAS/H or GBAS/E)	GBAS				
	DOC	Text	Designated operational coverage (DOC or stadard service volume SSV) as range or service volume radius from the navaid / GBAS reference point, height and sectors if required					
	Notes	Note 1)		ILS Localizer		1 degree	Essential	Surveyed
				NDB		1 degree	Routine	Surveyed
		Note 2)		Aerodrome Navaid. Will be 1/10th sec resolution effective 23 May 2019 in DAH and ERSA		3 m	Essential	Surveyed
				GBAS Ref Point		1 m		
				Enroute. Will be 1/10th sec resolution effective 23 May 2019 in DAH		100 m	Essential	Surveyed
		Note 3)		DME. 3m accuracy effective ERSA and DAH 23 May 2019		30m (100ft)	Essential	Surveyed
				GBAS Ref Point. Correct effective ERSA and DAH 23 May 2019		0.25 m	Essential	
GNSS			A worldwide position and time determination system that includes one or more satellite constellations, aircraft receivers and system integrity monitoring, augmented as necessary to support the required navigation performance for the intended operation					
GNSS	Name	Text	The name of the GNSS element (GPS, GBAS, GLONASS, EGNOS, MSAS, WAAS, etc.)					
	Frequency	Value	Frequency of the GNSS	As appropriate				
	Service area	Polygon	Geographical location of the GNSS service area	Geographical coordinates provided must be converted to WGS84 format				
	Coverage area	Polygon	Geographical location of the GNSS coverage area	Geographical coordinates provided must be converted to WGS84 format				
	Operating authority	Text	Name of the operating authority of the facility					

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
AERONAUTICAL GROUND LIGHTS			Ground lights and other light beacons designating geographical positions which are selected by the State as being significant					
Aeronautical Ground Lights	Type	Text	Type of beacon					
	Designator	Text	The code assigned to uniquely identify to the beacon					
	Name	Text	The name of the city or town or other identification of the beacon					
	Intensity	Value	Intensity of the light of the beacon					
	Characteristics	Text	Information about the characteristics of beacon					
	Hours of operations	Schedule	The hours of operation of the beacon					
	Position	Point	Geographical location of the beacon	Geographical coordinates provided must be converted to WGS84 format	1/100th sec			
MARINE LIGHTS								
Marine Lights	Position	Point	Geographical location of the beacon	Geographical coordinates provided must be converted to WGS84 format				
	Visibility range	Distance	The visibility range of the beacon					
	Characteristics	Text	Information about the characteristics of the beacon					
SPECIAL NAVIGATION SYSTEM			Stations associated with special navigation systems (DECCA, LORAN, etc)					
Special Navigation System	Type	Text	Type of service available (master signal, slave signal, colour).					
	Designator	Text	The code assigned to uniquely identify to the special navigation system					
	Name	Text	The textual name assigned to the special navigation system					
	Frequency	Value	Frequency (channel number, basic pulse rate, recurrence rate, as applicable) of the special navigation system					
	Hours of operations	Schedule	The hours of operation of the special navigation system					
	Position	Point	Geographical location of the special navigation system	Geographical coordinates provided must be converted to WGS84 format		100m	Essential	Surveyed / Calculated
	Operating authority	Text	Name of the operating authority of the facility					
	Facility coverage	Text	Description of special navigation system faciity coverage					
OBSTACLE			All fixed (whether temporary or permanent) and mobile obstacles or parts thereof					
Obstacle	Obstacle identifier	Text	Unique identifier of obstacle					
	Operator / Owner	Text	Name and Contact information of obstacle operator or owner					
	Geometry type	Code list	An indication whether the obstacle is a point, line or polygon.					
	Horizontal position	Point Line Polygon	Horizontal position of obstacle	Geographical coordinates provided must be converted to WGS84 format	1/100th of a second	See Note 1)		
	Horizontal extent	Distance	Hoizontal extent of the obstacle					
	Elevation	Elevation	Elevation of the highest point of the obstacle.			See Note 2)		
	Height	Height	Height of the obstacle above ground					
	Type	Text	Type of obstacle					
	Date and time stamp	Date	Date and time the obstacle was created					
	Operations	Text	Feature operations of mobile obstacles					
	Effectivity	Text	Effectivity of temporary types of obstacles					
	Lighting	Text	Type of lighting					
		Text	Colour of the obstacle lighting					
	Marking	Text	Type of marking of obstacle					
	Material	Text	Predominant surface material of the obstacle					
	Notes	Note 1)	Obstacles in Area 1			50 m	Routine	Surveyed
	Notes	Note 1)	Obstacles in Area 2 (including 2a, 2b, 2c, 2d, take-off flight path area and obstacle limitation surfaces)			5 m	Essential	Surveyed
			Obstacles in Area 3			0.5 m	Essential	Surveyed
			Obstacles in Area 4			2.5 m	Essential	Surveyed
			Obstacles in Area 4			30 m	Routine	Surveyed
		Note 2)	Obstacles in Area 1			3 m	Essential	Surveyed
			Obstacles in Area 2 (including 2a, 2b, 2c, 2d, take-off flight path area and obstacle limitation surfaces)			0.5 m	Essential	Surveyed
			Obstacles in Area 4			1 m	Essential	Surveyed

Data Quality Requirements - Part 173								
Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
PROCEDURE								
Procedure	Identification	Code list	The name describing the type of radio navigation aid providing the final approach lateral guidance. This could be: ILS, VOR, RNAV, etc	APCH				
		Text	The runway designator of the landing and take-off direction. Examples: 27, 35L, 01R.					
		Code list	Indication if a procedure is/ is not a circling approach	APCH				
		Text	A single letter suffix, starting with the letter z following the radio navigation aid type shall be used if two or more procedures to the same runway cannot be distinguished by the radio navigation aid type only. For example: VOR y Rwy 20 VOR z Rwy 20	APCH				
		Text	Sensor specific information in case of a limitation of use. PBN only	PBN only				
		Text	Name of the instrument flight procedure					
	Plain Language Designation	Text	The basic indicator shall be the name or name-code of the significant point where the standard departure route terminates.	SID, STAR				
		Text	The validity indicator shall be a number from 1 to 9.	SID, STAR				
		Text	The route indicator shall be one letter of the alphabet. The letters "I" and "O" shall not be used.	SID, STAR				
		Text	Indication if the route has been established for use by aircraft operating in accordance with the visual flight rules (VFR)	VFR only				
	Coded Designation	Text	The coded designator or name-code of the significant point	SID, STAR				
		Text	The Validity Indicator of the procedure	SID, STAR				
		Text	The Route Indicator of the procedure	SID, STAR				
	Procedure Type	Code list	Indication of the type of procedure (departure, arrival, approach, other)					
	PBN or Conventional	Code list	Indication if the procedure is PBN or Conventional	IFR only				
	Precision Type	Text	The instrument procedure type. Instrument approach procedures are classified as follows: Non-precision approach (NPA) procedure - An instrument approach procedure which utilizes lateral guidance but does not utilize vertical guidance. Approach procedure with vertical guidance (APV) - An instrument procedure which utilizes lateral and vertical guidance but does not meet the requirements established for precision approach and landing operations. Precision approach (PA) procedure - An instrument approach procedure using precision lateral and vertical guidance with minima as determined by the category of operation.	APCH				
	Aircraft Category	Code list	Indication of which aircraft categories the procedure is intended for					
	Magnetic variation	Angle	The magnetic variation considered for the procedure design					
	OCA/H		Obstacle clearance Altitude (Height)	APCH				
		Code list	Aircraft category according to ICAO Doc 8168 Vol I or II	APCH				
		Code list	Approach type (e.g. Straight-in Cat I, Cat II, LLZ, Circling ...) or specific navigation aid (e.g. stepdown fixes), or a specific navigation specification	APCH				
	OCA/H	Altitude	The lowest altitude used in establishing compliance with appropriate obstacle clearance criteria.	APCH		As specified in Doc 8168	Essential	
		Height	The lowest height above the elevation of the relevant runway threshold or the aerodrome elevation as applicable, used in establishing compliance with appropriate obstacle clearance criteria.	APCH		As specified in Doc 8168	Essential	

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
Procedure	DA/H		Decision Altitude (Height)	APCH				
		Code list	Aircraft category according to ICAO Doc 8168 Vol I or II	APCH				
		Code list	Approach type (e.g. Straight-in, Circling ...) or specific navigation aid (e.g. stepdown fixes), or a specific navigation specification	APCH				
		Altitude	A specified altitude in a 3D instrument approach operation at which a missed approach must be initiated if the required visual reference to continue the approach has not been established	APCH				
		Height	A specified height in a 3D instrument approach operation at which a missed approach must be initiated if the required visual reference to continue the approach has not been established	APCH				
	MDA/H		Minimum Descent Altitude (Height)	APCH				
		Code list	Aircraft category according to ICAO Doc 8168 Vol I or II	APCH				
		Code list	Approach type (e.g. Straight-in, Circling ...) or specific navigation aid (e.g. stepdown fixes), or a specific navigation specification	APCH				
		Altitude	A specified altitude in a 2D instrument approach operation or circling approach operation below which descent must not be made without the required visual reference.	APCH				
		Height	A specified height in a 2D instrument approach operation or circling approach operation below which descent must not be made without the required visual reference.	APCH				
	MSA		Minimum sector altitude - The lowest altitude which may be used which will provide a minimum clearance of 300 m (1 000 ft) above all objects located in an area contained within a sector of a circle of 46 km (25 NM) radius centred on a radio aid to navigation.	IFR only				
		Angle	Start angle of a sector					
		Angle	End angle of a sector					
		Text	Center of the MSA					
		Altitude	The minimum altitude for each sector					
		Text	Minimum sector altitude - The lowest altitude which may be used which will provide a minimum clearance of 300 m (1 000 ft) above all objects located in an area contained within a sector of a circle of 46 km (25 NM) radius centred on a radio aid to navigation.					
		Value	The radius of each sector					
	TAA		Terminal arrival altitude - The lowest altitude that will provide a minimum clearance of 300 m (1 000 ft) above all objects located in an arc of a circle defined by a 46 km (25 NM) radius centred on the initial approach fix (IAF), or where there is no IAF on the intermediate approach fix (IF), delimited by straight lines joining the extremity of the arc to the IF. The combined TAAs associated with an approach procedure shall account for an area of 360 degrees around the IF.	APCH, PBN only				
		Text	TAA reference point (IAF or IF)					
		Text	TAA Initial Approach Fix reference point					
		Text	TAA Intermediate Fix reference point					
	TAA	Distance	The distance of the TAA area boundary from the IAF					
		Altitude	The terminal arrival altitude value					
		Angle	Start angle of a sector (bearing to TAA reference point					
		Angle	End angle of a sector (bearing to TAA reference point)					
		Distance	Radius of inner area with lower altitude.					

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
Procedure	Nav Spec Name	Text	A set of aircraft and flight crew requirements needed to support performance-based navigation operations within a defined airspace. There are two kinds of navigation specifications: Required navigation performance (RNP) specification - A navigation specification based on area navigation that includes the requirement for performance monitoring and alerting, designated by the prefix RNP, e.g. RNP 4, RNP APCH. Area navigation (RNAV) specification - A navigation specification based on area navigation that does not include the requirement for performance monitoring and alerting, designated by the prefix RNAV, e.g. RNAV 5, RNAV 1.	PBN only				
	Operating minima	Text	Aerodrome Operating Minima - The limits of usability of an aerodrome for: a) take-off, expressed in terms of runway visual range and/or visibility and, if necessary, cloud conditions; b) landing in precision approach and landing operations, expressed in terms of visibility and/or runway visual range and decision altitude/height (DA/H) as appropriate to the category of the operation; c) landing in approach and landing operations with vertical guidance, expressed in terms of visibility and/or runway visual range and decision altitude/height (DA/H); and d) landing in non-precision approach and landing operations, expressed in terms of visibility and/or runway visual range, minimum descent altitude/height (MDA/H) and, if necessary, cloud conditions	APCH, DEP				
	Temperature	Value	Minimum temperature reference	APCH, PBN only				
		Value	Maximum temperature reference	APCH, PBN only				
	Remote Altimeter Source	Text	Cautionary note indicating the altimetry source	APCH				
	Proc Ref Datum	Text	Airport or landing threshold	APCH				
	PBN Requirements		Specific requirements related to a PBN procedure	PBN				
		Code list	Identification of the navigation specification (RNAV 5, PBN 0.3 ...)					
		Text	Any navigation sensor limitations (GNSS required ...)					
		Text	Any required functionalities that are described as options in the navigation specification, that is, not included in the core navigation specification (RF required ...)					
	PROCEDURE SEGMENT		SID, STAR, APCH					
Procedure Segment	Start	Text	Identification of the start point of the segment					
	End	Text	Identification of the end point or a description of the end of the segment					
	End fix functionality	Code list	Indication if the end fix is a fly-by point (A waypoint which requires turn anticipation to allow tangential interception of the next segment of a route or procedure) or fly-over point (A waypoint at which a turn is initiated in order to join the next segment of a route or procedure)	PBN				
	End fix role	Code list	Indication of the role of the end fix (MAPt, IF, IAF, FAF, MAHF...)					
	Procedure altitude/height	Altitude/Height	A specified altitude/height flown operationally a tor above the minimum altitude/height and established to accommodate a stabilized descent ata prescribed descent gradient/angle in the intermediate/final approach segment.	SID, STAR, APCH certain segments only		As specified in Doc 8168	Essential	
	MOCA	Altitude	The minimum altitude for a defined segment that provides the required obstacle clearance.	SID, STAR, APCH				

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
Procedure Segment	Distance	Distance	Geodesic distance to the nearest tenth of a kilometer or tenth of a nautical mile between each successive designated significant point			1/100 km	Essential	Calculated
	True bearing	Bearing	True track to the nearest tenth of a degree to the nearest degree between each successive significant point	SID, STAR, APCH		1/10 degree	Routine	Calculated
	Magnetic bearing	Bearing	Magnetic track to the nearest tenth of a degree to the nearest degree between each successive significant point	SID, STAR, APCH		1/10 degree	Routine	Calculated
	Gradient	Value		APCH, DEP				
	Speed	Value	Speed limit at a significant point, expressed in units of 10 knots applicable					
	Controlling obstacle			APCH, DEP				
		Text	Indication if the obstacle is lit/unlit, type of obstacle (church/windturbine,...)					
		Point	Coordinates of the controlling obstacle	Geographical coordinates provided must be converted to WGS84 format		See Obstacles		
		Elevation	Elevation of the top of the controlling obstacle			See Obstacles		
FINAL APPROACH SEGMENT			That segment of an instrument approach procedure in which alignment and descent for landing are accomplished (SBAS APCH, GBAS APCH)					
Final Approach Segment	Operation type	Text	A number that indicates the type of the final approach segment (e.g "0" is coded for a straight-in approach procedure including offset procedures.)					
	Approach performance designator	Text	A number that identifies the type of an approach. ("0" is used to identify an LPV approach procedure and a "1" indicates a Category I approach procedure)					
	SBAS provider	Text	Identifier of a particular satellite-based approach system service provider	SBAS only				
	RPDS	Text	Reference path data selector (RPDS) - A numerical identifier that is unique on a frequency in the broadcast region and used to select the FAS data block.	GBAS only				
	RPI	Text	Reference Path Identifier - A four-character identifier that is used to confirm selection of the correct approach procedure.					
	LTP/FTP		Landing threshold point (LTP) or fictitious threshold point (FTP)					
		Point	Latitude and Longitude of the LTP/FTP	Geographical coordinates provided must be converted to WGS84 format		0.3 m (1 ft)	Critical	
		Elevation	The height of the LTP/FTP above the WGS-84 ellipsoid			1ft	Critical	
		Elevation	The height of the LTP/FTP as related to the geoid and presented as an MSL elevation					
	FPAP		Flight path alignment point (FPAP)					
		Point	Latitude and Longitude of the FPAP	Geographical coordinates provided must be converted to WGS84 format		0.3 m (1 ft)	Critical	
		Elevation	The height of the FPAP as related to the geoid and presented as an MSL elevation					
	TCH	Height	Approach Threshold Crossing Height (TCH) - The designated crossing height of the flight path angle above the LTP (or FTP).			1ft	Critical	Calculated
	GPA	Value	Glide Path Angle (GPA) - The angle of the approach path (glide path) with respect to the horizontal plane defined according to WGS-84 at the LTP/FTP.			0.01°	N/A	
	Course Width at threshold	Value	The semi-width of the lateral course width at the LTP/FTP, defining the lateral offset at which the receiver will achieve full-scale deflection.			N/A	Critical	
	Delta Length Offset	Distance	The distance from the stop end of the runway to the FPAP.It defines the location where lateral sensitivity changes to the missed approach sensitivity.			N/A	N/A	
	HAL	Value	Horizontal Alert Limit	SBAS only				
	VAL	Value	Vertical Alert Limit	SBAS only				

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
Final Approach Segment	FAS Data Block	Text	Binary string describing the Final Approach Segment (FAS) data block generated with an appropriate software tool. The FAS data block is set of parameters to identify a single precision approach or APV and define its associated approach					
	CRC Remainder	Text	An 8-character hexadecimal representation of the calculated remainder bits used to determine the integrity of the FAS data block data during transmission and storage.					
PROCEDURE FIX								
Procedure Fix	Identification	Text	Names, coded designators or name-codes assigned to the significant point.					
	ATC Reporting requirements	Text	Indication of ATS / MET reporting requirement “compulsory”, “on-request” or "nil"					
	VFR Reporting point	Text	Bridge, Church Name	VFR				
	Position	Point	Geographical location of the fix	Geographical coordinates provided must be converted to WGS84 format		See Note 1)		
	Type	Text	Indication of the type of fix, such as: Navaid, Int, WPT					
	Formations	Text	The station identification of the reference VOR/DME					
		Bearing	The bearing from the reference VOR/DME, if the waypoint is not collocated with it.			See Note 2)		
		Distance	The distance from the reference VOR/DME, if the waypoint is not collocated with it.			1/100 km	Essential	Calculated
	Notes	Note 1)	En-route navaids and fixes,holding, STAR/SID points			100 m	Essential	Surveyed / Calculated
			Final approach fixes/points and other essential fixes/points comprising the instrument approach procedure			3 m	Essential	Surveyed / Calculated
		Note 2)	Bearing used for the formation-of a terminal fix			1/10 degree	Rroutine	Calculated
			Bearing used for the formation of an instrument approach procedure fix			1/100 degree	Essential	Calculated
		Note 3)	Distance used for the formation of a terminal and instrument approach procedure fix			1/100 km	Essential	Calculated
PROCEDURE HOLDING			A predetermined manoeuvre which keeps an aircraft within a specified airspace while awaiting further clearance					
Procedure Holding	Identification	Text	Identification of the holding procedure					
	Fix	Point	Geographical location that serves as a reference for a holding procedure.	Geographical coordinates provided must be converted to WGS84 format		Same as Procedure Fix		
	Inbound course	Angle	Inbound true course					
	Outboundcourse	Angle	Outbound true course					
	Leg distance	Distance	Outbound distance of the leg					
	Leg time	Value	Outbound time of the leg					
	Limiting radial	Angle	Limiting radial from the VOR/DME on which the holding is based					
	Turn direction	Value	Direction of the procedure turn					
	Minimum altitude	Altitude	Minimum holding level to the nearest higher 50 m or 100 ft/flight level			50 m	Routine	Calculated
	Maximum altitude	Altitude	Maximum holding level to the nearest higher 50 m or 100 ft/flight level					
	Speed	Value	Maximum indicated air speed					
	Magnetic variation	Angle	The magnetic variation of the radio navigation aid of the procedure					
		Date	The date on which the magnetic variation had the coresponding value.					
	Nav Spec Name	Text	Name of the Navigation Specification - set of aircraft and aircrew requirements needed to support a navigation application within a defined airspace concept	RNAV/RNP				

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
HELICOPTER PROCEDURE SPECIFICS								
Helicopter Procedure Specifics	Helicopter Procedure Title (RNAV 263)	Text	Identification of the helicopter procedure					
	HCH	Height	Heliport crossing height			0.5 m	Essential	Calculated
	IDF	Point	Initial departure fix	DEP Geographical coordinates provided must be converted to WGS84 format				
	MAPt	Point	Missed Approach Point	APCH Geographical coordinates provided must be converted to WGS84 format				
	Direct Visual Segment		For PinS APP: the portion of flight that connects directly the PinS to the landing location. For PinS DEP: the portion of flight that connects directly the landing location to the IDF					
		Line						
		Distance						
		Angle						
		Height						
	Manoeuvring VS		Manoeuvring Visual Segment - PinS visual segment protected for the following manoeuvres: For PinS APCH: Visual manoeuvre from the MAPt around the heliport or landing location to land from a direction other than directly from the MAPt. For PinS DEP: Take-off in a direction other than directly to the IDF followed by visual manoeuvre to join the instrument segment at the IDF.	APCH DEP				
		Angle	Centre line of take-off climb surface	DEP				
		Polygon	Area where the pilot is expected to manoeuvre visually	APCH DEP				
		Polygon	Area where manoeuvring is prohibited	APCH DEP				
	Manoeuvring VS	Line	Maneuvering Visual Segment - PinS visual segment protected for the following manoeuvres: For PinS APCH: Visual manoeuvre from the MAPt around the heliport or landing location to land from a direction other than directly from the MAPt. For PinS DEP: Take-off in a direction other than directly to the IDF followed by visual manoeuvre to join the instrument segment at the IDF.	APCH DEP				
	HAS		Height above surface diagram	APCH				
		Distance						
		Height						
	Proceed Visually Text	Text	Text indicating that the procedure has Proceed Visually instruction					
	Proceed VFR Text	Text	Text indicating that the procedure has Proceed VFR instruction					
	VSDA	Value	Visual segment descent angle					
	Ingress Tracks	Distance						
		Distance						
		Angle						

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
AIF			Notes on charts (Aeronautical Information in Textual Format)					
AIF	Non-align between Instrument and Visual Slope Indications	Text						
	Missed Approach Description	Text	Missed approach description for the procedure					
	SID/STAR Route Description	Text	Textual description of the SID or STAR procedure					
	Missed Apch Climb Gradient	Value	The value of the missed approach climb gradient for the approach procedure					
	CAT H Note	Text						
	CAT D Large	Text						
	Authorization Required	Text	Indication that RNP AR					
	Units of Measure	Text						
	GNSS In-Lieu-Of	Text						
	Comm Failure	Text	Communication failure description					
	Surveillance/Radar Required	Text						
	SID Close-in Obstacle Note	Text	Indication wherever close-in obstacles exist which were not considered in the determination of the published procedure design gradient					
	Off-Set Alignment	Text						
	PDG greater then 3%	Text						

Data Quality Requirements - Airservices/CASA								
Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
ATS AIRSPACE			Airspaces of defined dimensions, alphabetically designated, within which specific types of flights may operate and for which air traffic services and rules of operation are specified					
ATS Airspace	Type	Text	Type of ATS airspace according to ICAO Annex 11.					
	Name	Text	The designator given to an airspace by a responsible authority					
	Lateral limits	Polygon	The surface defining the horizontal shape of the Airspace	Geographical coordinates provided must be converted to WGS84 format	1/100th sec	See Note 1)		
	Vertical limits	Altitude	The upper limit of the airspace		1FT/FL			
		Altitude	The lower limit of the airspace		1FT/FL	50 m	Routine	Calculated
	Class of airspace	Code list	A categorisation of airspace which determines the operating rules, flight requirements, and services provided, as indicated in Annex 11, Section 2.6 and Appendix 4					
	Transition altitude	Altitude	The altitude at or below which the vertical position of an aircraft is controlled by reference to altitudes.					
	Hours of applicability	Schedule	The hours of applicability of the airspace					
	ATS Unit		Unit providing service					
		Text	The name of the unit providing the service					
		Text	The call sign of the aeronautical station serving the unit					
		Code list	Information on the language(s) used, specifying area and conditions, when and where to be used, if applicable					
		Text	Information on the area and conditions when to be used					
		Schedule	Operational hours of the station serving the unit					
	SATVOICE number	Value	The SATVOICE number of the ATS airspace					
		Text	Indications for specific purposes of the SATVOICE number.					
	Notes	Note 1)	FIR, UIR			2 km	Routine	Declared
			TMA, CTA			100 m	Essential	Calculated
			CTR			100 m	Essential	Calculated
SPECIAL ACTIVITY AIRSPACE								
Special Activity Airspace	Type	Code list	Type of special activity airspace			See Note 1)		
	Identification	Text	The identification assigned to uniquely identify the airspace					
	Name	Text	The name given to the airspace by a responsible authority					
	Lateral limits	Polygon	The surface defining the horizontal shape of the airspace	Geographical coordinates provided must be converted to WGS84 format	1/100th sec	See Note 2) for P,R,D Areas only		
	Vertical limits	Altitude	The upper limit of the airspace		1FT/FL			
		Altitude	The lower limit of the airspace		1FT/FL			
	Restriction	Text	Type of restriction or nature of hazard					
	Activation	Text	Information on system and means of activation announcements together with information pertinent to civil flights and applicable ADIZ procedures					
	Time of activity	Schedule	Time interval when the special activity takes place					
	Risk of interception	Text	Risk of interception in the event of penetration					
	Notes	Note 1)	Prohibited Area		1/100th sec	100 m	Essential	Calculated
			Restricted Area		1/100th sec	2 km	Routine	Declared
			Danger Area					
			Military Execise Area					
			Military Training Area					
			Air Defence Identification Zone (ADIZ)					
Note 2)		Inside CTA/CTR		1/100th sec	100 m	Essential	Calculated	
		Outside CTA/CTR		1/100th sec	2 km	Routine	Declared	

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
AERIAL SPORTING ACTIVITIES AIRSPACE			Airspace with intensive aerial sporting and recreational activities					
Aerial Sporting Activities Airspace	Type of activity	Text	Type of aerial sporting or recreational activity					
	Designator	Text	The designation of the airspace					
	Lateral limits	Polygon	The surface defining the horizontal shape of the airspace	Geographical coordinates provided must be converted to WGS84 format	1/100th sec			
	Vertical limits	Altitude	The upper limit of the airspace		1FT/FL			
		Altitude	The lower limit of the airspace		1FT/FL			
	Time of activity	Schedule	Time interval when the activity takes place					
Operator	Text	Contact details (Tel. Nr. or Frequency) of operator / user						
OTHER REGULATED AIRSPACE								
Other Regulated Airspace	Type	Text	Type of airspace (RVSM, ELT etc.)					
	Identification	Text	The identification assigned to uniquely identify the airspace					
	Name	Text	The name given to the airspace by a responsible authority					
	Lateral limits	Polygon	The surface defining the horizontal shape of the airspace	Geographical coordinates provided must be converted to WGS84 format				
	Vertical limits	Altitude	The upper limit of the airspace					
		Altitude	The lower limit of the airspace					
	Restriction	Text	Type of restriction if any					
	Activation	Text	Information on system and means of activation announcements together with information pertinent to civil flights and applicable ADIZ procedures.					
Time of activity	Schedule	Time interval when the special activity takes place						
ATS CONTROL SECTOR								
ATS Control Sector	Identification	Text	The identification given to the sector					
	Lateral limits	Polygon	The surface defining the horizontal shape of the ATC-sector	Geographical coordinates provided must be converted to WGS84 format	1/100th sec			
	Vertical limits	Altitude	The upper limit of the sector		1FT/FL			
		Altitude	The lower limit of the sector		1FT/FL			
ATS ROUTE			A specified route designed for channelling the flow of traffic as necessary for the provision of air traffic services					
ATS Route	Designator	Text	Designators for ATS routes according to Annex 11 Appendix 1 (or Appendix 3 for standard departure and arrival routes).					
OTHER ROUTE			A specified route designed for channelling the flow of traffic as necessary without provision of air traffic services					
Other Route	Designator	Text	Designator of the route					
	Type	Text	Type of route (e.g. VFR uncontrolled navigation routes)					
	Flight rules	Code list	Information on the flight rules that apply on the route (IFR / VFR)					

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
ROUTE SEGMENT								
Route Segment	From point		Reference to the first point of a route segment					
		Text	The coded designators or name-codes of significant point					
		Code list	Indication of ATS / MET reporting requirement “compulsory” or“on-request”					
	To point		Reference to the second point of a route segment					
		Text	The coded designators or name-codes of significant point					
		Code list	Indication of the ATS / MET reporting requirement “compulsory” or “on-request”					
	Track	Bearing	Track, VOR radial or magnetic bearing of a route segment		System calculated	1/10 degree (terminal arrival departure)	Routine (terminal arrival departure)	Calculated (terminal arrival departure)
	Change-over point	Point	The point at which an aircraft navigating on an ATS route segment defined by reference to very high frequency omnidirectional radio ranges is expected to transfer its primary navigational reference from the facility behind the aircraft to the next facility ahead of the aircraft.	In case of VOR radial Geographical coordinates provided must be converted to WGS84 format				
	Length	Distance	The geodesic distance between from point and to point		System calculated	1/10 km	Routine	Calculated
	Upper limit	Altitude	The upper limit of the route segment		Multiples of 100FT			
	Lower limit	Altitude	The lower limit of the route segment		Multiples of 100FT			
	MEA	Altitude	Minimum en-route altitude (MEA). The altitude for an en-route segment that provides adequate reception of relevant navigation facilities and ATS communications, complies with the airspace structure and provides the required obstacle clearance.	Lower ATS Routes		50 m	Routine	Calculated
	MOCA	Altitude	Minimum obstacle clearance altitude (MOCA). The minimum altitude for a defined segment of flight that provides the required obstacle clearance.	Lower ATS routes		50 m	Routine	Calculated
	Minimum flight altitude	Altitude	Minimum flight altitude	Helicopter route		50 m	Routine	Calculated
	Lateral Limits	Distance	Lateral limits of route					
	Restrictions	Text	Indication on any area speed and level/altitude restrictions where established.					
	Direction of cruise levels		Indication on the direction of the cruising level (even, odd, NIL)					
		Code list	Indication on the direction of the cruising level (even, odd, NIL) from first point to second point of route segment					
		Code list	Indication on the direction of the cruising level (even, odd, NIL) from second point to first point of route segment					
	Availability	Text	Information on the route availability					
	Class of airspace	Text	Classification of airspace (A, B, ... G) which determines the operating rules, flight requirements, and services provided. According to Annex 11, Appendix 4					

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
Route Segment	PBN requirements		Area navigation based on performance requirements for aircraft operating along an ATS route, on an instrument approach procedure or in a designated airspace requirements	PBN only				
		Text	Designation of the navigation specification(s) applicable to a specified segment(s) - There are two kinds of navigation specifications: Required navigation performance (RNP) specification. A navigation specification based on area navigation that includes the requirement for performance monitoring and alerting, designated by the prefix RNP, e.g. RNP 4, RNP APCH. Area navigation (RNAV) specification. A navigation specification based on area navigation that does not include the requirement for performance monitoring and alerting, designated by the prefix RNAV, e.g. RNAV 5, RNAV 1.					
		Text	The navigation accuracy requirement for each PBN (RNAV or RNP) route segment					
		Text	Indication on the sensor requirements including any navigation specification limitations					
	Controlling unit	Text	Name of the unit providing the service					
		Text	Operating channel / frequency of controlling unit					
	Controlling unit	Text	A specified code used for data link logon to the controlling ATS unit	if applicable				
AMA								
AMA	Lateral Limits	Distance	Lateral limits of the sectors					
	Vertical Limit	Altitude	Area Minimum Altitude (AMA) - The minimum altitude to be used under instrument meteorological conditions (IMC), that provides a minimum obstacle clearance within a specified area, normally formed by parallels and meridians.					
MVA								
MVA	Lateral Limits	Distance	Lateral limits of the sectors					
	Vertical Limit	Altitude	Minimum Vector Altitude					
WAYPOINT								
Waypoint	Identification	Text	Names, coded designators or name-codes assigned to the significant point.					
	Position	Point	Geographical location of the waypoint	Geographical coordinates provided must be converted to WGS84 format	1/100th sec	100 m	Essential	Surveyed/ Calculated
	Formation	Text	The station identification of the reference VOR/DME					
		Bearing	The bearing from the reference VOR/DME, if the waypoint is not collocated with it.			See Note 1)		
		Distance	The distance from the reference VOR/DME, if the waypoint is not collocated with it.			See Note 2)		
	Notes	Note 1)	Bearing used for the formation of an en-route fix			1/10 degree	Routine	Calculated
		Note 2)				1/10 km	Routine	Calculated

Subject	Property	Type	Description	Note	Required Resolution	Accuracy	Integrity	Origin
EN-ROUTE HOLDING			A predetermined manoeuvre which keeps an aircraft within a specified airspace while awaiting further clearance					
En-route Holding	Identification	Text	Identification of the holding procedure					
	Fix	Text	Identification of the holding procedure fix					
	Waypoint	Point	Geographical location of the holding waypoint	Geographical coordinates provided must be converted to WGS84 format	1/100th sec	100m	Essential	Surveyed/ Calculated
	Inbound track	Bearing	The inbound track of the holding procedure					
	Turn Direction	Text	Direction of the procedure turn					
	Speed	Value	Maximum indicated airspeed					
	Level	Altitude	Minimum holding level of the holding procedure					
		Altitude	Maximum holding level of the holding procedure					
	Time/distance outbound	Value	Time/distance value of the holding procedure					
	Controlling unit	Text	Indication of the controlling unit					
		Value	The operating frequency/channel of the controlling unit					
	Special holding entry procedure	Text	Textual description of the Special VOR/DME entry procedure	In case an entry radial to a secondary fix at the end of the outbound leg has been established for a VOR/DME holding pattern				

Data Quality Requirements - Part 171									
GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
Attribute		Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
NDB	NDB (BASIC DETAILS)								
	Identifier	THREE LETTER IDENT	AIXM, AIP, DATA REPORTS						
	Latitude	Latitude in DD MM SS.ss format in WGS-84 standards	AIXM, AIP, DATA REPORTS	For Aeodrome Navaid:	3m	Essential	Surveyed	1/10 sec	as plotted
	Longitude	Longitude in DDD MM SS.ss format in WGS-84 standards	AIXM, AIP, DATA REPORTS	For Enroute Navaid:	100m	Essential	Surveyed	1 sec	
	Name	NAME OF THE AERODROME WHERE IT SERVES	AIXM, AIP, DATA REPORTS						
	Sub Type	Select one of the options below: • Homer • Locator	AIP						
	Frequency	NDB Frequency in KHz	AIXM, AIP, DATA REPORTS						
	Navaid Power	Power of NDB in WATT	AIXM, AIP, DATA REPORTS						
	Elevation	Elevation of NDB (top most tip) above mean sea level in Metres	AIP, AIXM		3m	Essential	Surveyed		
	Organisation - Authority	Name of the organization owned by	AIP, AIXM						
	Survey Status	Select one of the options below: • CALCULATED • SURVEYED • DECLARED • TRANSFORMED	Database quality requirements						
	Limitation Flag	YES/NO. If NDB is having limitations, relevant NDB limitation attributes and a note describing it must be provided. Attributes data is for AIXM and note for ERSa FAC	Trigger for limitation data						
	Holding pattern		AIP						
	range_overland_day	Range of NDB during day over LAND in NM	AIP						
	range_overland_night	Range of NDB during night over LAND in NM	AIP						
	range_overwater_day	Range of NDB during day over WATER in NM	AIP						
	range_overwater_night	Range of NDB during night over WATER in NM	AIP						
	purpose	Select one of the options below: • ENROUTE • TERMINAL • ALL • OTHER	AIXM						
	classification	Select one of the options below: • ENR - ENROUTE • MAR - MARINE • L - Locator used in Final APCH, usually low powered • OTHER	AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
	Attribute	Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
NDB	Emission Code	Select One of the option below: • A2 - Telegraphy, no voice. • A3A - Single side-band, reduced carrier. • A3B - Two independent side-bands. • A3E - AM double side-band telephony. • A3H - Single side-band, full carrier. • A3J - Single side-band, suppressed carrier. • A3L - Lower single side-band, carrier unknown. • A3U - Upper single side-band, carrier unknown. • J3E - AM double side-band suppressed carrier telephony. • NONA1A - Unmod trans. Morse ident. Carrier emission interrupted. • NONA2A - Unmod. Trans. Morse ident. Carrier emission continuous. • PON - Pulse. • A8W - AM (unkeyed) plus ON/OFF keying of ident tone. • A9W - Composite AM/FM (unkeyed) plus ON/OFF keying of ident tone. • NOX - Unmodulated carrier. • G1D - DPSK Data Transmission. • OTHER - Other.	AIXM						
	Working Hours	Provide Working hours code. Select one of the option below: • H24 - 24 hours • HJ - Sunrise to Sunset • HN - Sunset to Sunrise • HO - Service available to meet operator requests • HX - No specific working hours • NOTAM - Activity periods to be published by NOTAM • OTHER - Other • TIMSH - As specified in the related timesheets	AIXM						
	Working Hours Remark	(if other code is selected above, use Free text to provide more details)	AIXM						
	Area Code	SPA (as per ARINC 424 document figure 5-2). Need to check for Norfolk Island, Christmas Island Navaid equipment's	AIXM						
	Emission Band	Select one of the below option: • U - ULTRA HIGH • H - HIGH • M - MEDIUM • OTHER	AIXM						
	Mobile	Is it mobile? - YES/NO/OTHER	AIXM						
	Flight Checked	Has this been flight checked? - YES/NO/OTHER	AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
Attribute		Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
NDB	NDB (LIMITATION DETAILS)								
	NDB	Three letter IDENT of the NDB	AIXM						
	Type	Select one of the options below: • COV - Actual coverage range (flight checked). Equivalent to Operational Service Volume. • ESV - Extended Service Volume (Coverage) • OUT - Out of tolerance. • RES - Restricted (use is restricted to defined sectors). • RHG - Roughness (signal roughness experienced). • SCL - Scalloping. • T_COV - Theoretical coverage range (not flight checked). Equivalent to Standard Service Volume. • UNREL - Unreliability. • UUS - Un-usability (use is not permitted in the defined sectors). • OTHER - Other	AIXM						
	FROM Bearing	Bearing in TRUE degrees	AIXM						
	TO Bearing	Bearing in TRUE degrees	AIXM						
	Inner Limit	Inner limit of an angle sector volume	AIXM						
	Lower Limit	Lower limit of an angle sector volume	AIXM						
	Outer Limit	Outer limit of an angle sector volume	AIXM						
	Upper Limit	Upper limit of an angle sector volume	AIXM						
	Upper Limit UOM	FT	AIXM						
	Upper Limit Reference	AGL/MSL/BCTA/FL	AIXM						
	Lower Limit UOM	FT	AIXM						
	Lower Limit Reference	AGL/MSL/BCTA/FL	AIXM						
	signalType	Select one of the options below: • AZIMUTH - The signal supports the provision/calculation of horizontal angle information. • BEAM - The signal provides a directional guidance, in the horizontal or vertical planes. • DATALINK - The signal provides a carrier for data. • DISTANCE - The signal supports the provision/calculation of linear separation info. • OTHER - Other • VOICE - The signal provides a carrier for voice information.	AIXM						
	Scalloping Angle	Value of scalloping angle	AIXM						
	arcDirection	Select one of the options below: • CCA - Counter clockwise arc • CWA - Clockwise arc • OTHER - Other	AIXM						
	Remark	Remark on limitation	AIXM						
	angleType	Select one of the options below: • HDG - Heading • MAG - Magnetic bearing • MAGTRACK - Magnetic track • OTHER - Other • RDL - VOR radial • TRK - Track • TRUE - True bearing	AIXM						
	angleDirectionReference	Select one of the options below: CCA - Counter clockwise arc CWA - Clockwise arc OTHER - Other	AIXM						
	innerDistanceUom	NM	AIXM						
	outerDistanceUom	NM	AIXM						
	horizontalAccuracy	The difference between the recorded horizontal coordinates of a feature and its true position referenced to the same geodetic datum expressed as a circular error at 95 percent probability.	AIXM						
	horizontalAccuracyUom	UoM of Horizontal accuracy	AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
Attribute		Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
VOR	VOR (BASIC DETAILS)								
	Identifier	THREE LETTER IDENT	AIXM, AIP, DATA REPORTS						
	Latitude	Latitude in DD MM SS.ss format in WGS-84 standards	AIXM, AIP, DATA REPORTS	For Aeodrome Navaid:	3m	Essential	Surveyed	1/10 min	as plotted
	Longitude	Longitude in DDD MM SS.ss format in WGS-84 standards	AIXM, AIP, DATA REPORTS	For Enroute Navaid:	100m	Essential	Surveyed	1/10 min	
	Name	NAME OF THE AERODROME WHERE IT SERVES	AIXM, AIP, DATA REPORTS						
	Sub Type	Select one of the options below: - DVOR – Doppler VOR - OTHER - Other - VOR – Conventional VOR - VOT – VOR test Facility	AIXM, DATA REPORTS						
	Navaid Frequency	VOR Frequency in MHz	AIXM, AIP, DATA REPORTS						
	Navaid Power	Power of VOR in WATT	AIXM						
	Elevation	Elevation of VOR (top most tip) above mean sea level in Metres	AIXM						
	Organisation - Authority	Name of the organization owned by	AIXM						
	Survey Status	Select one of the options below: - CALCULATED - SURVEYED - DECLARED - TRANSFORMED	Data Quality requirements						
	Limitation Flag	YES/NO. If VOR is having limitations, relevant VOR limitation attributes and a note describing it must be provided. Attributes data is for AIXM and note for ERSa FAC	Trigger for limitation data						
	Remark	Remarks on equipment	AIXM						
	purpose	Select one of the options below: - ENROUTE - TERMINAL - ALL - OTHER	AIXM						
	Area Code	SPA (as per ARINC 424 document). Need to check for Norfolk Island, Christmas Island Navaid equipment's	AIXM						
	Class (3)	Third Character of ARINC Navaid Class. Select one of the options below: - H - VHF: High Altitude - L - VHF: Low Altitude - T - Terminal - U - Unrestricted	AIXM						
	Class (4)	Fourth Character of ARINC Navaid Class. Select one of the options below: - A - Automatic Trans Weather Brdcst - B - Scheduled Weather Brdcst - D - Biased ILS/DME or ILS/TACAN - W - No voice on NAVAID Frequency	AIXM						
	Class (5)	Fifth Character of ARINC Navaid Class. Select one of the options below: - N - Non-Coloc VOR and TACAN or DME - NULL (Blank option)	AIXM						
	Fac Characteristic 1	ARINC: Synchronous indicator for VHF Navaid, ILS and MLS. Select one of the options below: - S - Synchronous - U - Unknown	AIXM						
	Fac Characterisitc 2	Select one of the option below: - N - No Voice Ident - U - Undefined	AIXM						
	Frequency Protection	Distance to nearest navaid of the same frequency in NM	AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
	Attribute	Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
VOR	Figure of Merit	Used to specify VHF Navaid facility usable range beyond that specified in the class field. Select one of the options below: • 0 - Terminal use (generally within 25NM) • 1 - Low Altitude use (generally within 40 NM) • 2 - High Altitude use (generally within 130 NM) • 3 - Extended High Altitude use (generally beyond 130 NM) • 9 - Out of service	AIXM						
	Emission Code	Select One of the option below: • A2 - Telegraphy, no voice. • A3A - Single side-band, reduced carrier. • A3B - Two independent side-bands. • A3E - AM double side-band telephony. • A3H - Single side-band, full carrier. • A3J - Single side-band, suppressed carrier. • A3L - Lower single side-band, carrier unknown. • A3U - Upper single side-band, carrier unknown. • J3E - AM double side-band suppressed carrier telephony. • NONA1A - Unmod trans. Morse ident. Carrier emission interrupted. • NONA2A - Unmod. Trans. Morse ident. Carrier emission continuous. • PON - Pulse. • A8W - AM (unkeyed) plus ON/OFF keying of ident tone. • A9W - Composite AM/FM (unkeyed) plus ON/OFF keying of ident tone. • NOX - Unmodulated carrier. • G1D - DPSK Data Transmission. • OTHER - Other.	AIXM						
	Working Hours	Provide Working hours code. Select one of the option below: • H24 - 24 hours • HJ - Sunrise to Sunset • HN - Sunset to Sunrise • HO - Service available to meet operator requests • HX - No specific working hours • NOTAM - Activity periods to be published by NOTAM • OTHER - Other • TIMSH - As specified in the related timesheets	AIXM						
	Working Hours Remark	(if other code is selected above, use Free text to provide more details)	AIXM						
	Mobile	Is it mobile? - YES/NO/OTHER	AIXM						
	Flight Checked	Has this been flight checked? - YES/NO/OTHER	AIXM						
	Antenna Height	Height of the antenna in metres	AIXM						
	APC Geoid Elevation	In metres	AIXM	http://www.ga.gov.au/ausgeoid/					
	APC Tower Elevation	In metres	AIXM						
	APC Ground Elevation	In metres	AIXM						
	APC AHD Elevation	In metres	AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
	Attribute	Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
VOR	VOR (LIMITATION DETAILS)								
	VOR	Three letter IDENT of the VOR	AIXM						
	Type	Select one of the options below: • COV - Actual coverage range (flight checked). Equivalent to Operational Service Volume. • ESV - Extended Service Volume (Coverage) • OUT - Out of tolerance. • RES - Restricted (use is restricted to defined sectors). • RHG - Roughness (signal roughness experienced). • SCL - Scalloping. • T_COV - Theoretical coverage range (not flight checked). Equivalent to Standard Service Volume. • UNREL - Unreliability. • UUS - Un-usability (use is not permitted in the defined sectors). • OTHER - Other	AIXM						
	FROM Bearing	From Angle - Bearing in TRUE degrees	AIXM						
	TO Bearing	To Angle - Bearing in TRUE degrees	AIXM						
	Inner Limit	Inner limit of an angle sector volume	AIXM						
	Lower Limit	Lower limit of an angle sector volume	AIXM						
	Outer Limit	Outer limit of an angle sector volume	AIXM						
	Upper Limit	Upper limit of an angle sector volume	AIXM						
	Upper Limit UOM	FT	AIXM						
	Upper Limit Reference	AGL/MSL/BCTA/FL	AIXM						
	Lower Limit UOM	FT	AIXM						
	Lower Limit Reference	AGL/MSL/BCTA/FL	AIXM						
	signalType	Select one of the options below: • AZIMUTH - The signal supports the provision/calculation of horizontal angle information. • BEAM - The signal provides a directional guidance, in the horizontal or vertical planes. • DATALINK - The signal provides a carrier for data. • DISTANCE - The signal supports the provision/calculation of linear separation information. • OTHER - Other • VOICE - The signal provides a carrier for voice information.	AIXM						
	Scalloping Angle	Value of scalloping angle	AIXM						
	arcDirection	Select one of the options below: • CCA - Counter clockwise arc • CWA - Clockwise arc • OTHER - Other	AIXM						
	Remark	Remark on limitation	AIXM						
	angleType	Select one of the options below: • HDG - Heading • MAG - Magnetic bearing • MAGTRACK - Magnetic track • OTHER - Other • RDL - VOR radial • TRK - Track • TRUE - True bearing	AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
	Attribute	Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
DME	DME (BASIC DETAILS)								
	Identifier	THREE LETTER IDENT	AIXM, AIP						
	Latitude	Latitude in DD MM SS.ss format in WGS-84 standards	AIXM, AIP	For Aeodrome Navaid:	3m	Essential	Surveyed	1/10 min	as plotted
	Longitude	Longitude in DDD MM SS.ss format in WGS-84 standards	AIXM, AIP	For Enroute Navaid:	100m	Essential	Surveyed	1/10 min	
	Name	NAME OF THE AERODROME WHERE IT SERVES	AIXM, AIP						
	Sub Type	Narrow Spectrum	AIXM, AIP						
	Channel	Specify channel number	AIXM, AIP						
	Channel Code	Select one of the options below: - W - X - Y - Z - OTHER	AIXM, AIP						
	Ghost Frequency	Provide frequency of virtual VHF facility paired with DME as per ICAO Annex 10 table A, chapter 3.	AIXM, AIP						
	Ghost Frequency UOM	Select one of the options below: - GHZ - HZ - KHZ - MHZ - OTHER	AIXM, AIP						
	Navaid Power	Power of DME in WATT	AIXM, AIP						
	Ident Frequency	Provide Ident frequency	AIXM, AIP						
	Height	Height of the DME (top most tip) above ground in Metres	AIXM, AIP		0.5m	Essential	Surveyed		
	Elevation	Elevation of DME (top most tip) above mean sea level in Metres	AIXM, AIP	PANS-AIM	3m	Essential	Surveyed		
	APC Elev. Ellipsoid	APC Elevation of DME above mean sea level in Metres	AIXM, AIP	http://www.ga.gov.au/ausgeoid/					
	Organisation - Authority	Name of the organization owned by	AIXM, AIP						
	Survey Status	Select one of the options below: - CALCULATED - SURVEYED - DECLARED - TRANSFORMED	Data Quality requirements						
	Limitation Flag	YES/NO. If DME is limited, relevant note describing the limitation need to be provided in DME Limitation section	Trigger for DME Limitation						
	Type	Select one of the options below: - NARROW - PRECISION - WIDE - OTHER	AIXM						
	Zero Displacement	The distance from DME antenna to where Zero range indication occurs	AIXM						
	Zero UoM	UoM of Zero Displacement	AIXM						
	purpose	Select one of the options below: - ENROUTE - TERMINAL - ALL - OTHER	AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
	Attribute	Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
DME	Emission Code	Select One of the option below: • A2 - Telegraphy, no voice. • A3A - Single side-band, reduced carrier. • A3B - Two independent side-bands. • A3E - AM double side-band telephony. • A3H - Single side-band, full carrier. • A3J - Single side-band, suppressed carrier. • A3L - Lower single side-band, carrier unknown. • A3U - Upper single side-band, carrier unknown. • J3E - AM double side-band suppressed carrier telephony. • NONA1A - Unmod trans. Morse ident. Carrier emission interrupted. • NONA2A - Unmod. Trans. Morse ident. Carrier emission continuous. • PON - Pulse. • A8W - AM (unkeyed) plus ON/OFF keying of ident tone. • A9W - Composite AM/FM (unkeyed) plus ON/OFF keying of ident tone. • NOX - Unmodulated carrier. • G1D - DPSK Data Transmission. • OTHER - Other.	AIXM						
	Working Hours	Provide Working hours code. Select one of the option below: • H24 - 24 hours • HJ - Sunrise to Sunset • HN - Sunset to Sunrise • HO - Service available to meet operator requests • HX - No specific working hours • NOTAM - Activity periods to be published by NOTAM • OTHER - Other • TIMSH - As specified in the related timesheets	AIXM						
	Working Hours Remark	If working hours is 'OTHER', specify detailed information here	AIXM						
	Area Code	SPA (as per ARINC 424 document figure 5-2). Need to check for Norfolk Island, Christmas Island Navaid equipment's	AIXM						
	Class (3)	Third Character of ARINC Navaid Class. Select one of the options below: • H - VHF: High Altitude • L - VHF: Low Altitude • T - Terminal • U - Unrestricted	AIXM						
	Class (5)	Fifth Character of ARINC Navaid Class. Select one of the options below: • N - Non-Coloc VOR and TACAN or DME • NULL (Blank option)	AIXM						
	Fac Characteristic 5	ARINC: Synchronous indicator for VHF Navaid, ILS and MLS. Select one of the options below: • S - Synchronous • U - Unknown	AIXM						
	Mobile	Is it mobile? - YES/NO/OTHER	AIXM						
	Flight Checked	Has this been flight checked? - YES/NO/OTHER	AIXM						
	APC Geoid Elevation	In metres	AIXM						
	APC Tower Elevation	In metres	AIXM						
	APC Ground Elevation	In metres	AIXM						
	APC AHD Elevation	In metres	AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
Attribute		Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
DME	DME (LIMITATION DETAILS)								
	DME	Three letter IDENT of the DME	AIXM						
	Type	Select one of the options below: • COV - Actual coverage range (flight checked). Equivalent to Operational Service Volume. • ESV - Extended Service Volume (Coverage) • OUT - Out of tolerance. • RES - Restricted (use is restricted to defined sectors). • RHG - Roughness (signal roughness experienced). • SCL - Scalloping. • T_COV - Theoretical coverage range (not flight checked). Equivalent to Standard Service Volume. • UNREL - Unreliability. • UUS - Un-usability (use is not permitted in the defined sectors). • OTHER - Other	AIXM						
	FROM Bearing	From Angle - Bearing in TRUE degrees	AIXM						
	TO Bearing	To Angle - Bearing in TRUE degrees	AIXM						
	Inner Limit	Inner limit of an angle sector volume	AIXM						
	Lower Limit	Lower limit of an angle sector volume in FT	AIXM						
	Outer Limit	Outer limit of an angle sector volume	AIXM						
	Upper Limit	Upper limit of an angle sector volume in FT	AIXM						
	Upper Limit Reference	AGL/MSL/BCTA/FL	AIXM						
	Lower Limit Reference	AGL/MSL/BCTA/FL	AIXM						
	signalType	Select one of the options below: • AZIMUTH - The signal supports the provision/calculation of horizontal angle information. • BEAM - The signal provides a directional guidance, in the horizontal or vertical planes. • DATALINK - The signal provides a carrier for data. • DISTANCE - The signal supports the provision/calculation of linear separation information. • OTHER - Other • VOICE - The signal provides a carrier for voice information.	AIXM						
	Scalloping Angle	Value of scalloping angle	AIXM						
	arcDirection	Select one of the options below: • CCA - Counter clockwise arc • CWA - Clockwise arc • OTHER - Other	AIXM						
	Remark	Remark on limitation. The same text will be used to update in ERSa FAC–Maximum of 4000 characters	AIXM, AIP						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
	Attribute	Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
DME	angleType	Select one of the options below: • HDG - Heading • MAG - Magnetic bearing • MAGTRACK - Magnetic track • OTHER - Other • RDL - VOR radial • TRK - Track • TRUE - True bearing	AIXM						
	AngleDirectionReference	Select one of the options below: • FROM - From reference point • TO - To reference point • OTHER	AIXM						
	horizontalAccuracy	The difference between the recorded horizontal coordinates of a feature and its true position referenced to the same geodetic datum expressed as a circular error at 95 percent probability.	AIXM						
	horizontalAccuracyUom	UoM of Horizontal accuracy	AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
Attribute		Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
ILS GP	ILS GP (BASIC DETAILS)								
	Identifier	THREE LETTER IDENT	AIXM, AIP						
	Latitude	Latitude in DD MM SS.ss format in WGS-84 standards	AIXM, AIP		3m	Essential	Surveyed	1/10 min	as plotted
	Longitude	Longitude in DDD MM SS.ss format in WGS-84 standards	AIXM, AIP		3m	Essential	Surveyed	1/10 min	as plotted
	Name	NAME OF THE AERODROME WHERE IT SERVES	AIXM, AIP						
	Sub Type	ILS (default)	AIXM						
	Frequency	Provide frequency of Glide Path equipment	AIXM, AIP	Annex 10, Chapter 3, 3.1.6.1					
	Frequency UOM	Select one of the options below: • HZ • KHZ • MHZ (default) • GHZ	AIXM, AIP						
	Navaid Power	Power of ILS GP in WATT	AIXM						
	RDH	Reference Datum Height in FEET	AIXM		0.5m	Critical	Calculated	1ft	1ft
	APC Elev. Ellipsoid	APC Elevation of GP above mean sea level in Metres	AIXM	http://www.ga.gov.au/ausgeoid/					
	Organisation - Authority	Name of the organization owned by	AIXM						
	Survey Status	Select one of the options below: • CALCULATED • SURVEYED • DECLARED • TRANSFORMED	Data Quality requirements						
	Limitation Flag	YES/NO. If Glide Path is limited, relevant note describing the limitation need to be provided.	Trigger to Limitation						
	Runway Aligned	Provide Runway number aligned to	AIP						
	Emission Code	Select One of the option below: • A2 - Telegraphy, no voice. • A3A - Single side-band, reduced carrier. • A3B - Two independent side-bands. • A3E - AM double side-band telephony. • A3H - Single side-band, full carrier. • A3J - Single side-band, suppressed carrier. • A3L - Lower single side-band, carrier unknown. • A3U - Upper single side-band, carrier unknown. • J3E - AM double side-band suppressed carrier telephony. • NONA1A - Unmod trans. Morse ident. Carrier emission interrupted. • NONA2A - Unmod. Trans. Morse ident. Carrier emission continuous. • PON - Pulse. • A8W - AM (unkeyed) plus ON/OFF keying of ident tone. • A9W - Composite AM/FM (unkeyed) plus ON/OFF keying of ident tone. • NOX - Unmodulated carrier. • G1D - DPSK Data Transmission. • OTHER - Other.	AIXM						
	Slope	Angle of Glide path	AIXM						
	Elevation	Elevation of ILS GP in FT	AIXM						
	Geoid Undulation		AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
	Attribute	Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
ILS GP	Working Hours	Provide Working hours code. Select one of the option below: • H24 - 24 hours • HJ - Sunrise to Sunset • HN - Sunset to Sunrise • HO - Service available to meet operator requests • HX - No specific working hours • NOTAM - Activity periods to be published by NOTAM • OTHER - Other • TIMSH - As specified in the related timesheets	AIXM						
	Working Hours Remark	If working hours is 'OTHER', specify detailed information here	AIXM						
	Glide Slope Position		AIXM						
	Mobile	Is it mobile? - YES/NO/OTHER	AIXM						
	Flight Checked	Has this been flight checked? - YES/NO/OTHER	AIXM						
	APC Geoid Elevation	In metres	AIXM						
	APC Tower Elevation	In metres	AIXM						
	APC Ground Elevation	In metres	AIXM						
	APC AHD Elevation	In metres	AIXM						
	ILS GP Antenna Threshold distance	Distance between GP antenna and Runway centreline point in NM e.g., 3.75 NM FM THR 01	AIXM		3m	Routine	calculated	1m or 1ft	as plotted

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
Attribute		Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
ILS GP	ILS GP (LIMITATION DETAILS)								
	ILSgp	Three letter IDENT	AIXM						
	GPLim.CodeType	Select one of the options below: • COV - Actual coverage range (flight checked). Equivalent to Operational Service Volume. • ESV - Extended Service Volume (Coverage) • OUT - Out of tolerance. • RES - Restricted (use is restricted to defined sectors). • RHG - Roughness (signal roughness experienced). • SCL - Scalloping. • T_COV - Theoretical coverage range (not flight checked). Equivalent to Standard Service Volume. • UNREL - Unreliability. • UUS - Un-usability (use is not permitted in the defined sectors). • OTHER - Other	AIXM						
	GPLim.ValAngleFm	Value of from (beginning) angle of an angle sector volume. The angle sector begins at VAL_ANGLE_FM and ends at VAL_ANGLE_TO. Notes: • When VAL_ANGLE_FM is greater than VAL_ANGLE_TO, it means from VAL_ANGLE_FM to 360 degrees and from 0 degree to VAL_ANGLE_TO; • When VAL_ANGLE_FM is equal to VAL_ANGLE_TO, it means for that angle only; • 3) A full circle is indicated with the values VAL_ANGLE_FM=0 and VAL_ANGLE_TO=359.	AIXM						
	GPLim.ValAngleTo	End of the angle sector volume	AIXM						
	GPLim.ValDistInner	Inner limit of an angle sector volume	AIXM						
	GPLim.valdstverlwr	Lower limit of an angle sector volume	AIXM						
	ValDistOuter	Outer limit of an angle sector volume	AIXM						
	ValDistVerUpper	Upper limit of an angle sector volume	AIXM						
	UOMDistVerUpper	UoM of upper limit of an angle sector volume. Select one of the options below: • CEILING • FL • FLOOR • FT • GND • M • OTHER • SM • UNL	AIXM						
	CodeDistVerUpper	Reference of measure of upper limit of an angle sector volume. Select one of the options below: • AGL • BCTA • HEI • MSL • NOTAM • OTHER • SFC • STD • UNL • WGS84	AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
	Attribute	Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
ILS GP	UOMDistVerLower	UoM of lower limit of an angle sector volume. Select one of the options below: • CEILING • FL • FLOOR • FT • GND • M • OTHER • SM • UNL	AIXM						
	signalType	Select one of the options below: • AZIMUTH - The signal supports the provision/calculation of horizontal angle information. • BEAM - The signal provides a directional guidance, in the horizontal or vertical planes. • DATALINK - The signal provides a carrier for data. • DISTANCE - The signal supports the provision/calculation of linear separation information. • OTHER - Other • VOICE - The signal provides a carrier for voice information.	AIXM						
	CodeDistVerLower	Reference of measure of lower limit of an angle sector volume. Select one of the options below: • AGL • BCTA • HEI • MSL • NOTAM • OTHER • SFC • STD • UNL • WGS84	AIXM						
	arcDirection	Select one of the options below: • CCA - Counter clockwise arc • CWA - Clockwise arc • OTHER - Other	AIXM						
	ValAngleScallop	Value of scalloping angle	AIXM						
	TxtRmk		AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
	Attribute	Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
ILS GP	angleType	Select one of the options below: • HDG - Heading • MAG - Magnetic bearing • MAGTRACK - Magnetic track • OTHER - Other • RDL - VOR radial • TRK - Track • TRUE - True bearing	AIXM						
	angleDirectionReference	Select one of the options below: • FROM - From reference point • TO - To reference point • OTHER	AIXM						
	innerDistanceUom	UoM of inner distance	AIXM						
	outerDistanceUom	UoM of outer distance	AIXM						
	horizontalAccuracy	The difference between the recorded horizontal coordinates of a feature and its true position referenced to the same geodetic datum expressed as a circular error at 95 percent probability.	AIXM						
	horizontalAccuracyUom	UoM of Horizontal accuracy	AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
Attribute		Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
ILS LLZ	ILS LLZ (BASIC DETAILS)								
	Identifier	THREE LETTER IDENT	AIXM, AIP, DATA REPORTS						
	Latitude	Latitude in DD MM SS.ss format in WGS-84 standards	AIXM, AIP, DATA REPORTS		3m	Essential	Surveyed	1/10 min	as plotted
	Longitude	Longitude in DDD MM SS.ss format in WGS-84 standards	AIXM, AIP, DATA REPORTS		3m	Essential	Surveyed	1/10 min	as plotted
	Name	ADELAIDE	AIXM, AIP, DATA REPORTS						
	Sub Type	Select one of the options below: - ILS (if GP exist) - NPA (if there is no GP)	AIP						
	Frequency	Localizer Frequency in MHz	AIXM, AIP, DATA REPORTS	Annex 10, Chapter 3, 3.1.6.1					
	Navaid Power	Power of Localizer in WATT	AIXM						
	Organisation - Authority	Name of the organization owned by	AIXM						
	Survey Status	Select one of the options below: - CALCULATED - SURVEYED - DECLARED - TRANSFORMED	Database quality requirements						
	Limitation Flag	YES/NO. If LLZ is having limitations, relevant LLZ limitation attributes and a note describing it must be provided. Attributes data is for AIXM and note for ERSA FAC	AIP Charts						
	Remark	Remarks on equipment	AIXM						
	GovtSource	YES	AIXM						
	flightChecked	YES/NO	AIXM						
	purpose	TERMINAL	AIXM						
	signalPerformance	For ILS, select one of the options below: - I - II - III - OTHER	AIXM						
	courseQuality	Select one of the options below: - A - Usable up to a point on the ILS glide path measured along the extended runway centre line in the approach direction to a distance of 7.5km (4NM) from the threshold. - B - Usable up to a point on the ILS glide path measured along the extended runway centre line in the approach direction to a distance of 1050m (3500ft) from the threshold. - C - Usable up to a point through which the downward extended straight portion of the nominal ILS glide path passes at a height of 30m (100ft) above the horizontal plane containing the threshold. - D - Usable up to a point 4m (12ft) above the runway centre line and 600m (2000ft) from the stop end of the runway in the direction of the threshold. - E - Usable up to a point at a specified height located above the intersection of the runway centre line and the threshold and through which the downward extended straight portion of the ILS glide path passes. - OTHER - Other. - T - Usable up to a point 4m (12ft) above the runway centre line and 900m (3000ft) from the threshold in the direction of the localizer.	AIXM						
	integrityLevel	Select one of the options below: 1 - Integrity Level 1. 2 - Integrity Level 2. 3 - Integrity Level 3. 4 - Integrity Level 4. - OTHER - Other.	AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
	Attribute	Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
ILS LLZ	Emission Code	Select One of the option below: • A2 - Telegraphy, no voice. • A3A - Single side-band, reduced carrier. • A3B - Two independent side-bands. • A3E - AM double side-band telephony. • A3H - Single side-band, full carrier. • A3J - Single side-band, suppressed carrier. • A3L - Lower single side-band, carrier unknown. • A3U - Upper single side-band, carrier unknown. • J3E - AM double side-band suppressed carrier telephony. • NONA1A - Unmod trans. Morse ident. Carrier emission interrupted. • NONA2A - Unmod. Trans. Morse ident. Carrier emission continuous. • PON - Pulse. • A8W - AM (unkeyed) plus ON/OFF keying of ident tone. • A9W - Composite AM/FM (unkeyed) plus ON/OFF keying of ident tone. • NOX - Unmodulated carrier. • G1D - DPSK Data Transmission. • OTHER - Other.	AIXM						
	Course Width	Localizer course width, in degrees.	AIXM						
	Width Course Accuracy	Accuracy of localizer width	AIXM						
	Back Course Usage	Select one of the options below: • YES • NO • OTHER • RESTRICTED	AIXM						
	Working Hours	Provide Working hours code. Select one of the option below: • H24 - 24 hours • HJ - Sunrise to Sunset • HN - Sunset to Sunrise • HO - Service available to meet operator requests • HX - No specific working hours • NOTAM - Activity periods to be published by NOTAM • OTHER - Other • TIMSH - As specified in the related timesheets	AIXM						
	Working Hours Remark	(if OTHER code is selected above, use Free text to provide more details)	AIXM						
	Localizer Position	Defines the location of the facility antenna relative to one end of the runway – maximum of 14 characters	AIXM						
	Localizer Azimuth Position	Select one of the options below: • - Antenna situated off to one side of the runway • + Antenna situated ahead of the approach end of RWY	AIXM						
	Fac characteristic 1	Select one of the options below: • Asynchronous • Synchronous • Unknown	AIXM						
	Fac charactertistic 4	Select one of the options below: • 1 - 1020H (NDB) • 4 - 400H (NDB) • H - MLS App Az Scan Rate (High-rate app azimuth guidance avail) • N - ILS Backcourse Unusable • R - ILS Backcourse Restricted • U - ILS Backcourse Undefined • Y - ILS Backcourse Usable	AIXM						
	Mobile	YES/NO	AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
	Attribute	Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
ZTLZ ILS	Flight Checked	YES/NO	AIXM						
	Runway Direction	RWY START DIRECTION	AIXM						
	Runway Centreline Point	RWY END DIRECTION	AIXM						
	Height and UoM	In FT	AIXM						
	VerticalAccuracy UoM		AIXM						
	Elevation and UoM	In FT	AIXM						
	Elevation Accuracy		AIXM						
	True Bearing	The measured angle between the localizer beam and True North at the localizer antenna. Note : The True North is the north point at which the meridian lines meet.	AIXM		1/100 deg	Essential	Surveyed	1/100 deg (if true)	1 degree
	True Bearing Accuracy	Accuracy of the measured angle between the localizer beam and True North at the localizer antenna.	AIXM						
	Declination	The angular difference between True North and the station declination (Magnetic North - as indicated by the station).	AIXM						
	Magnetic Bearing	The measured angle between the localizer beam and Magnetic North at the localizer antenna.	AIXM						
	Magnetic Bearing Accuracy	Accuracy of the measured angle between the localizer beam and Magnetic North at the localizer antenna.	AIXM						
	Localizer Antenna RWY END distance	Distance between Localizer antenna and Runway centreline point in NM e.g., 3.75 NM FM THR 01	AIXM		3m	Routine	Calculated	1/10th NM	as plotted

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
Attribute		Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
ILS LLZ	ILS LLZ (LIMITATION DETAILS)								
	ILSLIz	Three letter IDENT	AIXM						
	LLZLim.CodeType	Select one of the options below: • COV - Actual coverage range (flight checked). Equivalent to Operational Service Volume. • ESV - Extended Service Volume (Coverage) • OUT - Out of tolerance. • RES - Restricted (use is restricted to defined sectors). • RHG - Roughness (signal roughness experienced). • SCL - Scalloping. • T_COV - Theoretical coverage range (not flight checked). Equivalent to Standard Service Volume. • UNREL - Unreliability. • UUS - Un-usability (use is not permitted in the defined sectors). • OTHER - Other	AIXM						
	LLZLim.ValAngleFm	Value of from (beginning) angle of an angle sector volume. The angle sector begins at VAL_ANGLE_FM and ends at VAL_ANGLE_TO. Notes: • When VAL_ANGLE_FM is greater than VAL_ANGLE_TO, it means from VAL_ANGLE_FM to 360 degrees and from 0 degree to VAL_ANGLE_TO; • When VAL_ANGLE_FM is equal to VAL_ANGLE_TO, it means for that angle only; • 3) A full circle is indicated with the values VAL_ANGLE_FM=0 and VAL_ANGLE_TO=359.	AIXM						
	LLZLim.ValAngleTo	End of the angle sector volume	AIXM						
	LLZLim.ValDistInner	Inner limit of an angle sector volume	AIXM						
	LLZLim.valdstverlwr	Lower limit of an angle sector volume	AIXM						
	ValDistOuter	Outer limit of an angle sector volume	AIXM						
	ValDistVerUpper	Upper limit of an angle sector volume	AIXM						
	UOMDistVerUpper	UoM of lower limit of an angle sector volume. Select one of the options below: • CEILING • FL • FLOOR • FT • GND • M • OTHER • SM • UNL	AIXM						
	CodeDistVerUpper	Reference of measure of lower limit of an angle sector volume. Select one of the options below: • AGL • BCTA • HEI • MSL • NOTAM • OTHER • SFC • STD • UNL • WGS84	AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
	Attribute	Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
ZTL ILS	signalType	Select one of the options below: • AZIMUTH - The signal supports the provision/calculation of horizontal angle information. • BEAM - The signal provides a directional guidance, in the horizontal or vertical planes. • DATALINK - The signal provides a carrier for data. • DISTANCE - The signal supports the provision/calculation of linear separation information. • OTHER - Other • VOICE - The signal provides a carrier for voice information.	AIXM						
	UOMDistVerLower	UoM of lower limit of an angle sector volume. Select one of the options below: • CEILING • FL • FLOOR • FT • GND • M • OTHER • SM • UNL	AIXM						
	arcDirection	Select one of the options below: • CCA - Counter clockwise arc • CWA - Clockwise arc • OTHER - Other	AIXM						
	CodeDistVerLower	Reference of measure of lower limit of an angle sector volume. Select one of the options below: • AGL • BCTA • HEI • MSL • NOTAM • OTHER • SFC • STD • UNL • WGS84	AIXM						
	ValAngleScallop	Value of scalloping angle	AIXM						
	TxtRmk	Remark on limitation. The same text will be used to update in ERSa FAC–Maximum of 4000 characters	AIXM						
	angleType	Select one of the options below: • HDG - Heading • MAG - Magnetic bearing • MAGTRACK - Magnetic track • OTHER - Other • RDL - VOR radial • TRK - Track • TRUE - True bearing	AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
	Attribute	Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
ILS LLZ	angleDirectionReference	Select one of the options below: - FROM - From reference point - TO - To reference point - OTHER	AIXM						
	innerDistanceUom	UoM of inner distance	AIXM						
	outerDistanceUom	UoM of outer distance	AIXM						
	horizontalAccuracy	The difference between the recorded horizontal coordinates of a feature and its true position referenced to the same geodetic datum expressed as a circular error at 95 percent probability.	AIXM						
	horizontalAccuracyUom	UoM of Horizontal accuracy	AIXM						
ILS	ILS								
	ILS marker TRSH distance	ILS marker - threshold distance	AIXM	Annex 14 2.5.1 j)	3 m	essential	calculated	1 m or 1 ft	2/10 km(1/10 NM)
	ILS DME antenna TRSH distance	ILS DME antenna - threshold distance along centerline	AIXM	Annex 14 2.5.1 j)	3 m	essential	calculated	1 m or 1 ft	as plotted

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
Attribute		Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
MARKER	MARKER								
	Identifier	Three letter IDENT	AIP, AIXM						
	Latitude	Coordinate in DD MM SS.ss in WGS-84 format	AIP, AIXM		3m	Essential	Surveyed	1/10 min	as plotted
	Longitude	Coordinate in DDD MM SS.ss in WGS-84 format	AIP, AIXM		3m	Essential	Surveyed	1/10 min	as plotted
	Frequency	75 MHz (default)	AIP, AIXM						
	Name	Name of the location where it is served	AIP, AIXM						
	Marker Subtype	Outer Marker/Inner Marker/Middle Marker	AIP						
	Sub Type	ILS (default)	AIP						
	Survey Status	Select one of the options below: - CALCULATED - SURVEYED - DECLARED - TRANSFORMED	Data Quality requirements						
	Runway Aligned	Ident of the runway to which marker is aligned to	AIP						
MARKER	Classification	A code indicating the class of the radio marker. Select one of the options below: - BONES - Bone Shaped Fan marker - FAN - Fan marker - LOW_PWR_FAN - Low powered fan marker - OTHER - Other - Z - Z marker	AIXM						
	ILS Position	A code indicating the position, in a real or virtual ILS, of the markers situated on the centreline of a runway. For example: outer, middle, etc.. Notes: Even when there is no ILS installed, the markers on the centreline of the runway are still referred to as "Inner Marker", "Middle Marker", etc.. Select one of the options below: - BACKCOURSE - Backcourse - C - (DEP) Backcourse - I - (DEP) Inner - INNER - Inner - M - (DEP) Middle - MIDDLE - Middle - O - (DEP) Outer - OTHER - Other - OUTER - Outer	AIXM						
	Minor Axis Bearing	The true bearing of the minor axis of the marker beacon. (source: ARINC 424 Specification)	AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
	Attribute	Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
MARKER	Emission Code	Select One of the option below: • A2 - Telegraphy, no voice. • A3A - Single side-band, reduced carrier. • A3B - Two independent side-bands. • A3E - AM double side-band telephony. • A3H - Single side-band, full carrier. • A3J - Single side-band, suppressed carrier. • A3L - Lower single side-band, carrier unknown. • A3U - Upper single side-band, carrier unknown. • J3E - AM double side-band suppressed carrier telephony. • NONA1A - Unmod trans. Morse ident. Carrier emission interrupted. • NONA2A - Unmod. Trans. Morse ident. Carrier emission continuous. • PON - Pulse. • A8W - AM (unkeyed) plus ON/OFF keying of ident tone. • A9W - Composite AM/FM (unkeyed) plus ON/OFF keying of ident tone. • NOX - Unmodulated carrier. • G1D - DPSK Data Transmission. • OTHER - Other.	AIXM						
	Datum	WGS-84 (default)	AIXM						
	Vertical Datum	AHD (default)	AIXM						
	Working Hours	Provide Working hours code. Select one of the option below: • H24 - 24 hours • HJ - Sunrise to Sunset • HN - Sunset to Sunrise • HO - Service available to meet operator requests • HX - No specific working hours • NOTAM - Activity periods to be published by NOTAM • OTHER - Other • TIMSH - As specified in the related timesheets	AIXM						
	Working Hours Remark	(if other code is selected above, use Free text to provide more details)	AIXM						
	Remark	Remarks on equipment	AIXM						
	Area Code	SPA (as per ARINC 424 document figure 5-2). Need to check for Norfolk Island, Christmas Island Navaid equipment's	AIXM						
	Organisation - Authority	Name of the organization owned by	AIXM						
	ICAOSeq (ARINC)	(ARINC) 2 digit number assigned to keep markers unique within a given ICAO region.	AIXM						
	Height and UOM	Height of the marker in FT	AIXM						
	Elevation and UoM	Elevation of the marker in FT	AIXM						
	Navaid Power and UOM	The power of marker in WATT	AIXM						
	Remark Local Lang	Remarks on equipment	AIXM						
	Aural Morse Code	of the IDENT	AIXM						
	mobile	YES/NO	AIXM						
	flightChecked	YES/NO	AIXM						
	purpose	Select one of the options below: • ENROUTE • TERMINAL • ALL • OTHER	AIXM						

GREY sections - Some information requested may not be published in IAIP products however, it is stored in the database/system for calculations and/or future requirements.									
	Attribute	Description	Purpose	Note	Accuracy	Integrity	Origin	Pub Resolution	Chart Resolution
GBAS	GBAS (RECEIVER)								
	glsrefpathident	GLS Path Ident reference	AIP, AIXM						
	glscategory	GLS Category	AIP, AIXM						
	glchannel	Channel Number of GLS	AIP, AIXM						
	stationlat	Receiver Latitude in DD MM SS.ss format in WGS-84	AIP, AIXM		1m	Essential	Surveyed	1/10 sec	as plotted
	stationlon	Receiver Longitude in DDD MM SS.ss format in WGS-84	AIP, AIXM		1m	Essential	Surveyed	1/10 sec	as plotted
	GBAS (TRANSMITTER)								
	Location	Aerodrome to which GLS serves	AIP, AIXM						
	glscategory	GLS Category	AIP, AIXM						
	Glsfrequency	Frequency of GLS transmitter and UoM	AIP, AIXM						
	stationlat	GBAS Reference point (Transmitter) Latitude in DD MM SS.ss format in WGS-84	AIP, AIXM		1m				
	stationlon	GBAS Reference point (Transmitter) Longitude in DDD MM SS.ss format in WGS-84	AIP, AIXM		1m				
	Elevation	GBAS reference point elevation	AIXM	PANS-AIM	0.25m	Essential		1m or 1ft	
	Ellisoidal Height	Ellipsoid height of GBAS reference point	AIXM	http://www.ga.gov.au/ausgeoid/		Critical		1m or 1ft	
	Coverage Volume	Coverage area notes	AIXM						